



BUILDING MATERIALS

SOLUTION-BASED PRODUCTS FOR THE JOBSITE



SOLUTION-BASED PRODUCTS FOR THE JOBSITE

- **SUBFLOOR & FRAMING**
TO PREVENT FLOOR SQUEAKS
- **WINDOW & DOOR**
TO PREVENT WATER DAMAGE & AIR LEAKS
- **SIDING SEALANTS**
TO PREVENT SIDING SEALANT FAILURES
- **DRYWALL & TRIM**
TO PREVENT DRYWALL & TRIM FAILURES
- **KITCHEN & BATH**
TO PREVENT SEALANT FAILURES & MOLD
- **FOAM INSTALLATION**
TO PREVENT AIR INFILTRATION

DAP® offers the industry's most complete line of products for new construction Home Solutions in and around your home. Eliminate the cost of failure associated with warranty callbacks due to air leaks, drafts, water damage, inferior product use and improper installations. DAP works with the builder to ensure the use of best-in-class products included in the scope of work that meet the regulation specifications for residential construction. DAP products perform to federal, regional and local code specifications as well as manufacturers specifications for installations.



KITCHEN

DRYWALL & TRIM



SUBFLOOR & FRAMING



HOME CONSTRUCTION SOLUTIONS

Silicone Max
100% SILICONE
20 Year*
Waterproof
30 Minute
Water Seal
Kitchens, Bath & Plumbing

TOUCH'N'FOAM
SYSTEM 200
PROFESSIONAL
SAVES ENERGY
NET WT. 26.34 lb (12.31 kg)

DRAFTSTOP 812
Low Pressure
Non-Rigid
Polyurethane Foam
AAMA R12 TESTED

TOUCH'N'FOAM
PROFESSIONAL
INSULATING POLYURETHANE SEALANT
BRIGHT WHITE FOAM

TOUCH'N'FOAM
PROFESSIONAL
INSULATING POLYURETHANE SEALANT
BRIGHT WHITE FOAM

FOAM INSTALLATION

DYNAFLEX 920
Window, Door, Siding & Trim
NET WT. 11.34 oz (320 g)

DYNAFLEX 800
Window, Door, Siding & Trim
NET WT. 11.34 oz (320 g)

DYNAFLEX 230
Window, Door, Siding & Trim
NET WT. 11.34 oz (320 g)

SIDING SEALANTS

DYNAFLEX 800
Window, Door, Siding & Trim
NET WT. 11.34 oz (320 g)

DYNAFLEX 230
Window, Door, Siding & Trim
NET WT. 11.34 oz (320 g)

WINDOW & DOOR

& BATH

SUBFLOOR & FRAMING SOLUTIONS

PROBLEM



Subfloor & Framing Callbacks

- Annoying Squeaks
- Sagging Floors
- Defects

Problems Caused By

- Inferior Adhesives
- Improper Installation

SOLUTION TO PREVENT FLOOR SQUEAKS



SMARTBOND® SUBFLOOR Construction Adhesive

- High Strength Bond
- Collapsing Foam Adhesive
- Faster Application
- Bonds Dry, Wet & Frozen Lumber
- Compatible with Moisture Resistant Subfloor Panels
- Reusable Up to 30 Days (When Left on Applicator Gun)
- 1 Can = 8 – 28 oz Cartridges
- Meets / Exceeds ASTM D3498
- Exterior / Interior



How to Use
SmartBond



Cómo Utilizar
SmartBond

FOR ASSISTANCE CALL THE DAP® TECHNICAL HELP LINE

888-DAP-TIPS

WINDOW & DOOR SOLUTIONS

PROBLEM



Window & Door Installation Callbacks

- Water Damage
- Air Leaks & Drafts

Problems Caused By

- Water leakage
- Air (Energy Loss)
- Vapor Diffusion

SOLUTION TO PREVENT WATER DAMAGE & AIR LEAKS



DYNAFLEX 230® Premium Exterior / Interior Elastomeric Sealant

- Permanently Flexible & Crack Proof
- 100% Waterproof
- Seals Joints up to 2" Wide
- Temperature Application: 40°F – 120°F
- Ideal for Natural & Synthetic Materials
- Easy to Apply & Clean-Up
- Paint Ready in 1 Hour
- Excellent UV Stability
- 4" Nozzle for Easy Application
- Available in 22 Colors
- Meets ASTM C920, Class 25
- Exterior / Interior



DYNAFLEX® 800 Advanced Exterior / Interior Elastomeric Sealant

- Adheres to Wet & Damp Surfaces Immediately
- No Cracking, No Shrinkage (0 %)
- Extreme Temperature Application: 0°F – 120°F
- Low Odor, Easy Tooling & VOC Compliant
- Cures in 24 Hours, Paintable in 1 Hour
- Cured Sealant is Mold & Mildew Resistant
- Excellent UV Stability
- 4" Nozzle for Easy Application
- Available in 10 Colors
- Meets ASTM C920, AAMA 802, 803 & 808
- Exterior / Interior



SPEC LINE
WINDOW, DOOR & SIDING SEALANTS

DAP® SPEC LINE was designed specifically to meet the industry specs for installing windows, doors & siding. The SPEC LINE products are identified by the industry specifications that they meet to ensure you are doing the job to your exact standards, as well as those of the leading manufacturers. These robust products are developed with the end user in mind, providing a high level of performance and convenient user benefits to get the job done efficiently with the quality you expect.

SIDING SEALANT SOLUTIONS

PROBLEM

SOLUTION TO PREVENT SIDING SEALANT FAILURES

Siding Sealant Callbacks

- Sealant Failure
- Sealant Appearance

Problems Caused By

- Inferior Sealant Selection



DYNAFLEX® 920 Premium Exterior Elastomeric Sealant

- Applies in Temperatures as Low as 20°F
- Self Tooling & Guns Out Easily
- Permanently Flexible & Crackproof
- Adheres to Wet & Damp Surfaces Immediately
- Excellent UV Stability
- Available in 200+ Colors
- Meets ASTM C920, Class 25
- Exterior Only



▪ **DYNAFLEX® 800** Advanced Exterior / Interior Elastomeric Sealant

- Adheres to Wet & Damp Surfaces Immediately
- Extreme Temperature Application: 0°F – 120°F
- Excellent UV Stability
- Available in 10 Colors
- Meets ASTM C920, AAMA 802, 803 & 808
- Exterior / Interior

See previous page for additional product information.



▪ **DYNAFLEX 230®** Premium Exterior / Interior Elastomeric Sealant

- Extreme Temperature Application: 40°F – 120°F
- Excellent UV Stability
- Available in 22 Colors
- Meets ASTM C920, Class 25
- Exterior / Interior

See previous page for additional product information.



Color Match Tool

Use the DAP Color Match tool to identify the best color match for your project. Dynaflex® 920, Dynaflex 800® & Dynaflex 230® are produced in colors that match leading window, siding & trim manufacturer's colors.



**DYNAFLEX® 920 AVAILABLE IN
200+ COLORS**

DRYWALL & INTERIOR TRIM SOLUTIONS

PROBLEM



Drywall & Interior Trim Callbacks

- Cracking Caulk Joints
- Drywall Nail Pops

Problems Caused By

- Inferior Caulking, Application & Installation
- Lack of Adhesion

SOLUTION TO PREVENT DRYWALL & TRIM FAILURES



ALEX FLEX® Premium Molding & Trim Sealant



- 100% Waterproof Seal
- Excellent Adhesion & Flexibility
- Paint Ready in 30 Minutes
- Exceeds ASTM C920, Class 12.5
- Exterior / Interior



POWER POINT® 300 Advanced High Performance Acrylic Urethane Elastomeric Sealant



- No Paint Discoloration
- Superior Adhesion & Flexibility
- Seals Gaps Up to 3"
- Paintable in 2 Hours
- Exceeds ASTM C920, Class 25
- Interior / Exterior



DRYWALL Construction Adhesive

- Prevents Nail Pops
- Limits Air & Sound Movement Between Walls
- Instant Grab Holds Panels in Place
- Easy to Gun
- Low Odor
- VOC Compliant
- Meets / Exceeds ASTM C557
- Exterior / Interior



KITCHEN & BATH SOLUTIONS

PROBLEM



Kitchen & Bath Callbacks

- Sealant Failure
- Sealant Appearance

Problems Caused By

- Inferior Sealant Selection
- Mold Growth

SOLUTION TO PREVENT SEALANT FAILURES & MOLD



Silicone Max Kitchen & Bath 100% Silicone

- 20 Year Mold Resistance Guarantee
- 30 Minute Water Ready
- Shrink & Crackproof
- Maximum Flexibility
- Lifetime Guarantee
- Interior / Exterior



Kwik Seal Ultra® Advanced Siliconized Sealant

- Lifetime Mold & Mildew Resistance Guarantee
- 4 Hour Water Ready
- 100% Waterproof
- Crackproof
- Stain Proof Protection
- Repels Water, Dirt & Soap Scum
- Interior / Exterior



FOAM INSTALLATION SOLUTIONS

PROBLEM



Foam Installation Callbacks

- Hot & Cold Spots
- Energy Loss
- Air Infiltration

Problems Caused By

- Improper Installation
- Inferior Materials



SOLUTION TO PREVENT AIR INFILTRATION



DRAFTSTOP® 812 Polyurethane Foam

- Insulates & Seals
- Highly Elastic, 30% Joint Movement
- Low Pressure / Low Expansion
- Closed Cell
- Low Temperature
- Rapid Cure



TOUCH 'N FOAM® PROFESSIONAL Window & Door Insulating Polyurethane Foam Sealant

- Won't Bow or Warp Frames & Jambs
- Air Seals Better than Fiberglass
- Meets AAMA 812-04
- Class A Fire Rated



TOUCH 'N FOAM® PROFESSIONAL All Purpose Insulating Polyurethane Foam Sealant

- Approved Type V Residential Fireblock Sealant
- Meets ASTM E-814, E-84 & UL-1715
- Bright Orange Foam Simplifies Inspections
- Air Seals Better than Fiberglass
- Class A Fire Rated



TOUCH 'N FOAM® PROFESSIONAL 2-Component Portable & Disposable Spray Foam Kit

- Air Seals & Saves Energy
- 1.75 PCF Density Foam
- High R Value
- ICC ESR-3052
- Class A Fire Rated
- 200 Kit & 600 Kit

SAVES ENERGY

SPRAY FOAM + BATT INSULATION = BEST SAVINGS & OPTIMAL EFFICIENCY

PRODUCT SPECIFICATIONS

DESCRIPTION	SIZE	COLOR	CASE PACK	PRODUCT CODE	GTIN 14	CASE WEIGHT (LB)	CASE DIMS (L X W X H)	CASE VOL (CU FT)	CASES PER PALLET
ADHESIVES									
SMARTBOND SUBFLOOR	20 OZ	TAN	6	0 70798 00054 4	100 70798 00056 5	10.2	8.5" X 5.75" X 11.5"	.33	144
DRYWALL CONSTRUCTION	28 FL OZ	WHITE	12	0 70798 27518 8	100 70798 27518 5	37	10.875" X 8.25" X 17.125"	.89	60
CAULKS & SEALANTS									
ALEX FLEX	10.1 FL OZ	WHITE	12	0 70798 18542 5	100 70798 18542 2	13.75	8" X 6" X 12"	.33	108
ALEX FLEX	5.5 FL OZ	WHITE	12	0 70798 11455 5	100 70798 11455 2	7.23	9.5" X 7.25" X 4.25"	.17	144
DYNAFLEX 230 WT099	10.1 FL OZ	WHITE	12	0 70798 07102 5	100 70798 07102 2	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BE312	10.1 FL OZ	BEIGE	12	0 70798 07103 2	100 70798 07103 9	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR106	10.1 FL OZ	BROWN	12	0 70798 07104 9	100 70798 07104 6	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 CL504	10.1 FL OZ	CLAY	12	0 70798 07105 6	100 70798 07105 3	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR104	10.1 FL OZ	BROWN	12	0 70798 07106 3	100 70798 07106 0	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BK009	10.1 FL OZ	BLACK	12	0 70798 07107 0	100 70798 07107 7	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 GY704	10.1 FL OZ	GRAY	12	0 70798 07108 7	100 70798 07108 4	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BE320	10.1 FL OZ	BEIGE	12	0 70798 07109 4	100 70798 07109 1	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR100	10.1 FL OZ	BROWN	12	0 70798 07110 0	100 70798 07110 7	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR105	10.1 FL OZ	BROWN	12	0 70798 07111 7	100 70798 07111 4	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR120	10.1 FL OZ	BROWN	12	0 70798 07112 4	100 70798 07112 1	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR141	10.1 FL OZ	BROWN	12	0 70798 07113 1	100 70798 07113 8	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 CL502	10.1 FL OZ	CLAY	12	0 70798 07114 8	100 70798 07114 5	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 GN871	10.1 FL OZ	GREEN	12	0 70798 07115 5	100 70798 07115 2	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BE308	10.1 FL OZ	BEIGE	12	0 70798 07116 2	100 70798 07116 9	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 BR114	10.1 FL OZ	BROWN	12	0 70798 07117 9	100 70798 07117 6	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 CL515	10.1 FL OZ	CLAY	12	0 70798 07118 6	100 70798 07118 3	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 GN851	10.1 FL OZ	GREEN	12	0 70798 07120 9	100 70798 07120 6	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 GY717	10.1 FL OZ	GRAY	12	0 70798 07121 6	100 70798 07121 3	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 GY718	10.1 FL OZ	GRAY	12	0 70798 07122 3	100 70798 07122 0	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 GY723	10.1 FL OZ	GRAY	12	0 70798 07123 0	100 70798 07123 7	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 230 RD803	10.1 FL OZ	RED	12	0 70798 07124 7	100 70798 07124 4	12.9	8" X 6" X 12"	.33	108
DYNAFLEX 800 WT098	10.1 FL OZ	WHITE	12	0 70798 80800 3	100 70798 80800 0	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 SAUSAGE	20.3 FL OZ	WHITE	15	0 70798 80802 7	100 70798 80802 4	18.75	13.5" X 8.25" X 6.75"	.43	78
DYNAFLEX 800 BE312	10.1 FL OZ	BEIGE	12	0 70798 80830 0	10070798 80830 7	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 BK009	10.1 FL OZ	BLACK	12	0 70798 80832 4	100 70798 80832 1	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 BR104	10.1 FL OZ	BRONZE	12	0 70798 80834 8	100 70798 80834 5	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 BR114	10.1 FL OZ	LIGHT BRONZE	12	0 70798 80836 2	100 70798 80836 9	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 GN851	10.1 FL OZ	GREEN	12	0 70798 80838 6	100 7079880838 3	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 GY700	10.1 FL OZ	LIGHT GRAY	12	0 70798 80840 9	100 70798 80840 6	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 BR111	10.1 FL OZ	CEDAR	12	0 70798 80842 3	100 70798 80842 0	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 CL511	10.1 FL OZ	CLAY	12	0 70798 80844 7	100 70798 80844 4	13	8.13" X 6.25" X 13"	.38	108
DYNAFLEX 800 CR010	10.1 FL OZ	CLEAR	12	0 70798 80850 8	100 70798 80850 5	13	8.13" X 6.25" X 13"	.33	108
DYNAFLEX 920 WT098	10 FL OZ	WHITE	12	0 70798 89200 2	100 70798 89200 9	13	8" X 6" X 12.5"	.35	132
KWIK SEAL ULTRA	10.1 FL OZ	GLOSS WHITE	12	0 70798 18897 6	300 70798 18970 7	9.95	8" X 6" X 12"	.33	108
KWIK SEAL ULTRA	5.5 FL OZ	WHITE	15	0 70798 18894 5	100 70798 18894 2	8.55	9.87" X 7.75" X 9.75"	.43	96
POWER POINT 300	10.1 FL OZ	WHITE	12	0 70798 18934 8	100 70798 18934 5	11.9	8" X 6" X 12"	.33	108
SILICONE MAX K&B	10.1 FL OZ	GLOSS WHITE	12	0 70798 08667 8	100 70798 08667 5	9.17	8" X 6" X 12"	.33	108
SILICONE MAX K&B	2.8 FL OZ	GLOSS WHITE	12	0 70798 08795 8	100 70798 08795 5	2.75	5.75" X 7.63" X 8.0"	.20	200
FOAM									
DRAFTSTOP 812	26 OZ	WHITE	12	0 70798 80812 6	100 70798 80812 3	25	11.75" X 7.25" X 12.95"	.63	63
TNFP WINDOW & DOOR	20 OZ	WHITE	12	0 75650 02010 4	100 75650 02010 1	20.31	11" X 8.25" X 11"	.57	72
TNFP ALL PURPOSE	20 OZ	ORANGE	12	0 75650 02420 1	100 75650 02420 8	23.37	11" X 8.25" X 11"	.57	72
TNFP SYSTEM 200 KIT	29.34 LB	CREAM	1	0 75650 22200 3	000 75650 22200 3	41.56	15.25" X 10" X 15.25	1.34	36
TNFP SYSTEM 600 KIT	(A) 42.99 LB (B) 45.04 LB	CREAM	1	(A) 0 75650 62609 2 (B) 0 75650 62608 5	(A) 100 75650 62609 9 (B) 100 75650 62608 2	55.25	12.5" X 12.5" X 18.75"	1.69	32

BUILDER ADVANTAGE PROGRAM

The **DAP® Global Inc. BUILDER ADVANTAGE PROGRAM** allows the builder to select from a variety of DAP products for specific applications (siding, windows, exterior doors and framing). In addition, DAP offers training and support for framers, painters and post paint installation trades, offering certification excellence on the job.

DAP believes in a strong manufacturer and builder relationship and demonstrates this by offering best-in-class products that help eliminate the cost of failure on the jobsite. In exchange for Builder specification and requiring use of select products, **DAP Global Inc.** ("DAP") will provide quarterly cash rebates, helping the builder maximize per unit profitability.

DAP has partnered with Rebate Pros to collect, track and close rebate claims.

**ASK YOUR DAP SALES REPRESENTATIVE ABOUT
ADDITIONAL BUILDER SUPPORT PROGRAMS.**



**TECHNICAL
HELP LINE**



BEST-IN-CLASS PRODUCTS

DAP Global Inc. has partnered with RebatePros to collect, track and close rebate claims. Ask your DAP Sales Representative about additional Builder Support Programs.



NEED ASSISTANCE?
CALL THE DAP® TECHNICAL
HELP LINE: 888-DAP-TIPS