

# GREAT STUFF PRO™ SERIES



## CRACK DOWN ON ENERGY LOSS

### GREAT STUFF PRO™ Gaps & Cracks Polyurethane Foam Sealant

#### Features and benefits

- Expands to fill, seal and insulate gaps up to 3 inches (76 mm)
- Reusable for 30 days when left attached to GREAT STUFF PRO™ Dispensing Gun
- Forms a long-lasting, airtight, weather-resistant seal
- Helps keep insects, moisture/condensation and allergens out
- Adheres to wood, metal, masonry, glass and most plastics
- Approved for interior/exterior use<sup>1</sup>
- Tack-free in 3-10 minutes<sup>2</sup>; trimmable in one hour
- Fireblock formulated<sup>3</sup>
- Paintable, stainable and sandable
- Orange-colored foam for easy inspection identification
- UL classified
- Cost-effective: 24 oz (680 g) can is equivalent to up to 22 quart tubes of caulk; 30 oz (850 g) can up to 33 quart tubes of caulk<sup>4</sup>

Project to project, jobsite to jobsite, GREAT STUFF PRO™ Gaps & Cracks Polyurethane Foam Sealant fills, seals and insulates gaps, providing your customers with a simple, cost-effective service that minimizes unwanted airflow and improves energy efficiency all around the home.

#### Close the gap

GREAT STUFF PRO™ Gaps & Cracks Polyurethane Foam Sealant is a gun-applied polyurethane foam sealant that expands up to 3 inches to take the shape of gaps, creating a long-lasting, water-resistant and fireblock seal<sup>3</sup> around plumbing and electrical penetrations, in basements, attics and more.





## Where to use GREAT STUFF PRO™ Gaps & Cracks

According to the U.S. Department of Energy, air leaks account for 25-40% of the energy used for heating and cooling a typical home.<sup>5</sup> Use GREAT STUFF PRO™ Gaps & Cracks to seal and insulate around common areas of energy loss, such as foundation/sill plates, outdoor fixtures, pipe penetrations, attics and more.<sup>1</sup>



Indoor/  
outdoor  
use



Attic  
penetrations



Ducting



HVAC  
penetrations



Electrical  
penetrations



Rim joists



Sill plate




Pipe and  
plumbing  
penetrations



Gas line penetrations



Electrical wire penetrations



Plumbing and pipe  
penetrations

<sup>1</sup> Skin of cured foam can discolor if exposed to natural light. Paint or coat foam for the best results.

<sup>2</sup> 70 ± 5°F and 50 ± 5%RH, 1-inch bead diameter, 6-inch length. Cure rate is dependent on temperature, humidity and size of foam bead.

<sup>3</sup> Intended for use in residential application to maintain the continuity of an approved fireblock material.

<sup>4</sup> Based on estimated yield under ideal conditions using gun foam, 3/8-inch bead.

<sup>5</sup> Source: [www.energystar.gov](http://www.energystar.gov)

## PRO Series Foam Dispensing Guns

GREAT STUFF PRO™ 14 Dispensing Gun

GREAT STUFF PRO™ 14XL Long Barrel Dispensing Gun

- Precision application
- High yield
- No-drip dispensing
- 30-day restartability



## Formulated for the Pros

Count on GREAT STUFF PRO™ Polyurethane Foams to help you handle the toughest jobs.

- GREAT STUFF PRO™ Construction Adhesive
- GREAT STUFF PRO™ Gaps & Cracks
- GREAT STUFF PRO™ Window & Door
- GREAT STUFF PRO™ Pestblock
- GREAT STUFF PRO™ Foam Cleaner



For more information, visit us at [greatstuff.com](http://greatstuff.com) or call 1-866-583-2583

**NOTICE:** No freedom from any patent owned by DuPont or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where DuPont is represented. The claims made may not have been approved for use in all countries or regions. DuPont assumes no obligation or liability for the information in this document. References to "DuPont" or the "Company" mean the DuPont legal entity selling the products to Customer unless otherwise expressly noted. NO EXPRESS WARRANTIES ARE GIVEN EXCEPT FOR ANY APPLICABLE WRITTEN WARRANTIES SPECIFICALLY PROVIDED BY DUPONT. ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. The buyer assumes all risks as to the use of the material. Buyer's exclusive remedy or any claim (including without limitations, negligence, strict liability, or tort) shall be limited to the refund of the purchase price of the material. Failure to strictly adhere to any recommended procedures shall release DuPont Specialty Products USA, LLC or its affiliates, of all liability with respect to the materials or the use thereof. The information herein is not intended for use by non-professional designers, applicators or other persons who do not purchase or utilize this product in the normal course of their business.

### DuPont Polyurethane Foam Insulation and Sealants

**CAUTION:** When cured, these products are combustible and will burn if exposed to open flame or sparks from high-energy sources. Do not expose to temperatures above 240°F (116°C). For more information, consult (Material) Safety Data Sheet ((M)SDS), call DuPont at 1-866-583-BLUE (2583) or contact your local building inspector. In an emergency, call 1-989-636-4400 in the U.S. or 1-519-339-3711 in Canada.

Great Stuff™ contains isocyanate and a flammable blowing agent. Read all instructions and (Material) Safety Data Sheet ((M)SDS), carefully before use. Eliminate all sources of ignition before use. Cover all skin. Wear long sleeves, gloves, and safety glasses or goggles. Not for use in aviation, or food/beverage contact, or as structural support in marine applications. Provide adequate ventilation or wear proper respiratory protection. Contents under pressure. Not to be used for filling closed cavities or voids such as behind walls and under tub surrounds; this improper use of the product could result in the accumulation of flammable vapors and/or uncured material. Failure to follow the warnings and instructions provided with the product, and/or all applicable rules and regulations, can result in injury or death.

Building and/or construction practices unrelated to building materials could greatly affect moisture and the potential for mold formation. No material supplier including DuPont can give assurance that mold will not develop in any specific system.

© 2021 DuPont. All rights reserved. DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted.