

Coastal SelectionsYour Window & Door Guide

AuraLast® Wood | ImpactGard® Glass | Energy Efficiency Coastal Certifications | Design Considerations & Tips



A TOUGHER KIND OF REALITY

If you live near the coast or in an area prone to hurricanes, your home is subject to harsh and potentially dangerous conditions. That's why your window and door choices are crucial to your home's survival.



Steel 1/2 View Exterior Door with Blinds Between the Glass (BBG)

ENERGY EFFICIENCY, SECURITY & RELIABILITY

At JELD-WEN, we make reliable windows and doors that will increase your peace of mind, no matter where you live. Select JELD-WEN products have features that allow them to stand up to salt air, coastal moisture, severe winds and the dangerous wind-borne debris from hurricanes. In addition, these windows and doors are designed to deliver energy efficiency and security.



Custom Wood Radius Window

Each of the products featured in this brochure are built to last. Learn more about our warranties at **jeld-wen.com**.

Not all products shown are available as impact-rated and are subject to change. See **jeld-wen.com** for specific certification numbers and more details.





TABLE OF CONTENTS



$AuraLast^{\texttt{@}}$ —The Wood That Does Not Rot 6
New Heights: Custom Wood Patio Doors \dots 8
ImpactGard® Impact-Resistant Glass9
Hurricane Area Requirements
Testing & Certifications
Proven Energy Efficiency

A Few Design Considerations	14
Windows & Patio Doors	16
Exterior Doors	18
Features for Coastal Homes	2(
Beauty & Brawn	22





AuraLast® wood protects against wood rot for as long as you own and occupy your home. Guaranteed.



Guaranteed Protection Against Wood Rot

JELD-WEN® wood windows and patio

doors made with exclusive pine AuraLast wood are guaranteed not to rot for as long as you own and occupy your home. Wood components made from AuraLast wood maintain their structural integrity even in the toughest climates. Visit jeld-wen.com to view the full warranty.*


Surface-to-Core Protection

Because of our vacuum/pressure process, AuraLast wood provides virtually

100% penetration of the protective ingredients. Other manufacturers use submersion/dip-treatment methods, which only protect the outer surface of the wood.

Wood is Easy

AuraLast offers the strength and beauty of real wood because it is real wood, not a composite. AuraLast wood is colorless, stainable and odorless.



Virtually 100% Surface-to-Core Protection

100% AuraLast is Safe

AuraLast wood is made by using a water-based solution to deliver the

effective ingredients to the core of the wood. Traditional dip-treatments use a solvent-based chemical bath. During production our AuraLast process releases 96% fewer volatile organic compounds than the traditional dip-treatment method.





Traditional treatments only protect the outer surface

A JELD-WEN Exclusive

Only JELD-WEN makes window and door products with natural pine AuraLast wood that are built to last.

Protects Against Water Saturation

AuraLast wood offers superior resistance to water saturation, which protects against swelling that causes windows and doors to stick.

Protects Against Termites

Harmful termites will eat through unprotected wood—not so with AuraLast wood.

Visit jeld-wen.com/auralast for more information

*AuraLast Lifetime Limited Warranty Coverage for Wood Decay and Termite Damage

NEW HEIGHTS: CUSTOM WOOD PATIO DOORS

Custom Wood 10-Foot 4-Panel Swinging Patio Door

Swinging Patio Door

JELD-WEN® custom wood-clad patio doors reach great heights for coastal projects! These beautiful outswing doors are made with AuraLast®—The Wood That Does Not Rot and can be made in a height to suit your style (up to 10 feet tall). Available in square or radius top, they meet Wind Zones 3 and 4 and High Velocity Hurricane Zone (HVHZ) ratings.





Custom Wood 10-Foot Radius Top Swinging Patio Door

IMPACTGARD®—Impact-Resistant Glass





This glass stands up to strong impact from windborne debris as well as harsh coastal conditions. In fact, ImpactGard® features the industry's leading laminated glass

technology that can withstand a nine-pound piece of lumber striking it head-on at approximately 34 miles per hour. It also reduces sound transmission, blocks up to 95 percent of harmful UV rays and enhances home security.

Safe Impact Resistance

During a severe storm, a broken window can affect a home's structural integrity. Windows and patio doors with ImpactGard® protection are designed to resist impacts so even if the glass cracks, the fragments will adhere to the interlayer and the shards remain within the frame. ImpactGard protection also meets the nation's toughest building codes. These codes specify that windows must withstand a nine-pound 2x4 traveling at 50 feet per second (34 miles per hour).



Standard Glass Glass

ImpactGard®



Secure Forced-Entry Resistance

Windows and patio doors with ImpactGard® protection resist forced entry. Because the interlayer separating the panes helps resist a potential intruder's glass cutter, break-ins are less likely.

HURRICANE AREA REQUIREMENTS

Foiling Nature's Fury

Recent hurricanes that have affected the United States have caused many tragedies, including extensive property damage. These storms led to the development of building code certification standards for windows and doors installed in coastal areas prone to hurricanes and strong winds—from Texas to Maine.

The certifications are designed to ensure homes can withstand extreme weather. In fact, windows and doors are crucial to maintaining a home's structural integrity. If a window or door is broken, wind can enter the home and cause increased pressure that may lift the roof and push walls outward.

Windborne Debris Regions

Areas subject to strong winds or hurricanes are categorized into four different wind-borne regions (or zones). The zone you live in determines the types of windows and doors your home must have to meet building codes. JELD-WEN offers products that meet the requirements for all four zones.


Structure Breached

When strong winds enter a home through a broken window or door, the increased pressure can lift the roof and push walls outward.



Structure Protected





WINDBORNE DEBRIS*				
ZONE 1	Areas within 1 mile of the mean high tide line with winds 110 mph and up to 120 mph			
ZONE 2	Areas more than 1 mile from the mean high tide line with winds 120 mph and up to 130 mph			
ZONE 3	Areas with winds 130 mph and up to 140 mph; or 120 mph and up to 140 mph within 1 mile of the mean high tide line			
ZONE 4	All areas with winds in excess of 140 mph (high-velocity wind zones)			

^{*}As defined by ASTM E1996 and ASCE-7-05

*SOURCE: Federal Emergency Management Agency

Performance Ratings

Homes in windborne debris regions must have windows and doors with performance grade (PG) ratings. PG ratings are based on the window's air infiltration resistance, water penetration resistance, uniform load deflection ability, forced entry resistance and operating force (operable windows only). The higher the PG rating, the better. Consult your architect or contractor for the ratings needed for your area and home.

Testing Requirements

To meet building codes, windows and doors within hurricane areas must pass certain requirements, such as impact resistance and wind pressure tests. These requirements vary by area. Consult your builder or contractor for specific criteria.

Different testing results are required in each of the four windborne debris regions. Many JELD-WEN® windows and doors have passed these necessary tests (see chart below); for certified products, please visit **jeld-wen.com/professional/tools-education/coastal-selections**

TESTING REQUIREMENTS				
Windborne debris region	Impact resistance requirement	Cyclic wind pressure requirement		
ZONES 1 and 2	Must withstand a 4-foot long 2x4 at 40' per second (27 mph)	Hurricane loads up to 9,000 wind cycles		
ZONE 3	Must withstand an 8-foot long 2x4 at 50' per second (34 mph)	Hurricane loads up to 9,000 wind cycles		
ZONE 4*	Must withstand an 8-foot long 2x4 at 50' per second (34 mph)	Hurricane loads up to 9,000 wind cycles		

^{*}Impact resistance testing for Zone 4 may also include multiple hits per test unit and mullions.



TESTING & CERTIFICATIONS

Performance Approved

JELD-WEN® windows and doors are consistently tested to ensure they perform at the highest standards for energy efficiency. These tests are performed by our own internationally recognized research and development labs, as well as independent labs that provide a range of certifications.

NFRC Certification

The National Fenestration Rating Council (NFRC) establishes standards for energy efficiency based on the performance of the whole product—not just the glass alone. JELD-WEN® windows and doors are NFRC-rated and meet NFRC energy efficiency standards. Tests administered by independent third-party labs determine the ratings a window or door receives in the following areas:

- U-factor: This is the amount of heat flow through a product. The lower the number, the more energy efficient the product.
- Solar heat gain coefficient (SHGC): This indicates a window or door's ability to block heat generated by sunlight. The greater the blockage, the lower the SHGC number.
- Visible light transmission: This is the percentage of visible sunlight that penetrates a window or door. A higher number means more light is entering through the glass.



ENERGY EFFICIENCY & PROTECTION

LoĒ and LoĒ³-366[®] Insulating Glass

High-performance LoĒ insulating glass comes standard and helps lower energy costs, allows homes to stay cooler in the summer and warmer in the winter, helps prevent fading of interior furnishings and reduces condensation. It also delivers greater visible light transmittance than tinted glass.

We also offer optional $Lo\bar{E}^3$ -366°, which provides more protection against heat loss and fading, as well as greater energy savings.

Most windows and patio doors with LoĒ glass are ENERGY STAR® certified. ENERGY STAR® products help Americans save energy, save money and reduce their carbon footprints. ENERGY STAR® criteria for windows are based on the U-factor and solar heat gain coefficient (SHGC) combinations that provide significant energy efficiency for a given climate zone.

Tell your JELD-WEN dealer that you want JELD-WEN® windows that are ENERGY STAR® certified for your climate zone. For more information, visit **jeld-wen.com/energyefficiency**.

LoĒ glass reduces the amount of heat lost by reflecting it back inside.

In cold weather,

In warm weather, LoĒ glass reflects the sun's energy and prevents it from entering the home.

ENERGY STAR®

Many JELD-WEN® windows and doors are ENERGY STAR® certified. Homeowners can save energy—and



money—by replacing old windows with ENERGY STAR® certified windows and pay a 7–15 percent lower household energy bill. Lower energy consumption also reduces greenhouse gas emissions from power plants and shrinks a house's carbon footprint. JELD-WEN has been an ENERGY STAR® partner since 1998. For more information on energy savings, visit energystar.gov/campaign/waysToSave.



Appropriate Protection for Exterior Doors

To adequately protect your door and extend its life, several factors must be considered. Door type, climate, exposure, color choice and the use of a storm door all have an effect on the durability of a door.

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass.

An overhang as shown is required for wood doors, and recommended for steel and fiberglass doors. Overhangs protect the door's finish, minimize the need for refinishing and help keep the weather out of the home.

For complete information and guidelines for designing the best combination of door material, overhang protection and other factors affecting the long-term performance of the door, visit **jeld-wen.com**.

A FEW DESIGN CONSIDERATIONS

Beauty Begins Here

JELD-WEN® windows and doors can enhance the look of any home, and they provide a sense of visual continuity both on the exterior and interior. Therefore, it's important to consider which windows and doors are the best choice for your home. We've provided a few questions to help you make your selection.



IWP® Aurora® Custom Fiberglass A1260 Segment Top Entry Doors

Product Styles

Within our complete range of products, you'll find windows and doors to complement any type of architecture and meet any design preference. We invite you to view the entire selection today at **jeld-wen.com**.

Options

Windows and doors can be some of the most striking design elements in a home, and they can reflect your own tastes. That's why JELD-WEN offers abundant options for our products. From custom designs and colors to defining details like divided lites and decorative hardware, our options make it easy to add your personality to the windows and doors you choose.



THINGS TO CONSIDER



What is the architecture of your home?

JELD-WEN creates a variety of designs and options to enhance and complement any architectural style. For example, simulated divided lites (SDL) are appropriate for traditional styles, whereas windows without divided lites appear more modern. Arched doors and windows, doors with vertical planked designs and doors with iron straps and clavos all add to the charm of Old World homes. Craftsman homes often call for windows and doors with clean lines and simple profiles.



Are there any elements your windows and doors should match, such as cabinetry or moulding?

You can stain the interiors of your entry door and wood windows to match your moulding and millwork for a unified look in your home. To help achieve optimal design consistency, select JELD-WEN® windows and doors with matching wood species.



Do you want to enhance your windows or doors with options or custom features?

Choosing options for your windows and doors helps you personalize them, and taking advantage of custom capabilities lets you achieve a truly one-of-a-kind look. JELD-WEN provides a vast array of options, from color finishes and divided lite patterns for windows to decorative glass and metal accents for exterior doors. We can also create custom wood windows, wood exterior doors and carved medium density fiberboard (MDF) interior doors in nearly any design you have in mind.



What is your budget?

There's a window and door for any budget, and costs can vary greatly depending on size, material type and options. For doors, prices are generally lowest for steel doors, followed by fiberglass, and wood or custom fiberglass are the most expensive. In terms of windows, aluminum is the most affordable, then vinyl and metal-clad wood. However, remember that overall value should be considered, rather than the price alone. For instance, ENERGY STAR® certified windows and doors can cost more, yet you can recover this additional cost through reduced heating and cooling bills.



What are the building codes or requirements in your area?

Local building codes, designed to help protect you and your home, will affect the products and options you select. Consult your contractor, local building inspector's office or your state's building code division for more information about these codes.

WINDOWS & PATIO DOORS


Light Comes In, Storms Stay Out

JELD-WEN offers a range of windows and patio doors that are perfect for coastal environments. By selecting optional impact-resistant glass, they'll also meet the strictest building codes. You can find these and other JELD-WEN® collections to meet all your design and building needs on our web site, **jeld-wen.com**.

Custom Wood Windows & Patio Doors

Carefully made to order by true artisans

- Made from solid pine AuraLast® wood
- 41 exterior metal-clad colors with commercial-grade 70% polyvinylidene difluoride (PVDF) finish
- 3 optional interior wood species
- LoĒ glass is standard; LoĒ³-366[®] glass is available for even greater energy efficiency
- Lifetime Limited Warranty* against wood rot



AFFORDABLE & LOW MAINTENANCE

Premium Atlantic[™] Vinyl Windows & Patio Doors

Clean, affordable design with minimal maintenance

- High-quality vinyl won't chip or peel
- LoĒ glass is standard; Lodz-366® glass is available for even greater energy efficiency
- Never needs painting or staining
- Lifetime Limited Warranty*

Premium Atlantic[™] Aluminum Windows & Patio Doors

- •Featuring streamlined, modern design
- Minimized sight lines for better views
- Optional ImpactGard® protection (subject to availability)
- 10-Year Limited Warranty*







^{*}See our warranty, installation, care and maintenance instructions and a complete list of features at **jeld-wen.com**



EXTERIOR DOORS

IWP® Aurora® Custom Fiberglass

Entrances that are a breeze to maintain

- Impact-rated designs available
- Architecturally inspired collections
- Many woodgrain textures and prefinish colors
- Available with decorative metal accents
- Coordinating sidelites and transoms

Fiberglass

Superior strength, stability and durability

- Deeper texture and detailing
- Mahogany or oak woodgrain
- 20-minute fire rating
- LoĒ glass is available

IWP® Custom Wood

Custom designs crafted from several hardwood species with different finishes

- Collections for different architectural styles
- Coordinating sidelites and transoms
- Available with decorative metal accents and coastal hardware

Wood

Clean, affordable design with minimal maintenance

- Multiple designs available in either hemlock or meranti mahogany
- Coordinating sidelites

Steel

Superior strength with low maintenance

- Impact-rated designs available
- Created to resist rust and corrosion
- 20- or 90-minute fire ratings are available
- Matching door and sidelite designs
- LoĒ glass is available

STRENGTH & STABILITY

Designed for Durability

We craft an array of exterior doors that have passed stringent performance grade (PG) or impact resistance tests to meet strict Florida requirements. This means they're also reliable for other areas that border the Pacific, Atlantic, Great Lakes and Gulf Coast.

Please visit **jeld-wen.com/professional/tools-education/ coastal-selections** for more information on our Coastal
Selections and to see which designs are available with impact ratings.



IWP® Custom Wood 252 Entry Doors



Steel 9-Panel Entry Door



IWP® Aurora® Custom Fiberglass A362 Entry Door and Sidelites



IWP® Aurora® Custom Fiberglass A1260 Entry Door



Wood 6206 Entry Door

FEATURES FOR COASTAL HOMES

Standing up to the Sea.

Every JELD-WEN® window and door is made to be reliable, regardless of where you live or what the weather brings. Of course, it's important that our products stand up to specific coastal challenges, which is why we offer optional features such as ImpactGard® protection, which includes impact-resistant glass, and hardware that resists damage from saltwater. When you review all these features, you'll see that our windows and doors are engineered to perform to the highest standards.

Commercial-Grade Cladding

We offer many commercial-grade color finishes for our custom collectionn metal-clad wood windows and patio doors. These finishes feature a durable 70% polyvinylidene difluoride (PVDF) finish, which means they stay truer and brighter than other finish options, even in coastal areas. What's more, our warranty guarantees the finish won't chalk or fade for 20 years.*



*Clad products installed within one mile of a saltwater source (or other corrosive environment) have specific maintenance requirements. Refer to our full care and maintenance instructions in the resources section of our website, **jeld-wen.com**.

Actual colors may vary from the samples displayed. Please visit your JELD-WEN dealer for actual samples.



HARDWARE FEATURES



Coastal Hardware

Typical hardware can easily become corroded or damaged when exposed to sea air. JELD-WEN meets this challenge by offering optional coastal hardware for our windows and doors.

This hardware will consistently stand up to saltwater and other harsh coastal conditions, which ensures lasting performance and smooth operation.

Please note: hardware requires regular maintenance.

Fiberglass Entry Systems

IWP® Aurora® custom fiberglass and JELD-WEN® fiberglass entry systems, which include both doors and door frames, will durably perform in the harshest climates, weather and temperatures.

These doors are designed to reduce warping, rotting, cracking and splitting, which means they require almost no maintenance. An added benefit is that these entry systems are designed to emulate the look and feel of real hardwood.

To review complete warranties, visit jeld-wen.com.



This illustration shows the construction of our IWP® Aurora® custom fiberglass entry system with a solid hardwood jamb, an impact-tested system


BEAUTY & BRAWN


Lighthouses, constantly exposed to the elements, are excellent places to test the reliability of our windows and doors. JELD-WEN products are designed to endure harsh environments while enhancing the look of your home. There's simply no need to sacrifice beauty for brawn. JELD-WEN gives you both.


Read more about restored lighthouses on the following pages.














The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **jeld-wen.com** today.









© 2016 JELD-WEN, Inc. This publication and its contents are owned or licensed by JELD-WEN, Inc. and are protected by U.S. and international copyright laws as well as other intellectual property laws. JELD-WEN is a registered trademark of JELD-WEN, Inc. All other trademarks, trade names, service marks, logos, and the like (whether registered or unregistered) are owned or licensed by JELD-WEN, Inc. Third party company names, product names, trade names, etc. may be trademarks of their respective owners. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited. JELD-WEN reserves the right to change product specifications without notice. Please visit our website, jeld-wen.com, for current information, or call 800.535.3936 for assistance. All rights reserved.