

SIDING | TRIM | SOFFIT

Long-lasting beauty by design.




The highest-quality materials for durability you can trust.

TRUSTED PROTECTION WITH HARDIE® FIBER CEMENT.

	HARDIE [®] SIDING	VINYL SIDING	WOOD-BASED SIDING
Will not burn; noncombustible**	\checkmark	0	\otimes
Will not melt	\checkmark	0	\checkmark
Does not appeal to pests	\checkmark	\checkmark	0
Hail and impact resistant	\checkmark	0	\checkmark
Resistant to warping, shrinking, and swelling	\checkmark	0	0
Easily painted	\checkmark	0	\checkmark
Real wood look and feel	\checkmark	0	\checkmark

Warm woodgrain texture without the cost and high maintenance of real wood.

5x thicker than vinyl siding provides deep shadow lines and less visible seams.











Scan to learn more about the lifetime value of Hardie[®] products.

ColorPlus® Technology finishes are baked on at the factory for a long-lasting consistent finish.

Complete Exterior[™] by James Hardie

Hardie[®] siding, trim, and soffit products are designed to work together, all reinforced by Hardie[®] fiber cement for an exterior that helps stand up to fire, moisture, pests, and the harshest weather conditions. Don't settle for partial peace of mind, protect every corner of your investment with a Complete Exterior[™] by James Hardie.

ONE MATERIAL

specific region.

are Engineered for Climate®,

water, and insects that delivers

helping to resist damage from fire,

optimal performance for your home's

ONE MANUFACTURER Only Hardie[®] fiber cement products Get added peace of mind with

siding, trim, and soffit all on the same 30-year non-prorated warranty. One manufacturer to contact makes your life easier.

ONE MAINTENANCE CYCLE

Rest easy knowing that all your siding, trim and soffit is the same Hardie® fiber cement material. With all the products sharing the same lifespan, you can spend less time and money on upkeep and more time enjoying your home.

(from cover) * Based on Freedonia 2022 Global Siding (Cladding) demand estimates and James Hardie sales in North America.

* Hardie® fiber cement products are noncombustible and/or have a Class A fire rating when tested in accordance with ASTM E84. Fiber cement fire resistance does not extend to applied paints or coatings, which may be damaged or char when exposed to flames. The use of noncombustible siding, combined with other fire mitigation measures, can help harden a home against external fire

Tougher than the elements.



Help prepare your home for the unpredictable with noncombustible siding that won't burn or ignite when exposed to a direct flame.

- Verified noncombustible per ASTM E136 ٠
- Will not contribute fuel to a fire
- Class A fire rated per ASTM E84, with a flame spread index / smoke developed index of less than 0/5
- Verified in wall assemblies with 1-hour and 2-hour fire-ratings per ASTM E119

Water Resistant

From rain to ice to snow, precipitation patterns can lead to warping, swelling and cracking in woodbased siding. Take shelter from the storm knowing that your siding is built to resist water damage.

- FEMA Class 5 flood damage resistance (highest rating)
- Rated for use in High Velocity Hurricane zones by Miami-Dade County, Florida*

*Applies to most products by James Hardie. For full list go to: www.jameshardie.com/miami-dade-NOA



Creatures can wreak havoc on wood-based siding. It can be pecked by birds or be damaged by woodpeckers, termites and other pests. Hardie® fiber cement holds no appeal for these critters, saving you the maintenance hassle.







Hardie[™] Zone System

EXTERIOR SOLUTIONS INSPIRED BY NATURE. AND DESIGNED TO PROTECT YOUR HOME FROM IT.

Only Hardie[®] fiber cement exterior products are Engineered for Climate[®], designed specifically with your climate zone in mind for optimal performance. In the northern USA and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10[®] products help protect homes from hot, humid conditions, blistering sun and more.

Made from durable raw materials, Hardie® fiber cement products are Engineered for Climate®, offering both resiliency and lasting beauty.





At the Panorama House in the mountains of Breckenridge, Hardie® siding is part of a project that is built for durability and resilience, while also providing a low maintenance solution © 2024 Visuals by Insignia Studios / courtesy Pro Builder Media

Engineered for Climate[®]. Durable. Resilient.



Building a Better Future for All[™].



Building a Culture of Sustainability

Throughout our company and across our value chain, sustainability is foundational at James Hardie. Our sustainability goals are integrated into our business operations, governance structure and company culture. We have ambitious targets that align with our purpose of Building a Better Future for All[™], the issues that matter most to our stakeholders and our overall corporate objectives. Our progress is possible through collaboration and innovation. From our frontline employees to the builders who use our products, each person plays a role in putting our sustainability initiatives into action.



Scan code to find out more about our sustainability efforts.

ADDING VALUE TO OUR COMMUNITIES

We recognize our ability to impact the communities in which we live and work. While maintaining a global mindset, we put great care into how our business affects local communities. We contribute by sourcing, employing, delivering and giving locally.

CREATING AN IMPACT

We invest in the local community and aim to locate the plants close to suppliers, customers and potential new employees, as well as sustainable transportation opportunities.



Above statistics are the James Hardie impact from fiscal year 2024.





Reducing Scope 1+2 Emission

Reduce absolute Scope 1+2 GHG emissions by 42% by 2030 from 2021 baseline and work towards net zero by 2050



Minimizing Waste

Zero manufacturing waste to landfill by 2035



Recycling Water

Recycle an additional 20M cubic feet of water per year by 2030, compared to 2019

Hardie® Plank

From Victorians to Colonials, Hardie[®] Plank is the perfect siding for your style, and has the durability and long lasting beauty that can transform your home's exterior. With a variety of colors, textures, and sizes, you'll discover a Hardie[®] Plank style that transforms your home's aesthetic.



Hardie[®] Shingle

Restore the look of your grand Cape Cod home or add distinction to your handsome bungalow. Hardie[®] Shingle embodies the enchanting look of cedar shingles with lower maintenance. You can create your perfect exterior style using Hardie[®] Shingle around your entire home, or place it in accent areas for an added boost of charm you'll love.

Better than the real thing, Hardie[®] Shingle resists rotting, curling, warping and splitting.



Hardie[®] Shingle Straight Edge Panel



Hardie[®] Shingle Staggered Edge Panel



Hardie[®] Plank Smooth





Hardie[®] Plank Beaded Select Cedarmill[®]

Hardie[®] Panel

Hardie[®] Panel delivers style and substance. When combined with Hardie[®] Trim Batten, it achieves the rustic board-andbatten look that defines your charming cottage or modern farmhouse. Its crisp, clean lines and ability to pair beautifully with other siding products make Hardie[®] Panel a smart choice for the home of your dreams.










Hardie[®] Panel Select Cedarmill[®]



Hardie[®] Panel Smooth



Hardie[®] Panel Stucco



Hardie[®] Panel Sierra 8

Hardie® Trim Batten





Hardie[®] Trim Batten Smooth Hardie[®] Trim Batten Rustic Grain

Hardie[®] Trim

Hardie® Trim provides design flexibility for columns, friezes, doors, windows and other accent areas. More durable than wood, Hardie® Trim is the perfect option for a long lasting home. Hardie[®] Trim is a low maintenance and durable accent for your exterior.



Hardie[®] Trim Roughsawn



Hardie[®] Trim Smooth

Hardie[®] Soffit

A home is only as strong as its most vulnerable areas. With Hardie® Soffit panel, you can live confidently, knowing that the gap between eaves and exterior walls is covered. These panels complete your look and help protect it from moisture and pests.







Hardie[®] Soffit Non-Vented Smooth



Hardie[®] Soffit Non-Vented Select Cedarmill®



Hardie[®] Soffit Vented Smooth



Hardie[®] Soffit Vented Select Cedarmill®



Offering gorgeous, deep shadow lines and extra thick boards, Hardie® Artisan[®] Siding will set your home apart. The 5/8-inch thickness and unique features of Hardie[®] Artisan[®] siding provide precise fit and finish as well as the freedom to miter corners for attractive, streamlined styling.

Lap Siding



MITERED CORNERS

Add sophistication to your design with mitered corners that can be crafted on-site with any Hardie® Artisan® Siding profile.











LOCK JOINT SYSTEM

Hardie[®] Artisan[®] Siding flat wall profiles have a lock joint system that helps enable faster, cleaner installation.



DESIGN FLEXIBILITY Hardie[®] Artisan[®] Siding flat wall profiles can be oriented vertically, horizontally or used as soffit.





Shiplap


Square Channel

V-Groove


Statement Collection[®] Color Availability



MONTEREY TAUPE




GRAY SLATE




AGED PEWTER


PRODUCT AVAILABILITY KEY

- 1 Hardie[®] Siding Hardie[®] Plank, Hardie[®] Shingle, Hardie® Panel, Hardie[®] Trim Batten
- 2 Hardie[®] Trim
- 3 Hardie[®] Soffit







1



BOOTHBAY BLUE




NIGHT GRAY




IRON GRAY


NAVAJO BEIGE




RICH ESPRESSO




LIGHT MIST






COUNTRYLANE RED




KHAKI BROWN

1




MOUNTAIN SAGE



PEARL GRAY






MIDNIGHT BLACK (Only available in Hardie® Trim) 2





Find the perfect finish for your home.




Primed & to pai

Locally sto readily av





1



Beauty begins with a finish that lasts.

PRIMER

A quality primer is the first step to ensuring that the paint color you select expresses your home's true beauty now - and for years to come. Our distinctive primer is climate tested and engineered to enhance the performance of paint on Hardie[®] fiber cement exterior solutions. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.

COLORPLUS® TECHNOLOGY

ColorPlus® Technology finishes are fully cured on our boards in a controlled factory environment and arrive at your home ready for installation year-round. With prefinished color products, you'll have peace of mind, knowing you'll have a more consistent color and finish that doesn't depend on good weather.

With a variety of color options available to help bring your vision to life, ColorPlus® Technology finishes help keep your home looking beautiful longer.

- Exceptional finish adhesion
- Superior color retention
- Superior UV resistance





Statement Collection®



Dream Collection®

ColorPlus® Technology Finishes

& ready aint	Your region's most popular colors	Nearly 700 finish options
ocked & vailable	Locally stocked & readily available	Made to order in a wide variety of siding & trim styles (Made specifically for you, products may incur additional cost and lead time.)

Chicago Product Availability



Hardie[®] Plank Thickness 5/16 in.

12 ft. x 5.25 in.	••		••	4 in.	360	324	25.0
12 ft. x 6.25 in.	••		••	5 in.	308	280	20.0
12 ft. x 7.25 in.	••	•	••	6 in.	252	252	16.7
12 ft. x 8.25 in.	••	•	••	7 in.	230	210	14.3
12 ft. x 9.25 in.*	••			8 in.	190	-	12.5

Hardie[®] Plank - Beaded Thickness 5/16 in.

12 ft. x 8.25 in.	•	7 in.	-	210	14.3	

Hardie® Shingle - Straight Edge Panel Thickness 1/4 in.

48 in. x 15.25 in.	•	•	•	7 in.	86	86	43

Hardie® Shingle - Staggered Edge Panel Thickness 1/4 in.

48 in. x 15.25 in.	•	•	•	6 in.	100	100	50
--------------------	---	---	---	-------	-----	-----	----

Hardie[®] Panel Thickness 5/16 in.

4 ft. x 8 ft.	••		••	-	50	50	3.2
4 ft. x 9 ft.	••			-	50	-	2.8
4 ft. x 10 ft.	••	••	••	-	50	50	2.5

Hardie® Panel - Stucco Thickness 5/16 in.

4 ft. x 8 ft.	•	•	-	50	50	3.2
4 ft. x 9 ft.	•		-	50	-	2.8
4 ft. x 10 ft.	•	•	-	50	50	2.5

Hardie[®] Panel - Sierra 8 Thickness 5/16 in.

4 ft. x 8 ft.	•		-	50	-	3.2
4 ft. x 9 ft.	٠		-	50	-	2.8
4 ft. x 10 ft.	•		-	50	-	2.5





4/4 Hardie[®] Trim Thickness 3/4 in.

12 ft. x 3.5 in.	••	AW*	••	312	312
12 ft. x 5.5 in.	••	AW**	••	208	208
12 ft. x 7.25 in.	••	••	••	156	156
12 ft. x 9.25 in.	••	AW	••	104	104
12 ft. x 11.25 in.	••	AW	••	104	104

AW*- Available in Arctic White and Midnight Black in smooth, & Arctic White only in roughsawn texture.

AW** - Available in Arctic White, Cobble Stone, Iron Gray and Timber Bark in smooth texture, but only Arctic White in roughsawn texture

5/4 Hardie® Trim Thickness 1 in.

12 ft. x 3.5 in.	••	••	•	240	240
12 ft. x 4.5 in.	••		••	200	200
12 ft. x 5.5 in.	••	••	••	180	180
12 ft. x 7.25 in.	••	••	••	120	120
12 ft. x 9.25 in.	••	AW	••	80	80
12 ft. x 11.25 in.	••	AW*	••	80	80

AW- Available in Arctic White in both smooth & roughsawn textures AW* - Available in all Statement Collection® colors in smooth texture but only Arctic White in roughsawn texture

Hardie® Trim Batten Thickness 3/4 in.

12 ft. x 2.5 in.	••	••	••	437	190	
12 H. X 2.5 III.				407	150	

Hardie[®] Soffit - Vented Thickness 1/4 in.

12 ft. x 12 in.	••	•	••	200	216
12 ft. x 16 in.	••		••	150	156
8 ft. x 24 in.	••		••	100	108

Hardie[®] Soffit - Non-Vented Thickness 1/4 in.

12 ft. x 12 in.	••	•	••	200	216
12 ft. x 16 in.	••		••	150	156
8 ft. x 24 in.	••		••	100	108
8 ft. x 48 in.	••			50	-

Hardie[®] Artisan[®] Siding

	Primed	Exposure	Pcs/Pallet			
Lap Siding - Thickness 5/8 in.						
12 ft. x 7.25 in.	•	6 in.	144			
12 ft. x 8.25 in.	•	7 in.	125			
V-Groove - Thickness 5/8 in.						
12 ft. x 8.25 in.	•	7 in.	126			
Shiplap - Thickness 5/8 in.						
12 ft. x 10.25 in.	•	9 in.	105			
Square Channel - Thickness 5/8 in.						
12 ft. x 10.25 in.	•	9 in.	105			



INSTALLATION ACCESSORIES





Touch-Up Kits for ColorPlus® **Technology finishes**

OSI® QUAD® MAX **Color-Matched Caulk**

PacTool and PacTool Gecko Gauge are registered trademarks for General Tools & Instruments Company LLC . QUAD MAX is a registered trademark for HENKEL AG & CO. KGAA. Diablo is a registered trademark of Freud America, Inc.



Scan code to view colors and request a product sample.



Hardie[™] Moisture Management Products

Hardie[™] Weather Barrier Thickness 11 mil.

100 ft. x 3 ft. | 100 ft. x 9 ft. | 150 ft. x 9 ft.

Hardie[™] Pro-Flashing Thickness 20 mil. 75 ft. x 4 in. | 75 ft. x 6 in. | 75 ft. x 9 in.

Hardie[™] Flex Flashing Thickness 60 mil. 75 ft. x 6 in. | 75 ft. x 9 in.

Hardie[™] Seam Tape Thickness 3.2 mil. 165 ft. x 1 7/8 in.



Hardie[™] Trim Corner Tabs & Hardie[™] Trim Flat Tabs



Hardie[™] Blade Saw Blades



PacTool® Gecko Gauge





1.888.542.7343

jameshardie.com

©2025 James Hardie Building Products Inc. All rights reserved. Unless otherwise noted, TM and [®] denote a trademark or registered mark owned by James Hardie Technology Ltd. Hover® is a trademark of Hover, Inc. OSI®, QUAD® MAX, Diablo® and PacTool® are trademarks of their respective owners. HS2503-CHI 1/25