

SIDING | TRIM | SOFFIT

Long-lasting beauty by design.



The highest-quality materials for durability you can trust.

TRUSTED PROTECTION WITH HARDIE® FIBER CEMENT.

	HARDIE® SIDING	VINYL SIDING	WOOD-BASED SIDING
Will not burn; noncombustible**	\checkmark	0	0
Will not melt	✓	0	✓
Does not appeal to pests	✓	✓	0
Hail and impact resistant	\checkmark	0	✓
Resistant to warping, shrinking, and swelling	\checkmark	0	0
Easily painted	✓	0	✓
Real wood look and feel	\checkmark	0	✓

Warm woodgrain texture without the cost and high maintenance of real wood.

5x thicker than vinyl siding provides deep shadow lines and less visible seams.



Scan to learn more about the lifetime value of Hardie® products.

ColorPlus® Technology finishes are baked on at the factory for a long-lasting consistent finish.

Complete Exterior[™] by James Hardie

Hardie® siding, trim, and soffit products are designed to work together, all reinforced by Hardie® fiber cement for an exterior that helps stand up to fire, moisture, pests, and the harshest weather conditions. Don't settle for partial peace of mind, protect every corner of your investment with a Complete Exterior™ by James Hardie.

ONE MATERIAL

Only Hardie® fiber cement products are **Engineered for Climate®**, helping to resist damage from fire, water, and insects that delivers optimal performance for your home's specific region.

ONE MANUFACTURER

Get added peace of mind with siding, trim, and soffit all on the same 30-year non-prorated warranty. One manufacturer to contact makes your life easier.

ONE MAINTENANCE CYCLE

Rest easy knowing that all your siding, trim and soffit is the same Hardie® fiber cement material. With all the products sharing the same lifespan, you can spend less time and money on upkeep and more time enjoying your home.



^{**} Hardie® fiber cement products are noncombustible and/or have a Class A fire rating when tested in accordance with ASTM E84. Fiber cement fire resistance does not extend to applied paints or coatings, which may be damaged or char when exposed to flames. The use of noncombustible siding, combined with other fire mitigation measures, can help harden a home against external fire.



Tougher than the elements.



Fire

Help prepare your home for the unpredictable with noncombustible siding that won't burn or ignite when exposed to a direct flame.

- Verified noncombustible per ASTM E136
- Will not contribute fuel to a fire
- Class A fire rated per ASTM E84, with a flame spread index / smoke developed index of less than 0/5
- Verified in wall assemblies with 1-hour and 2-hour fire-ratings per ASTM E119





Water Resistant

From rain to ice to snow, precipitation patterns can lead to warping, swelling and cracking in wood-based siding. Take shelter from the storm knowing that your siding is built to resist water damage.

- FEMA Class 5 flood damage resistance (highest rating)
- Rated for use in High Velocity Hurricane zones by Miami-Dade County, Florida*

*Applies to most products by James Hardie.





Pests

Creatures can wreak havoc on wood-based siding. It can be pecked by birds or be damaged by woodpeckers, termites and other pests. Hardie® fiber cement holds no appeal for these critters, saving you the maintenance hassle.





Hardie[™] Zone System

EXTERIOR SOLUTIONS INSPIRED BY
NATURE. AND DESIGNED TO PROTECT
YOUR HOME FROM IT.

Only Hardie® fiber cement exterior products are **Engineered for Climate®**, designed specifically with your climate zone in mind for optimal performance. In the northern USA and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

Made from durable raw materials, Hardie® fiber cement products are Engineered for Climate®, offering both resiliency and lasting beauty.





At the Panorama House in the mountains of Breckenridge, Hardie® siding is part of a project that is built for durability and resilience, while also providing a low maintenance solution.

© 2024 Visuals by Insignia Studios / courtesy Pro Builder Media

Engineered for Climate[®]. Durable. Resilient.

Learn more about the resiliency of Hardie® siding.



Building a Better Future for All™.



Building a Culture of Sustainability

Throughout our company and across our value chain, sustainability is foundational at James Hardie. Our sustainability goals are integrated into our business operations, governance structure and company culture. We have ambitious targets that align with our purpose of **Building a Better Future for All™**, the issues that matter most to our stakeholders and our overall corporate objectives. Our progress is possible through collaboration and innovation. From our frontline employees to the builders who use our products, each person plays a role in putting our sustainability initiatives into action.



Scan code to find out more about our sustainability efforts.

ADDING VALUE TO OUR COMMUNITIES

We recognize our ability to impact the communities in which we live and work. While maintaining a global mindset, we put great care into how our business affects local communities. We contribute by sourcing, employing, delivering and giving locally.

CREATING AN IMPACT

We invest in the local community and aim to locate the plants close to suppliers, customers and potential new employees, as well as sustainable transportation opportunities.

CONTRIBUTED

\$1.66B

To communities in which we operate

HIRED

99%

From the local communities in which we operate

SOURCED

81%

Of raw materials locally

DELIVERED

67%

Of manufactured products locally

Above statistics are the James Hardie impact from fiscal year 2024.

SETTING AMBITIOUS GOALS AS RESPONSIBLE STEWARDS



Reducing Scope 1+2 Emission

Reduce absolute Scope 1+2 GHG emissions by 42% by 2030 from 2021 baseline and work towards net zero by 2050



Minimizing Waste

Zero manufacturing waste to landfill by 2035



Recycling Water

Recycle an additional 20M cubic feet of water per year by 2030, compared to 2019

Hardie® Plank

From Victorians to Colonials, Hardie® Plank is the perfect siding for your style, and has the durability and long lasting beauty that can transform your home's exterior. With a variety of colors, textures, and sizes, you'll discover a Hardie® Plank style that transforms your home's aesthetic.





Hardie® Plank Smooth



Hardie® Plank Select Cedarmill®



Hardie® Plank Beaded Select Cedarmill®

Hardie® Shingle

Restore the look of your grand Cape Cod home or add distinction to your handsome bungalow. Hardie® Shingle embodies the enchanting look of cedar shingles with lower maintenance. You can create your perfect exterior style using Hardie® Shingle around your entire home, or place it in accent areas for an added boost of charm you'll love.

Better than the real thing, Hardie® Shingle resists rotting, curling, warping and splitting.



Hardie® Shingle Straight Edge Panel



Hardie® Shingle Staggered Edge Panel



Hardie® Panel

Hardie® Panel delivers style and substance. When combined with Hardie® Trim Batten, it achieves the rustic board-andbatten look that defines your charming cottage or modern farmhouse. Its crisp, clean lines and ability to pair beautifully with other siding products make Hardie® Panel a smart choice for the home of your dreams.







Hardie® Panel Select Cedarmill®



Hardie® Panel Stucco



Hardie® Panel Sierra 8

Hardie® Trim Batten



Hardie® Trim Batten Smooth



Hardie® Trim Batten Rustic Grain

Hardie[®] Trim

Hardie® Trim provides design flexibility for columns, friezes, doors, windows and other accent areas. More durable than wood, Hardie® Trim is the perfect option for a long lasting home. Hardie® Trim is a low maintenance and durable accent for your exterior.



Hardie® Trim Smooth



Hardie® Trim Roughsawn



Hardie® Soffit

A home is only as strong as its most vulnerable areas. With Hardie® Soffit panel, you can live confidently, knowing that the gap between eaves and exterior walls is covered. These panels complete your look and help protect it from moisture and pests.






Hardie® Soffit Non-Vented Smooth



Hardie® Soffit Non-Vented Select Cedarmill®




Hardie® Soffit Vented Smooth



Hardie® Soffit Vented Select Cedarmill®

Hardie® Artisan® Siding

Offering gorgeous, deep shadow lines and extra thick boards, Hardie® Artisan® Siding will set your home apart. The 5/8-inch thickness and unique features of Hardie® Artisan® siding provide precise fit and finish as well as the freedom to miter corners for attractive, streamlined styling.





MITERED CORNERS Add sophistication to your design with mitered corners that can be crafted on-site with any



LOCK JOINT SYSTEM Hardie® Artisan® Siding flat wall profiles have a lock joint system that helps enable faster, cleaner installation.



DESIGN FLEXIBILITY Hardie® Artisan® Siding flat wall profiles can be oriented vertically, horizontally or used as soffit.









V-Groove

Square Channel Lap Siding Shiplap

All Hardie® Artisan® products come with a primed finish and a smooth texture

Statement Collection® Color Availability

IRON GRAY

1 | 2

COUNTRYLANE RED

MIDNIGHT BLACK
(Only available in Hardie® Trim)





PRIMER A quality primer is the first step to ensuring that the paint color you select expresses your home's true beauty now – and for years to come. Our distinctive primer is climate tested and engineered to enhance the performance of paint on Hardie® fiber cement exterior solutions. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.

Beauty begins with


a finish that lasts.

COLORPLUS® TECHNOLOGY

ColorPlus® Technology finishes are fully cured on our boards in a controlled factory environment and arrive at your home ready for installation year-round. With prefinished color products, you'll have peace of mind, knowing you'll have a more consistent color and finish that doesn't depend on good weather.

With a variety of color options available to help bring your vision to life, ColorPlus® Technology finishes help keep your home looking beautiful longer.

- Exceptional finish adhesion
- Superior color retention
- Superior UV resistance













Dream Collection®

ColorPlus® Technology Finishes	-
--------------------------------	---

Primed & ready to paint	Your region's most popular colors	Nearly 700 finish options
Locally stocked & readily available	Locally stocked & readily available	Made to order in a wide variety of siding & trim styles (Made specifically for you, products may incur additional cost and lead time.)

Kansas & Missouri Product Availability

rimed	Statement Sollection®)ream Sollection®	xposure	rimed ocs/Pallet	SolorPlus® ocs/Pallet	cs/Sq.

Hardie® Plank Thickness 5/16 in.

12 ft. x 5.25 in.	••		• •	4 in.	360	324	25.0
12 ft. x 6.25 in.	••		••	5 in.	308	280	20.0
12 ft. x 7.25 in.	••		••	6 in.	252	252	16.7
12 ft. x 8.25 in.	••	•	••	7 in.	230	210	14.3
12 ft. x 9.25 in.	••			8 in.	190	-	12.5
12 ft. x 12 in.	••			10.75 in.	152	-	9.3

Hardie® Plank - Beaded Thickness 5/16 in.

Hardie® Shingle - Straight Edge Panel Thickness 1/4 in.

48 in. x 15.25 in.	•	•	•	7 in.	86	86	43

Hardie® Shingle - Staggered Edge Pane Thickness 1/4 in.

48 in. x 15.25 in.	•	•	•	6 in.	100	100	50

Hardie® Panel Thickness 5/16 in.

4 ft. x 8 ft.	••		••	-	50	50	3.2
4 ft. x 9 ft.	••			-	50	-	2.8
4 ft. x 10 ft.	••	••	• •	-	50	50	2.5

Hardie® Panel - Stucco Thickness 5/16 in.

4 ft. x 8 ft.	•	•	-	50	50	3.2
4 ft. x 9 ft.	•		-	50	-	2.8
4 ft. x 10 ft.	•	•	-	50	50	2.5

Hardie® Panel - Sierra 8 Thickness 5/16 in.

4 ft. x 8 ft.	•		-	50	-	3.2
4 ft. x 9 ft.	•		-	50	-	2.8
4 ft. x 10 ft.	•		-	50	_	2.5



	r u® rt	®_L	#	® #
Primed	Statement	Dream	Primed	ColorPlus®
	Collection®	Collection®	Pcs/Pallet	Pcs/Pallet

4/4 Hardie® Trim Thickness 3/4 in.

12 ft. x 3.5 in.	••	AW	• •	312	312
12 ft. x 5.5 in.	••	AW	• •	208	208
12 ft. x 7.25 in.	••	••	• •	156	156
12 ft. x 9.25 in.	••	AW	• •	104	104
12 ft. x 11.25 in.	••	AW	• •	104	104

AW- Only available in Arctic White in smooth & roughsawn textures

5/4 Hardie® Trim Thickness 1 in.

12 ft. x 3.5 in.	••	••	••	240	240
12 ft. x 4.5 in.	• •		••	200	200
12 ft. x 5.5 in.	••	••	••	160	160
12 ft. x 7.25 in.	••	••	••	120	120
12 ft. x 9.25 in.	••	AW	••	80	80
12 ft. x 11.25 in.	••	••*	••	80	80

AW- Only available in Arctic White in smooth & roughsawn textures

* Roughsawn texture only available in Arctic White

Hardie® Trim Batten Thickness 3/4 in.

12 ft. x 2.5 in.	••	••	••	437	190
------------------	----	----	----	-----	-----

Hardie® Soffit - Vented Thickness 1/4 in.

12 ft. x 12 in.	••	•	• •	200	216
12 ft. x 16 in.	••		••	150	156
8 ft. x 24 in.	••		••	100	108

Hardie® Soffit - Non-Vented Thickness 1/4 in.

12 ft. x 12 in.	••	•	••	200	216
12 ft. x 16 in.	••		••	150	156
8 ft. x 24 in.	••		••	100	108
8 ft. x 48 in.	••			50	-

Hardie® Artisan® Siding

	Primed	Exposure	Pcs/Pallet			
Lap Siding - Thickness 5/8 in.						
12 ft. x 7.25 in.	•	6 in.	144			
12 ft. x 8.25 in.	•	7 in.	125			
V-Groove - Thickness 5/8 in.						
12 ft. x 8.25 in.	•	7 in.	126			
Shiplap - Thickness 5/8 in.						
12 ft. x 10.25 in.	•	9 in.	105			
Square Channel - Thickness 5/8 in.						
12 ft. x 10.25 in.	•	9 in.	105			



Scan code to view colors and request a product sample.



Hardie[™] Moisture Management Products

Hardie[™] Weather Barrier Thickness 11 mil.

100 ft. x 3 ft. | 100 ft. x 9 ft. | 150 ft. x 9 ft.

Hardie[™] Pro-Flashing Thickness 20 mil.

75 ft. x 4 in. | 75 ft. x 6 in. | 75 ft. x 9 in.

Hardie™ Flex Flashing Thickness 60 mil.

75 ft. x 6 in. | 75 ft. x 9 in.

Hardie[™] Seam Tape Thickness 3.2 mil.

165 ft. x 1 7/8 in.

Hard

JamesHa

INSTALLATION ACCESSORIES

JamesHardie

Hardie[™] Weather Barrier



Touch-Up Kits for ColorPlus® Technology finishes



OSI® QUAD® MAX Color-Matched Caulk



Hardie[™] Trim Corner Tabs & Hardie[™] Trim Flat Tabs




abs & Hardie[™] Blad Saw Blades



PacTool® Gecko Gauge

Product Texture Key Smooth • Textured •

PacTool and PacTool Gecko Gauge are registered trademarks for General Tools & Instruments Company LLC . QUAD MAX is a registered trademark for HENKEL AG & CO. KGAA. Diablo is a registered trademark of Freud America, Inc.





1.888.542.7343

jameshardie.com