

SIDING | TRIM | SOFFIT

Beautiful projects. Built to last.



Hardie® Plank, Hardie® Shingle, Hardie® Trim
and Hardie® Panel with Trim Batten

4	Popular Design Options
6	Inspiration
8	Statement Collection® Products
10	Dream Collection® Products
12	Hardie® Plank
14	Hardie® Shingle
16	Hardie® Panel
18	Hardie® Trim & Hardie® Soffit
20	Hardie® Artisan® Siding
22	Hardie® Architectural Panel
24	Complete Exterior™ by James Hardie
26	Trusted Protection
28	Tougher than the Elements
30	Hardie™ Zone System
32	Unique Formulation
34	Sustainability
36	Long-Lasting Beauty
38	Finishing Technology
40	The James Hardie Difference
42	Warranty
44	Hardie™ Weather Barrier
46	Experience the Benefits
48	Multi-Family Customer Service Desk
50	JHInsite® platform



Now is the time to bring your vision to life.

With a variety of colors, styles, and textures, Hardie® fiber cement exterior solutions deliver beautiful, high-value, sustainable design options without sacrificing durability and protection. Trusted on over 10 million homes** from coast to coast, and rated the #1 brand of siding in North America, it's clear that products from James Hardie can make what you've always wanted possible. Revel in the beauty of your building's gorgeous exterior with the unprecedented peace of mind that only Hardie® products can provide. With James Hardie, any vision can be brought to life.

POPULAR DESIGN OPTIONS	With a wide variety of colors, products, and textures, you can create the personalized exterior design that will be loved for years to come.
TRUSTED PROTECTION	Hardie® fiber cement products help to resist damage from fire, moisture and extreme weather, and hold no appeal for pests. Trust the strength of Hardie® products reducing maintenance, accelerating production times, and reducing risk to your project.
LONG-LASTING BEAUTY	Enjoy the peace of mind that comes with a low maintenance exterior, backed by a non-prorated siding, trim and soffit substrate warranty.***

* Based on Freedonia 2022 Global Siding (Cladding) demand estimates and James Hardie sales in North America.
** Estimate based on James Hardie North American siding sales and average housing unit size.
*** 30-Year limited non-prorated siding, trim and soffit substrate warranty. ColorPlus® Technology finishes have a 15-year prorated limited finish warranty.



Popular design options
for any project.



Hardie® Panel with Hardie® Trim Batten

Premium styles that fit in anywhere.



Explore colors, styles, and accents to create your perfect design style with Hardie® products.

Whether you want clean lines and sleek profiles, bold hues, or timeless charm, you'll find the perfect colors and styles that will be sure to make a lasting statement in the neighborhood. Achieve the perfect balance between character and style with a variety of colors and products sizes. Mix profiles and colors to create a fresh look the entire community will love for years.



Hardie® Plank Mountain Sage



Find the perfect finish for your project.



Primed



Statement Collection®



Dream Collection®

ColorPlus® Technology Finishes

Primed and ready to paint	Your region's most popular colors	Nearly 700 finish options
Readily available	Readily available	Made-to-order in a wide variety of siding and trim styles. Made specifically for you, products may incur additional cost and lead time.

Scan code to request a sample.



Statement Collection® Products

It's your turn to let your design stand out with our Statement Collection® colors. Curated by our experts, this collection of Hardie® siding and trim products with ColorPlus® Technology finishes are tailored to your building's region. The James Hardie sales team is available to provide trusted support.

COLORPLUS® TECHNOLOGY

ColorPlus® Technology finishes combine distinct beauty and high performance in a way that no other finish does. They're the easiest way to choose a gorgeous prefinished color and feel confident in its staying power. Plus, avoid project delays, as Hardie® products with ColorPlus® Technology finishes enable building construction year-round.



Scan code to view Statement Collection® product availability and learn about other made-to-order color options.



Product offering differs per region, please scan QR code or visit [jameshardie.com](https://www.jameshardie.com) to view your area's offering. Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.




ARCTIC WHITE



COBBLE STONE




NAVAJO BEIGE




KHAKI BROWN



MONTEREY TAUPE



TIMBER BARK



RICH ESPRESSO




MOUNTAIN SAGE



GRAY SLATE



BOOTHBAY BLUE




LIGHT MIST




PEARL GRAY



AGED PEWTER




NIGHT GRAY



EVENING BLUE




DEEP OCEAN



IRON GRAY



COUNTRYLANE RED



MIDNIGHT BLACK

Dream Collection® Products

Looking for even more color options? Look to our Dream Collection® products.

- Featuring a color palette of **nearly 700 ColorPlus® Technology finishes**
- Made to order in a wide array of Hardie® siding and trim styles
- Matches elevated design flexibility with the uncompromising performance of our fiber cement products

Made specifically for your building, Dream Collection® products may incur additional cost and production time. To see the full color range of the Dream Collection® products, go to jameshardie.com/dream.



Scan code to view colors and request a product sample.



CLASSIC LIGHTS & DARKS



PEACEFUL PASTELS



EARTH TONES



BLUES & GREENS



GRAYS & NEUTRALS



A classic look that stands the test of time.

Hardie® Plank

From Mountain to Coastal design, Hardie® Plank is the perfect siding for your building, with the durability and long-lasting beauty that can transform the exterior. With a variety of colors, textures, and sizes, you'll discover a Hardie® Plank style that enhances the aesthetic.

Scan code to view product availability.





Cedar style with
trusted performance.

Hardie® Shingle

Elevate your design. Hardie® Shingle embodies the enchanting look of cedar with lower maintenance. You can create stunning exterior style using Hardie® Shingle around an entire building, or place it in accent areas for an added boost of charm.

Scan code to
view product
availability.





Hardie® Panel with third-party metal trim



Hardie® Panel with third-party metal trim

Creating beauty with
lasting durability.

Hardie® Panel

Hardie® Panel delivers style and substance. When combined with Hardie® Trim Batten, it achieves the rustic board-and-batten look that defines a charming cottage or modern farmhouse aesthetic. Its crisp, clean lines and ability to pair beautifully with other siding products make Hardie® Panel a smart choice for any building.

Scan code to
view product
availability.



Hardie® Panel & Hardie® Trim Batten
Arctic White



Hardie® Panel & Hardie® Trim Batten
Evening Blue

Protection in every detail,
complete confidence in
every area.

Hardie® Trim

Hardie® Trim provides design flexibility for columns, friezes, doors, windows, and other accent areas. More durable than wood, Hardie® Trim is the perfect option for a building that stands the test of time. Hardie® Trim is a low-maintenance and durable accent for your exterior.



Scan code to
view product
availability.

Hardie® Soffit

A building is only as strong as its most vulnerable areas. With Hardie® Soffit panel, you can be confident knowing that the gaps between eaves, balcony covers, and exterior walls are covered. These panels complete your look and resist damage from moisture and pests.




Scan code to
view product
availability.



Hardie® Artisan® Siding & Trim

Distinctive Design, Engineered to Last™

Offering gorgeous, deep shadow lines and extra thick boards, Hardie® Artisan® Siding will set your building apart. The 5/8-inch thickness and unique features of Hardie® Artisan® Siding provide precise fit and finish, install vertically, as well as the freedom to miter corners for attractive, streamlined styling.



LOCK JOINT SYSTEM
Hardie® Artisan® siding flat wall profiles have a lock joint system that helps enable faster, cleaner installation.



DESIGN FLEXIBILITY
Hardie® Artisan® siding flat wall profiles can be oriented vertically, horizontally or used as soffit.



MITERED CORNERS
Add sophistication to your design with mitered corners that can be crafted on-site with any Hardie® Artisan® profile.



Hardie® Artisan® Lap Siding has been named one of **Green Builder Media's** 2024 Sustainable Products of the Year.




Hardie® Artisan® Trim has been named one of **Green Builder Media's** 2025 Sustainable Products of the Year.



Hardie® Artisan® Lap Siding has been named a Silver Award Winner in **Pro Builder's** 2025 Most Valuable Products Awards

Hardie® Artisan® Siding & Trim



Lap Siding

Lap Siding		Thickness 5/8 in.
Width	7.25 in. (6 in. exposure)	8.25 in. (7 in. exposure)
Length	12 ft.	12 ft.
Pcs/Pallet	144	125
Finish	Primed	Primed



Trim


Trim		Thickness 1.5 in.
Width	3.5 in.	5.5 in.
Length	12 ft.	12 ft.
Pcs/Pallet	192	120
Finish	Primed	Primed

FLAT WALL PROFILES




Shiplap

Shiplap		Thickness 5/8 in.
Width	10.25 in. (9 in. exposure)	
Length	12 ft.	
Channel Size	.15 in.	
Pcs/Pallet	105	
Finish	Primed	



V-Groove

V-Groove		Thickness 5/8 in.
Width	8.25 in. (7 in. exposure)	
Length	12 ft.	
Channel Size	.5 in.	
Pcs/Pallet	126	
Finish	Primed	



Square Channel

Square Channel		Thickness 5/8 in.
Width	10.25 in. (9 in. exposure)	
Length	12 ft.	
Channel Size	1 in.	
Pcs/Pallet	105	
Finish	Primed	



All Hardie® Artisan® products come with a primed finish and a smooth texture.

Hardie® Architectural Panel

Clean Look.
Fresh Textures.
Lasting Exteriors.

Reimagine what’s possible for your project with the Hardie™ Architectural Collection. Offering contemporary design solutions to fit any style, you can elevate your exterior with a gorgeous, fresh perspective.

Going beyond wood-look designs, the clean lines of the Hardie® Architectural Panel can help achieve a range of styles from traditional to more modern looks. Orient them horizontally or vertically, or mix them with other Hardie® products to create a truly unique design that speaks to your aesthetic.



Sea Grass
Gentle, linear pattern with a dynamic finish



Mounded Sand
Rough texture with a varied finish



Fine Sand
Even texture with a consistent finish

Sea Grass		Thickness 5/16 in		
Width	4 ft.	4 ft.	4 ft.	4 ft.
Length	8 ft.	10 ft.	12 ft.	12 ft.
Pcs/Pallet	50	50	40	40
Finish	Primed	Primed	Primed	Primed

Fine Sand		Thickness 5/16 in		
Width	4 ft.	4 ft.	4 ft.	4 ft.
Length	8 ft.	10 ft.	12 ft.	12 ft.
Pcs/Pallet	50	50	40	40
Finish	Primed	Primed	Primed	Primed

Mounded Sand		Thickness 5/16 in		
Width	4 ft.	4 ft.	4 ft.	4 ft.
Length	8 ft.	10 ft.	12 ft.	12 ft.
Pcs/Pallet	50	50	40	40
Finish	Primed	Primed	Primed	Primed



Corner trim

	Low Profile Inside Corner Trim	Use for corners.
	Inside Corner Trim	
	Low Profile Outside Corner Trim	
	Low Profile 45° Inside Corner Trim	Use for bay windows.
	Low Profile 45° Outside Corner Trim	

Base trim

	Raised Reveal Base Trim	Reveal & ledge to rest panels.
	L Base Trim	Low profile starter strip.

Transition trim


	Low Profile Inside Corner Transition	Use for transition from panel siding to lap siding on an inside corner.
	2-piece J Trim	Use at openings, edges of panels & at metal trim transitions.
	Low Profile Outside Corner Transition	Use for transition from panel siding to lap siding on an outside corner.
	J Trim	Use as a trim at abutments (e.g. soffit, masonry, windows, etc.).
	Vertical Siding H-Mold Transition	Cover vertical joints where you transition from panel siding to lap siding.

Joint & end trim

	Vertical Y Trim	Use along vertical butt joints.
	Vertical H Trim	
	Vertical T Trim	
	Low Profile Horizontal Z Trim	Use along horizontal control joints.
	Horizontal Z Flashing Trim	
	Horizontal Angled T Flashing Trim	

Protect every corner
of your project with a
Complete Exterior™
by James Hardie

With a **Complete Exterior™** by James Hardie, you can bring your dream project to life without having to choose between protection and long-lasting beauty. Using products from a single, trusted manufacturer that offers exceptional warranties.



Hardie® Shingle




Hardie® Panel &
Hardie® Trim Batten



Hardie® Plank



Hardie® Trim Boards



Hardie® Soffit





Durability and protection you can trust.



Proudly stands up to the elements.



Fire

Help prepare your building for the unpredictable with noncombustible* siding that won't burn or ignite when exposed to a direct flame.

Listed for use in wildfire-prone Wilderness Urban Interface (WUI) zones in the western US.

- Verified noncombustible per ASTM E136
- Will not contribute fuel to a fire
- Class A fire rated per ASTM E84, with a flame spread index / smoke developed index of less than 0/5
- Verified in wall assemblies with 1-hour and 2-hour fire-ratings per ASTM E119



Cal-Fire Compliant

*Hardie® siding complies with ASTM E136 as a noncombustible cladding. Fiber cement fire resistance does not extend to applied paints or coatings, which may be damaged or char when exposed to flames.



Scan to see the durability of Hardie® products.



Pests

Creatures can wreak havoc on wood-based siding. It can be damaged by woodpeckers, termites and other pests. Hardie® fiber cement holds no appeal for these critters, saving you the maintenance hassle.



Water Resistant

From rain to ice to snow, precipitation patterns can lead to warping, swelling and cracking in wood-based siding. Take shelter from the storm knowing that your siding is built to resist water damage.

- FEMA Class 5 flood damage resistance (highest rating)
- Rated for use in High Velocity Hurricane zones by Miami-Dade County, Florida*

*Applies to most products by James Hardie. For full list go to: www.jameshardie.com/miami-dade-NOA



Time

ColorPlus® Technology finishes provide a durable finish that helps resist fading and discoloration and outperforms field applied paint, so your exterior can keep its good looks longer and you save on costly repainting.

Hardie™ Zone System

Exterior solutions inspired by nature. And designed to help protect your project from it.

Only Hardie® fiber cement exterior products are **Engineered for Climate®**, designed specifically with your climate zone in mind for optimal performance. In the northern USA and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect buildings from hot, humid conditions, blistering sun and more.

With Hardie® siding, trim and soffit, your project's exterior will be as tough as it is beautiful.



Quality materials that you can be proud of.

Unique Formulation
Hardie™ Zone Substrate

Not all fiber cement is the same. Hardie™ Zone formulations require raw materials that meet our stringent quality standards. Our unique formulation, combined with innovative product design and manufacturing processes, creates a substrate that is specifically engineered to resist moisture, cracking, shrinking and swelling, for increased durability and workability.

Proprietary enhancements
create durable Hardie® siding

PERFECT BALANCE OF STRENGTH AND
WORKABILITY


Our unique balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.

ENHANCED MOISTURE RESISTANCE FOR
UNMATCHED DURABILITY

Patented and proprietary additives are chemically bonded within the substrate matrix to provide durable moisture resistance.

INCREASED DIMENSIONAL STABILITY

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that resist shrinking and splitting.



● James Hardie Manufacturing Plant
11 manufacturing facilities in the United States which source 81% of their raw materials locally



Unmatched investment in manufacturing
scale and production innovation

- Largest manufacturer of fiber cement in North America
- Over 7x the North American manufacturing capacity of our nearest fiber cement competitors
- More than 100 process and product quality checks
- Over 85 scientists and engineers in North America's research & development providing dedicated resources for continuous innovation in manufacturing and product development
- More U.S. fiber cement patents than any competitor

*As of March 2024

Building a Better Future for All™

Building a Culture of Sustainability

Throughout our company and across our value chain, sustainability is foundational at James Hardie. Our sustainability goals are integrated into our business operations, governance structure and company culture. We have ambitious targets that align with our purpose of **Building a Better Future for All™**, the issues that matter most to our stakeholders and our overall corporate objectives. From our frontline employees to the builders who use our products, each person plays a role in putting our sustainability initiatives into action.

BUILDING A FRAMEWORK FOR A BOLD AND BRIGHT FUTURE

👍 **Purpose**

Building a Better Future for All™.

★ **Vision**

To inspire how communities design, build and grow today and tomorrow.

♥️ **Mission**

Be the most respected and desired building materials brand in the world.



Scan code to find out more about our sustainability efforts.



Scan for Environmental Product Declaration of Hardie® products.

ADDING VALUE TO OUR COMMUNITIES

We recognize our ability to impact the communities in which we live and work. While maintaining a global mindset, we put great care into how our business affects local communities. We contribute by sourcing, employing, delivering and giving locally.

CREATING AN IMPACT

We invest in the local community and aim to locate the plants close to suppliers, customers and potential new employees, as well as sustainable transportation opportunities.

CONTRIBUTED — \$1.66B To communities in which we operate	HIRED — 99% From the local communities in which we operate
SOURCED — 81% Of raw materials locally	DELIVERED — 67% Of manufactured products locally

*Above statistics are the James Hardie impact from fiscal year 2024.

SETTING AMBITIOUS GOALS AS RESPONSIBLE STEWARDS

-  **Reducing Scope 1+2 Emission**
Reduce absolute Scope 1+2 GHG emissions by 42% by 2030 from 2021 baseline and work towards net zero by 2050
-  **Minimizing Waste**
Zero manufacturing waste to landfill by 2035
-  **Recycling Water**
Recycle an additional 20M cubic feet of water per year by 2030, compared to 2019



Long-lasting
beauty by design.





Beauty that's designed to last.

COLORPLUS® TECHNOLOGY

ColorPlus® Technology finishes are fully cured on our boards in a controlled factory environment and arrive at your jobsite ready for installation year-round. With prefinished color products, you'll have peace of mind knowing you'll have a more consistent color and finish that doesn't depend on good weather.

With a variety of color options available to help bring your vision to life, ColorPlus® Technology finishes help keep your project looking beautiful longer.




Finishing Technology

PRIMER

A quality primer is the first step to ensuring that the paint color you select expresses beauty now – and for years to come. Our distinctive primer is climate tested and engineered to enhance the performance of paint on Hardie® fiber cement exterior solutions. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.

COLORPLUS® TECHNOLOGY

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance. Our products aren't simply painted at the factory. Our proprietary coatings are baked onto the board, creating a vibrant, consistent finish that performs better, lasts longer and looks brighter on your home.



EXCEPTIONAL FINISH ADHESION

Our proprietary coatings are engineered for exceptional adhesion to our substrate and applied to the surface, edges and features for durable performance.



SUPERIOR COLOR RETENTION

The finish is cured onto boards for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



SUPERIOR UV RESISTANCE

ColorPlus® Technology finishes retain vibrancy longer compared to vinyl siding and the typical field paints used on other siding products.

Unparalleled beauty
with unparalleled
performance.

See the James Hardie difference

James Hardie invented modern fiber cement. We continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower-maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our employees and partners, and with our exceptional warranties, we're committed to helping protect your investment every step of the way.



* Estimate based on James Hardie North American sales and average housing unit size.



Industry-leading warranty for peace of mind



Help protect your building with North America's #1 Brand of Fiber Cement siding, soffit and trim, backed by exceptional limited warranties. Unlike other companies, we don't prorate our James Hardie substrate warranty coverage. All Hardie® fiber cement products come with a transferable 30-year, non-prorated limited substrate warranty, meaning we stand 100% behind Hardie® fiber cement siding, trim and soffit products for 30 years.

ColorPlus® Technology finishes come with a 15-year limited warranty.

30-Year, Non-Prorated Siding, Trim and Soffit Substrate Warranty Coverage by James Hardie



* Based on Freedonia 2022 Global Siding (Cladding) demand projections and James Hardie sales in North America.

Make your building stand up and stand out.

Give your building staying power

Re-siding with fiber cement siding is one of the top ways to increase your building's rental value, and resale value*.



Endorsements — a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. That proven track record has earned us the loyalty of millions of builders and homeowners with the endorsements of trusted authorities across the building industry.



Hardie® products are backed by the **Good Housekeeping Seal**.

Please visit jameshardie.com/goodhousekeeping for a complete list.



James Hardie recognized as 2024 **Eco-Leader** by Green Builder®

COST vs VALUE 2024



Scan code to view the **Cost vs. Value Report**.

*© 2025 Zonda Media, a Delaware Corporation. Complete data from the Remodeling 2024 Cost vs. Value Report can be downloaded free at www.costvsvalue.com



FOR THE PROS

Hardie™ Moisture Management Products

Protection that performs at every layer.

No exterior cladding can prevent 100% of water intrusion. Your building should have an additional line of defense. Hardie™ Moisture Management and Hardie™ Drainage products provide a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.



INSTALLATION ADVANTAGES OF HARDIE™ WEATHER BARRIER

- Thicker, more durable material for long-lasting protection from water infiltration
- Superior tear resistance for easier, quicker installation
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify

Hardie™ Weather Barrier

Thickness	11 mil.		
Length	100 ft.	100 ft.	150 ft.
Width	3 ft.	9 ft.	9 ft.

Hardie™ Pro-Flashing

Thickness	20 mil.		
Length	75 ft.	75 ft.	75 ft.
Width	4 in.	6 in.	9 in.

Hardie™ Flex Flashing

Thickness	60 mil.	
Length	75 ft.	75 ft.
Width	6 in.	9 in.

Hardie™ Seam Tape

Thickness	3.2 mil.	
Length	164 ft.	
Width	1-7/8 in.	

Installation Done Right

INSTALLATION ACCESSORIES

Hardie™ Blade Saw Blades

Manufactured by Diablo, the Hardie™ Blade saw blade is designed specifically to cut fiber cement products and is the only saw blade James Hardie recommends. The blade creates clean, precise cuts while helping to reduce the amount of airborne dust produced.



PacTool® Gecko Gauge

The PacTool® Gecko Gauge is designed to improve the installation experience, allowing one person to hang Hardie® lap siding during installation. The manufacturer claims the Gecko Gauge can improve the speed of solo installation by up to 30%.



Finishing Touches

COLORPLUS® TECHNOLOGY ACCESSORIES

Touch-Up Kits for ColorPlus® Technology finishes

Specially formulated to match ColorPlus® Technology finishes, our touch-up kits offer resistance to aging, color change and chalking. Estimated one kit per 4,000 sq ft of siding or 1,600 sq ft of trim.



Color-Matched Caulk

OSI® QUAD® MAX sealant offers a high-performance sealant solution to color match Statement Collection® products.* About 18–20 linear feet per tube. Refer to packaging for manufacturer's recommendations.

*For matching Dream Collection® products, contact your local James Hardie representative.

TRIM ACCESSORIES

Flat Tabs

Eliminate face nails and improve the aesthetic of trim applications around windows, doors and band boards.

Corner Tabs

Use corner tabs to eliminate face nail holes that would detract from the finished look of corner trim installations.

Scan code to view install and technical documents.





Multi-Family Support and Resources



Experience the benefits of the Multi-Family Customer Service Desk



Secure the Best Price
Standard quotes will be turned around in 24-48 hours, and rest assured you will receive the most competitive price we can offer.



Select Your Delivery Date
Pick the date that works best for your build schedule. If material is requested to ship beyond standard lead times of product, a Do Not Ship Before (DNSB) date can be added, so we can hold the material until the job site is ready.



Direct To Jobsite Delivery
Reduce complexity with shipping and holding material and allow us to deliver the product directly to the job site.



Specialized Customer Service Team
James Hardie has a Multi-Family dedicated team to help with the process every step of the way and ensure your customers are satisfied with Hardie® products and services.

Need Assistance?
We're here to help you through this process and to ensure your customers are satisfied with Hardie® products and services.

The Multi-Family Process in Four Easy Steps

1. REQUEST A QUOTE:

Gather the following information from your customer:

- Job Name
- Job Address (*Required for re-side*)
- City & State
- New Construction or Re-Side
- Building Type (*Apartments, Condos, Senior Living, etc.*)
- Estimated First Ship Date
- Material List, Quantities, Texture & Finish
- General Contractor/Installer
- Dealer (*if applicable*)

Submit Quote Info to multi.family@jameshardie.com.

- For organization and speed of data entry, it's encouraged to use the Multi-Family Quote Request Form.
- All requests must be shared-wall dwellings (apartments, condos, townhomes, etc.) or commercial structures (Schools, businesses, etc.) to be eligible for the Multi-Family program.
- A minimum of one (1) full truckload of material is required to be eligible for the Multi-Family Program.

General turnaround time for quote requests is 24–48 hours once all information in step 1 has been provided.

- Once your quote is created, you will receive a copy via email which includes the quote number (including revision number), pertinent job-related information, quote expiration date, material type and quantities requested, and pricing.
- Please check that all products and quantities requested are accounted for on the quote. Alterations to this quote can be made by emailing the requested changes to multi.family@jameshardie.com.

2. REQUEST A CONTRACT:

Confirm the following information from your customer:

- Delivery Address
- Delivery Appointment Contact (*jobsite preferred*)
- Backup Contact (*if applicable*)
- Finalized Material List, Quantities, Textures and Finishes (*if applicable*)

Submit this information to multi.family@jameshardie.com and request a contract in the body of the email. To assist with the process, please include a copy of the quote and/or quote number (including revision number if applicable) in the request.

Once your contract is created you will receive a copy via email which includes the contract number, pertinent job-related

information, contract expiration date, material type and quantities (including finish and texture), contracted pricing and general terms.

If material is requested to ship beyond the standard lead times of the product, a DNSB (Do Not Ship Before) date can be added to the PO. Please indicate on the PO the date in which to postpone release of the order(s). James Hardie will make every attempt to honor this request.

3. BUILD YOUR TRUCKS:

James Hardie requires full truck purchases direct to jobsite for the Multi-Family program.

- Each contract is allotted two (2) LTL (Less-than-truckloads) orders. These can be used at any time during the terms of the contract.

- The James Hardie truck builder tool is available as a resource. Please reach out to our Multi-Family customer operations for support at 877.236.7526 or multi.family@jameshardie.com. If the truck builder tool is not utilized, the Multi-Family desk will organize your trucks to best meet JH lead times.
- All jobsite deliveries will require a forklift to be on-site to unload.
- All orders are subject to local product mixing rules.

4. SUBMIT YOUR ORDERS:

Submit your PO's including contract number via email to multi.family@jameshardie.com.

Order confirmation will be sent from James Hardie within 24 hrs. of receipt.

A next level resource to support the trade.



Technical Literature



Basic & Advanced Wall Fastening Tools



Sustainability Tools



Training Tools

JHINSITE® PLATFORM PROVIDES TECHNICAL SOLUTIONS BEYOND THE STANDARD APPLICATION, TESTED AND BACKED BY JAMES HARDIE KNOW-HOW.

[JHInsite.com](#) is offered to support architecture, design, engineering, and build / installation functions with solutions to technical requirements that arise during design, specification, and installation of Hardie® products.

Unlike other fiber cement siding manufacturers, the JHInsite® platform provides additional technical support, such as *Basic and Advanced Wall Fastening Tools*


- **Basic:** Fastening solutions for typical siding to wood or steel stud fastening applications on stud, over structural sheathing.
- **Advanced:** Fastening solutions for a variety of complex wall assemblies, complete with furring to framing, and cladding to furring connections over continuous insulation or sheathing.

From assistance locating and using our extensive library of technical documentation, to advanced technical support for information beyond the scope of current technical literature published on [JamesHardie.com](#), [JHInsite.com](#) offers tools to address your technical needs.



Scan to visit JHInsite® platform or reach out to jhinsitesupport@jameshardie.com for specific questions on your project.





877.236.7526 | jameshardie.com

©2025 James Hardie Building Products Inc. All rights reserved. Unless otherwise noted, ™ and ® denote a trademark or registered mark owned by James Hardie Technology Ltd. Good Housekeeping and the Good Housekeeping logo, Green Builder and Green Builder Media's logos, Pro Builder and the Pro Builder logo, OSI, QUAD MAX, Diablo and PacTool are trademarks of their respective owners. HS2516 05/25