


COASTAL IMPACT WINDOWS AND DOORS





THE MARVIN IMPACT-RATED PRODUCT PORTFOLIO

Choose from the broad selection of Ultimate, Elevate, and Coastline windows and doors available to meet impact performance requirements for your projects.





BUILT FOR MAXIMUM PERFORMANCE AND STYLE

Eliminate the inconvenience of plywood sheets or storm shutters. Trust Marvin coastal impact products to stand up to the harshest conditions, including driving rain, wind, sun exposure, and powerful tropical weather.

Our quality craftsmanship is backed by a 20/10-year limited warranty on glass, materials, and workmanship.



DURABLE MATERIALS

- Ultimate products feature the highest industry-rated 18-gauge, aircraft-quality extruded aluminum
- Ultrex® fiberglass exteriors on Elevate products are 8x stronger than vinyl and 3x stronger than the Fibrex® composite



EXCEPTIONAL DESIGN

- IZ certified products designed to meet and exceed stringent coastal codes
- The perfect aesthetic for remodels, luxury home builds, and light commercial projects
- Frame-to-frame mulling configurations are WDMA certified in most sizes



SUPERIOR FINISHES

- PVDF (polyvinylidene difluoride) finish that meets the highest AAMA 2605 requirements for Ultimate products
- Best-in-class AAMA 624 Ultrex finish on Elevate products is 3x thicker than competitive finishes
- Physical Vapor Deposition (PVD) hardware finishes resist fading and discoloration in coastal regions



ENHANCED FEATURES AND OPTIONS

- Products can be specified to meet Sea Turtle Conservation Codes, which help to reduce reflection that confuses sea turtle hatchlings
- Laminated and specialty glass options are available for hurricane zones and sound management
- Marvin coastal and impact products require no extra latches or special locking hardware reinforcements




PRESERVING THE STRUCTURAL INTEGRITY OF WINDOWS AND DOORS

Marvin impact products are rigorously tested to comply with coastal codes and withstand high wind, extreme pressure, and flying debris.



IMPACT ZONES 3 AND 4 READY

- Zone 3 meets International Building Codes for coastal areas in Atlantic and Gulf Coast states and is tested to withstand winds from 120 mph to 140 mph
- Zone 4 (HVHZ) meets International Building Codes for Florida counties of Miami-Dade, Broward, and Monroe and is tested to withstand winds greater than 140 mph



LAYERED IMPACT RESISTANT GLASS IS DESIGNED

TO EXCEED CERTIFICATION CRITERIA.



COMPREHENSIVE TESTING

- To ensure maximum performance in the field, Marvin applies persistent pressure tests of 9,000 cycles to simulate hurricane force winds
- Products are tested using an 8' long 2" x 4" stud launched at 50' per second to ensure they withstand impact to the center and corners



WHILE THE GLASS MAY SHATTER DURING TESTING THE UNIT MAINTAINS ITS STRUCTURAL INTEGRITY.





Ultimate windows and doors are premium products built to stand up to nature's toughest tests like flying debris, gale force winds, driving rain, salt spray, and blazing sun. Explore their stunning craftsmanship, featuring warm wood interiors, numerous design options, precise detailing, and the durability of extruded aluminum exteriors.

- Marvin is one of the few window and door manufacturers with high-quality extruded aluminum cladding as a standard
- Finish coating meets AAMA 2605 for extruded aluminum the industry's highest rating
- Ultimate finishes are 20% thicker than finishes found in roll-form aluminum competitors
- Aluminum cladding features an extremely durable fluoropolymer paint finish with 70% PVDF (polyvinylidene difluoride), offering outstanding resistance to humidity, color change, chalk, gloss loss, and chemicals
- Suitable for Hurricane Impact Zones 3 and 4, + PG 50 products



INTERIOR VIEW – ULTIMATE DIRECT GLAZE PICTURE WINDOW



INTERIOR VIEW – ULTIMATE MULTI-SLIDE DOOR

For a complete list of Ultimate impact-rated products, see page 16.

MARVIN®

ULTIMATE MULTI-SLIDE DOOR





Elevate IZ3 certified products are designed for the extreme conditions of coastal areas. Ultrex® fiberglass exteriors have an extremely low thermal expansion rate to resist cracking or warping and are 8x stronger than vinyl and 3x stronger than Fibrex®

- Ultrex fiberglass expands at virtually the same rate as glass, making Elevate products resistant to leaks, seal failures, and stress cracks
- Best-in-class AAMA 624 Ultrex finish is 3x thicker than competitive finishes
- The highly concentrated glass fibers in Ultrex fiberglass provide superior strength and an exceptionally smooth, durable finish
- Grilles-between-the-glass (GBG) and simulated divided lite (SDL) options available



INTERIOR VIEW - ELEVATE CASEMENT WINDOW



INTERIOR VIEW - ELEVATE OUTSWING FRENCH DOOR

For a complete list of Elevate impact-rated products, see page 20.

ELEVATE OUTSWING FRENCH DOOR

MARVIN®



COASTLINE WINDOWS AND DOORS

In select southeast coastal regions, where codes are the most stringent, Marvin also offers high velocity hurricane zone-approved products. Made with extruded aluminum and impact-resistant glass, Coastline products meet Miami-Dade County and state of Florida Code requirements.

- Extruded aluminum exteriors and interiors available in 6 solid colors and with 4 woodgrain finishes
- Available with several interlayer, laminated tinting options, and decorative glass that will increase privacy, reduce solar heat gain, and meet the requirements of Sea Turtle
- Grilles-between-the-glass (GBG) and simulated divided lite (SDL) options available
- Hardware finishes withstand corrosion caused by humid conditions and salty air and resist fading even after many years of direct UV exposure

OUTSWING FRENCH DOOR



INTERIOR VIEW - COASTLINE PICTURE WINDOW

For a complete list of Coastline products, see page 21.

COASTLINE PICTURE WINDOWS

THE MARVIN COASTAL IMPACT PORTFOLIO

ULTIMATE	ELEVATE	COASTLINE
Most extensive selection of features, options, and product types	Wide range of options and product types	Custom windows and doors for high velocity hurricane zones in the coastal southeast
NTERIORS A selection of high-quality interior materials and finisl	nes to complement every design aesthetic	
WOOD 6 species options + custom Painted or primed	WOOD Bare pine, painted Designer Black, painted White, or clear coat	EXTRUDED ALUMINUM 6 solid colors 4 woodgrain finishes
6 stains + clear coat		
EXTERIORS Long-lasting exteriors with best-in-class finishes for s	uperior durability in the harshest environments	
EXTRUDED ALUMINUM 19 colors + custom	FIBERGLASS 6 color options	EXTRUDED ALUMINUM 6 solid colors
WOOD 3 species + custom		4 woodgrain finishes
SIZING Windows and doors built to your exact specifications		
Standard + custom sizing for replacement, remodelir or new construction	ng, Standard + custom sizing for replacement, remodeling, or new construction	Custom sizing for replacement, remodeling, or new construction
HARDWARE For enhanced durability in harsh climates, some exte	rior hardware options are available with extra long-lasting PVD f	inishes
Extensive selection including Marvin Gallery hardward	e Available in 6 finish options with 2 doors handle styles	Available in multiple styles, sizes, and finishes
COASTAL + WATERFRONT All Marvin products are well suited for coastal and wa	terfront areas with special products and hardware designed for	hurricane zones
Hurricane impact zone 3 and 4 + PG 50 products	Hurricane impact zone 3, + PG 50 products	All products rated for high velocity hurricane zone (IZ4)

MATERIALS INTERIORS	ULTIMATE	ELEVATE	COASTLINE
WOOD	Х	Х	
EXTRUDED ALUMINUM			X
FIBERGLASS			
EXTERIORS			
WOOD	X		
EXTRUDED ALUMINUM	X		X
FIBERGLASS		X	
PRODUCTS	ULTIMATE	ELEVATE	COASTLINE
IMPACT-RATED WINDOWS			
	Double Hung Casement Awning Picture	Double Hung Casement Awning Picture	Single Hung Casement Awning Glider Picture Round Top Specialty Shapes Storefront
FEATURES AND OPTIONS	Casement Wash Mode Double Hung Tilt Wash Lock Status Sensor Triple Pane	Double Hung Tilt Wash Triple Pane	Casement Wash Mode
IMPACT-RATED DOORS			
	Sliding French Swinging French Multi-Slide Bi-Fold	Sliding French Swinging French	Swinging French Pivot Multi-Slide Bi-Fold Entry Garage
FEATURES AND OPTIONS	Automated Controls Lock Status Sensor Retractable Screens		
OPTIONS			
	DIVIDED LITES Bars with Spacer Bars without Spacer Grilles-between-the-Glass Authentic Divided Lites GLASS Energy Efficient Options Decorative Sound Abatement Laminated Fire Glass (California) Turtle Glass	DIVIDED LITES Bars with Spacer Bars without Spacer Grilles-between-the-Glass GLASS Energy Efficient Options Decorative Sound Abatement Laminated Fire Glass (California)	DIVIDED LITES Bars without Spacer Grilles-between-the-Glass GLASS Energy Efficient Options Decorative Laminated Turtle Glass

PRODUCT SPECIFICATIONS

ULTIMATE IMPACT-RATED PRODUCTS include Casement, Awning, Double Hung G2, Double Hung (wood), Direct Glaze, Swinging French door, Sliding French door, Multi-Slide door, Bi-Fold door

ELEVATE IMPACT-RATED PRODUCTS include Casement, Awning, Double Hung, Direct Glaze, Swinging French door, Sliding French door

COASTLINE PRODUCTS include Casement, Awning, Single Hung, Glider, Picture, Specialty Shapes, Storefront, Entry doors, Swinging French doors, Bi-Fold doors, Multi-Slide doors, Pivot doors, and Garage doors

Check the Ultimate and Elevate Impact ADMs for the most current product specifications.

ULTIMATE IMPACT PRODUCT SPECIFICATIONS

ULTIMATE CASEMENT AND AWNING

IMPACT ZONE 3			
PRODUCT ¾" IG	MAX SIZE	DESIGN PRESSURE	OPERATION
UCA	CN3684	+65 / -65	LH/RH/STAT
UCA STAT/PICT	CN4854	+65 / -65	FIXED
UCA STAT/PICT	CN5448	+65 / -65	FIXED
UCAPO	CN3684	+65 / -65	LH/RH/STAT
UCART	CN3684	+65 / -65	LH/RH
UCART STAT/PICT	CN3684	+65 / -65	FIXED
UAWN	CN4854	+65 / -65	OPERABLE
UAWNPO	CN7236	+65 / -65	OPERABLE
PRODUCT 1" IG	MAX SIZE	DESIGN PRESSURE	OPERATION
UCA	CN3697	+65 / -65	LH/RH/STAT
UCA STAT/PICT F.S.	60 X 104 11/16	+60 / -60	FIXED
UCA STAT/PICT F.S.	104 ¹¹ / ₁₆ X 6	+60 / -60	FIXED
UCA STAT/PICT F.S.	72" X 76 ½	+65 / -65	FIXED
UCA STAT/PICT F.S.	76 ½ X 72	+65 / -65	FIXED
UCA STAT/POLY F.S.	72 X 76 ½	+65 / -65	FIXED
UCAPO STAT/ PICT F.S.	60 X 104 11/16	+60 / -60	FIXED
UCAPO STAT/ PICT F.S.	104 ½ X 60	+60 / -60	FIXED
UCAPO STAT/ PICT F.S.	72 X 76 ½	+65 / -65	FIXED
UCAPO STAT/ PICT F.S.	76 ½ X 72	+65 / -65	FIXED
UCAPO STAT/	CN7278	+65 / -65	FIXED

PRODUCT 1" IG	MAX FRAME SIZE (IN.)	DESIGN PRESSURE	OPERATION
UCA STAT PICT	60 X 104 ½ 6	+70 / -75	FIXED
UCA STAT PICT	104 11/16 X 60	+70 / -75	FIXED
UCA STAT PICT	72 X 71 1/8	+70 / -75	FIXED
UCA STAT PICT	71 1/8 X 72	+70 / -75	FIXED
UCA STAT/POLY	60 X 104 11/16	+70 / -75	FIXED
UCA STAT/POLY	72 X 71 1/8	+70 / -75	FIXED
UCART IN-SASH	60 X 104 11/16	+70 / -75	FIXED
UCART IN-SASH	104 11/16 X 60	+70 / -75	FIXED
	IMPACT ZON	IE 4	
PRODUCT ¾" IG	MAX FRAME SIZE (IN.)	DESIGN PRESSURE	OPERATION
UCA	36 X 85 11/16	+70 / -85	LH/RH/STAT
UCA STAT	36 X 85 11/16	+70 / -85	FIXED
UCA STAT	85 11/16 X 36	+70 / -85	FIXED
UAWN	48 X 47 1/8	+70 / -85	OPERABLE

ULTIMATE WOOD CASEMENT AND AWNING IMPACT ZONE 3			
PRODUCT ¾" IG	MAX SIZE	DESIGN PRESSURE	OPERATION
UWCA	CN3684	+65 / -65	LH/RH/STAT
UWCA STAT/PICT	CN4854	+65 / -65	FIXED
UWCA STAT/PICT	CN5448	+65 / -65	FIXED
UWCART	CN3684	+65 / -65	LH/RH
UWCA STAT/PICT	CN3684	+65 / -65	FIXED
UWAWN	CN4854	+65 / -65	OPERABLE
PRODUCT 1" IG	MAX SIZE	DESIGN PRESSURE	OPERATION
UWCA	CN3697	+65 / -65	LH/RH
UWCA STAT/PICT F.S.	60 X 104 ¹¹ / ₁₆	+65 / -65	FIXED
UWCA STAT/PICT F.S.	104 11/16 X 60	+65 / -65	FIXED
UWCA STAT/PICT F.S.	72 X 77 1/16	+65 / -65	FIXED
UWCA STAT/PICT F.S.	77 ½16 X 72	+65 / -65	FIXED
UWCAST/POLY F.S.	72 X 77 1/16	+65 / -65	FIXED
UWCAST/POLY F.S.	77 1/16 X 72	+65 / -65	FIXED
	ULTIMATE DOUBLE		
	IMPACT ZON	1E 3	
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION
UDHG2	CN4036	+65 / -65	DH/SH
UDHG2	CN4256	+65 / -65	DH/SH
UDHG2	CN4450	+65 / -65	DH/SH

CN4848

61 ¼ X 93 ½

CN4036

CN4450

CN6820

+65 / -65

+65 / -65

+65 / -65

+65 / -65

+65 / -65

DH/SH

FIXED

DH/SH

DH/SH

FIXED

	JLTIMATE WOOD DC	DUBLE HUNG		
	IMPACT ZONE 3			
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
UWDH	CN3234	+50 / -65	DH/SH	
UWDH	CN4026	+55 / -65	DH/SH	
UWDHRT	CN3234	+50 / -65	DH/SH	
UWDHP F.S.	60 X 106 ¹⁵ /16	+55 / -65	FIXED	
	ULTIMATE DIREC	T GLAZE		
	IMPACT ZON	NE 3		
	55.1115	DEGLON		

ULTIMATE DIRECT GLAZE			
IMPACT ZONE 3			
PRODUCT	MAX FRAME SIZE (IN.)	DESIGN PRESSURE	OPERATION
CDG	73 X 73	+55 / -65	FIXED
CDG	48 X 101 ¾	+55 / -65	FIXED
CDG	101 ¾ X 48	+55 / -65	FIXED
IMPACT ZONE 4			
PRODUCT	MAX FRAME SIZE (IN.)	DESIGN PRESSURE	OPERATION
CDG	60 X 120	+70 / -75	FIXED
CDG	120 X 60	+70 / -75	FIXED
CDG	36 X 96	+95 / -95	FIXED
CDG	96 X 36	+95 / -95	FIXED

ULTIMATE WOOD DIRECT GLAZE			
IMPACT ZONE 3			
PRODUCT	MAX FRAME SIZE (IN.)	DESIGN PRESSURE	OPERATION
UWDGRECT	73 X 73	+55 / -65	FIXED

UDHG2

UDHPG2 F.S.

UDHTRG2

UDHRTG2

UDHTRG2

19

ULTIMATE BI-FOLD DOOR			
IMPACT ZONE 3			
CERTIFICATION RATING: SP-PG50			
PPODUCT	MAY SIZE	DESIGN	

IMPACT ZONE 3				
CERTIFICAT	CERTIFICATION RATING: SP-PG50			
PRODUCT	MAX SIZE	DESIGN PRESSURE		
MAXIMUM PANELS WITHIN DOOR UNIT	6 IN ANY OPERATING CONFIGURATION	+50 / -50		
MAXIMUM OPERATING PANEL SIZE	CN3680 OR CN30100	+50 / -50		
MAXIMUM STATIONARY PANEL SIZE	CN36100	+50 / -50		

IMP	IMPACT ZONE 3			
CERTIFICATI	CERTIFICATION RATING: SP-PG50			
PRODUCT	MAX SIZE	DESIGN PRESSURE		
MAXIMUM PANELS WITHIN DOOR UNIT	6 IN ANY OPERATING CONFIGURATION	+50 / -50		
MAXIMUM OPERATING PANEL SIZE	CN3680 OR CN30100	+50 / -50		
MAXIMUM STATIONARY PANEL SIZE	CN36100	+50 / -50		

ULTIMATE MULTI-SLIDE				
IM	IMPACT ZONE 3			
PRODUCT	MAX SIZE	DESIGN PRESSURE		
BI-PARTING* STACKED OR POCKET WITH HIGH PERFORMANCE SILL	CN HEIGHTS ABOVE 8'0 TO 10'0	+50 / -55		
BI-PARTING* STACKED OR POCKET WITH HIGH PERFORMANCE SILL	CN HEIGHTS 8'0 AND UNDER	+55 / -65		
UNI-DIRECTIONAL** STACKED OR POCKET WITH HIGH PERFORMANCE SILL	CN HEIGHTS UP TO 10'0	+55 / -65		

ULTIMATE SLIDING FRENCH DOOR				
	IMPACT ZON	IE 3		
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
USFD	CN8080	+50 / -65	OX/XO	
USFD	CN12080	+55 / -65	OXO/OOX/XOO	
USFD	CN16080	+50 / -55	оххо	
USFDTR	CN8026	+55 / -65	FIXED	

ULTIM.	ATE WOOD SLIDING	FRENCH DOOF	1
IMPACT ZONE 3			
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION
UWSFD	CN8080	+55 / -65	OX/XO
UWSFDTR	CN8026	+55 / -65	FIXED

IMPACT ZONE 3 (OUTSWING)					
PRODUCT	MAX SIZE	OPERATION			
UOFD ARCH TOP	CN3080	+55 / -65	O/X		
UOFD ARCH TOP	CN6080	+55 / -65	XX		
UOFD ARCH TOP	CN30100	+55 / -65	O/X		
UOFD ARCH TOP	CN60100	+55 / -65	XX		
UWOFD ARCH TOP	CN3080	+55 / -65	O/X		
UWOFD ARCH TOP	CN6080	+55 / -65	XX		
UWOFD ARCH TOP	CN30100	+55 / -65	O/X		
UWOFD ARCH TOP	CN60100 +55 / -65		XX		
UOFD SL G2	CN36100	+65 / -65	0		
UOFD G2	CN36100	+65 / -65	0		
UOFD G2	CN36100 +65 / -65		X		
UOFD G2	CN30100	+65 / -65	X		
UOFD G2	CN7080	+65 / -65	XX		
UOFD G2	CN60100 +65 / -65		XX		
UOFD TR G2	CN8026 +65 / -65		FIXED		
IMPACT ZONE 4 (OUTSWING)+					
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION		
UOFD	CN3080	+65 / -70	O/X		
UOFD	CN6080	+65 / -70	XX		

2 ¼" ULTIMATE SWINGING FRENCH DOOR

IMPACT ZONE 4 (OUTSWING)+				
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
UOFD	CN3080	+65 / -70	O/X	
UOFD	CN6080	+65 / -70	XX	
UOFD	CN30 X 115 % +65 / -70		O/X	
UOFD	CN60 X 115 7/8	+65 / -70	XX	
UOFD ARCH TOP	CN3080	+65 / -70	O/X	
UOFD ARCH TOP	CN6080	+65 / -70	XX	
UOFD ARCH TOP	CN30 X 115 7/8	+65 / -70	O/X	
UOFD ARCH TOP	CN60 X 115 7/8	+65 / -70	XX	

2 ¼" ULTIMATE SWINGING FRENCH DOOR					
	IMPACT ZONE 3 (INSWING)				
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION		
UIFD ARCH TOP	CN3080	+55 / -65	O/X		
UIFD ARCH TOP	CN6080	+55 / -65	XX		
UIFD ARCH TOP	CN30100	+55 / -65	O/X		
UIFD ARCH TOP	CN60100	+55 / -65	XX		
UWIFD ARCH TOP	CN3080	+55 / -65	O/X		
UWIFD ARCH TOP	CN6080	+55 / -65	XX		
UWIFD ARCH TOP	CN30100	+55 / -65	O/X		
UWIFD ARCH TOP	CN60100 +55 / -65		XX		
UIFD SL G2	CN36100	+65 / -65	0		
UIFD G2	CN36100	+65 / -65	0		
UIFD G2	CN3680	+65 / -65	X		
UIFD G2	CN30100	+65 / -65	X		
UIFD G2	CN7080	+65 / -65	XX		
UIFD G2	CN60100	CN60100 +65 / -65			
UIFD TR G2	CN8026	+65 / -65	FIXED		

2 ¼" ULTIMATE SWINGING NARROW PROFILE DOOR						
	IMPACT ZONE 3 (OUTSWING)					
PRODUCT	MAX SIZE DESIGN PRESSURE		OPERATION			
UOD	CN3680	+65 / -65	0			
UOD	CN3080	+65 / -65	Х			
UOD	CN6080 +65 / -65		XX			
UOD TR	CN8026 +65 / -65		FIXED			
	IMPACT ZONE 3 (OUTSWING)					
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION			
UID	CN3680	+65 / -65	0			
UID	CN3080 +65 / -65		X			
UID	CN6080 +65 / -65		XX			
UID TR	CN8026	CN8026 +65 / -65				

⁺ Includes stamped and milled panels

^{*} Up to 10 panels and up to 4'0 panel width

^{**} Up to 6 panels and up to 4'0 panel width

ELEVATE IMPACT PRODUCT SPECIFICATIONS

ELEVATE AWNING AND CASEMENT				
IMPACT ZONE 3				
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
ELCA	CN3771	+55 / -65	OPERABLE	
ELCAP	CN5771	+55 / -65	FIXED	
ELCAP	CN7355	+55 / -65	FIXED	
ELCA TR	CN7319	+55 / -65	OPERABLE	
ELAWN	CN4947	+55 / -65	OPERABLE	
ELAWN	CN4947	+55 / -65	FIXED	
ELDGRT	CN25-3W	+55 / -65	FIXED RT1	
ELDGRT	CN7359	+55 / -65	FIXED RT2	
ELDGRT	CN7369	+55 / -65	FIXED RT6	
ELDGRT	CN29-1W	+55 / -65	FIXED RT7/RT8	

ELEVATE DIRECT GLAZE				
IMPACT ZONE 3				
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
ELDG RECT	60 X 96	+55 / -65	FIXED	
ELDG RECT	96 X 60	+55 / -65	FIXED	

ELEVATE SLIDING FRENCH DOOR					
	IMPACT ZONE 3				
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION		
ELSFD	CN8080	+55 / -65	OX/XO		
ELDGRT	CN7236	+55 / -65	RT1		

ELEVATE DOUBLE HUNG				
IMPACT ZONE 3				
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
ELDH	CN3876	+55 / -65	OPERABLE	
ELDH	CN4268	+55 / -65	OPERABLE	
ELDHP	CN5476	+55 / -65	FIXED	
ELDHP	CN6264	+55 / -65	FIXED	
ELDH (COTTAGE)	CN4268	+55 / -65	OPERABLE	
ELDH (REV.COTTAGE)	CN4268	+55 / -65	OPERABLE	
ELDHTR	CN6224	+55 / -65	OPERABLE	
ELDGRT	CN38-2W	+55 / -65	FIXED RT1	
ELDGRT	CN7259	+55 / -65	FIXED RT2	
ELDGRT	CN8249	+55 / -65	FIXED RT6	
ELDGRT	CN36-1W	+55 / -65	FIXED RT7/RT8	
ELDGRT	CN3636	+55 / -65	FIXED RT27	

ELEVATE SWINGING FRENCH DOOR				
	IMPACT ZONE 3 (INSWING)			
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
ELIFD	CN3080	+55 / -65	O/X	
ELIFD	CN6080	+55 / -65	OX/XO/XX	
ELDGRT	CN7236	+55 / -65	RT1	
	IMPACT ZONE 3 (O	UTSWING)		
PRODUCT	MAX SIZE	DESIGN PRESSURE	OPERATION	
ELOFD	CN3080	+55 / -65	O/X	
ELOFD	CN6080	+55 / -65	xx	
ELDGRT	CN7236	+55 / -65	RT1	

COASTLINE PRODUCT SPECIFICATIONS

COASTLINE AWNING						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
AWNING	20.5	84 OR 84	+80 / -80	OPERABLE		

COASTLINE CASEMENT						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
CASEMENT	20.5	42 OR 84	+80 / -80	LH/RH		
CASEMENT PICTURE	47	106 % OR 106 %	+80 / -80	FIXED		

COASTLINE GLIDER						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
GLIDER	59	136 ¼ OR 76	+70 / -70	HORIZONTAL SLIDING		
GLIDER TRIPLE SASH	74.5	170 ¼ OR 76	+70 / -70	HORIZONTAL SLIDING		

COASTLINE SINGLE HUNG					
IMPACT ZONE 4 (HVHZ)					
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION	
SINGLE HUNG	29.5	53 % OR 80	+80 / -20	VERTICAL SLIDING	

COASTLINE SPECIALTY SHAPES							
IMPACT ZONE 4 (HVHZ)							
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION			
ROUND TOP	64	146 OR 146	+100 / -110	FIXED			
ROUND TOP NARROW FRAME	44	102 % OR 102 %	+90 / -130	FIXED			
POLYGON	64	146 OR 146	+100 / -110	FIXED			
POLYGON NARROW FRAME	44	145 % OR 145 %	+90 / -130	FIXED			

COASTLINE DIRECT GLAZE						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
DIRECT GLAZE	64	146 OR 146	+100 / -110	FIXED		
DIRECT GLAZE NARROW FRAME	44	145 ¼ OR 145 ¼	+90 / -130	FIXED		

COASTLINE STOREFRONT						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
COSF 4.6875	44***	60*** OR 132	+100 / -110	FIXED		
COSF 6.625	72	144 OR 144	+70 / -80	FIXED		

***ON-CENTER MULLION MEASUREMENT. TOTAL ASSEMBLY WIDTH CANNOT EXCEED 17 FEET.

COASTLINE BI-FOLD						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
BI-FOLD	197.5	40** OR 116 ¹³ / ₁₆	+70 / -70	UP TO 6 PANELS		

COASTLINE MULTI-SLIDE								
	IMPACT ZONE 4 (HVHZ)							
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION				
MULTI-SLIDE - 4.562	258	375 OR 100 ¼	+90 / -110	2 - 10 PANELS, STACKED/BYPASS				
MULTI-SLIDE - 3.187	500	654 ½ OR 145 %	+80 / -80	2 - 8 PANELS, BYPASS, POCKET, CORNER				
MULTI-SLIDE - 4.562	32 ½**	48** OR 98 3/8**	+90 / -110	8 PANELS, BYPASS				
MULTI-SLIDE - 3.187	63**	84** OR 144**	+80 / -80	2 - 8 PANELS, STACKED/ BYPASS, POCKET, CORNER				

	COASTLINE SWINGING FRENCH						
IMPACT ZONE 4 (HVHZ)							
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION			
INSWING FRENCH	62.5	76 OR 118 ½	+55 / -80	X/XX			
OUTSWING FRENCH	62.5	76 OR 144	+80 / -80	X/XX			
SWINGING FRENCH SIDELITE	39	60 OR 114 5/16	+80 / -80	FIXED			
INSWING FRENCH NARROW STILE	57	76 OR 108	+50 / -60	X/XX			
OUTSWING FRENCH NARROW STILE	57	76 OR 108	+50 / -60	X/XX			
SWINGING FRENCH NARROW STILE SIDELITE	36	48 OR 108	+50 / -60	FIXED			

COASTLINE PIVOT						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE+ (PSF)	OPERATION		
INSWING PIVOT	54	74 OR 120	+60 / -60	LH/RH		
OUTSWING PIVOT	54	74 OR 120	+60 / -60	LH/RH		

COASTLINE GARAGE DOOR					
IMPACT ZONE 4 (HVHZ)					
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION	
COGS GLS	229	220 OR 173 %	+60 / -60	VERTICAL SLIDING	

COASTLINE ENTRY DOOR						
IMPACT ZONE 4 (HVHZ)						
PRODUCT	MAX AREA* (SQ. FT)	MAX WIDTH/ HEIGHT (IN.)	MAX DESIGN PRESSURE (PSF)	OPERATION		
COIFD ES	70	76 OR 132 5/8	+55 / -80	X/XX		
COOFD ES	70	76 OR 144	+80 / -80	X/XX		
COFD ES SL	44	60 OR 132 %	+80 / -80	FIXED		

Visit marvin.com to access the Architectural Detail Manual, warranty information, and the full selection of Marvin products.

⁺ Reference Florida Product Approval for actual DP

^{*} Max area cannot be exceeded

^{**} Panel measurement

^{***} On-center mullion measurement



Since 1912, Marvin has been a family-owned and -led company, with a legacy of innovation and commitment to the highest quality. We understand the unique opportunity windows and doors have to improve our spaces and how we feel in them. That's why we never stop pushing what's possible and inventing new solutions to channel fresh air, enhance light quality, and connect with the world around us.

MARVIN.COM

©2024 Marvin Lumber and Cedar Co., LLC. All rights reserved. ®Registered trademark of Marvin Lumber and Cedar Co., LLC.

Information regarding status of patent applications, as well as product features and specifications, is subject to change without notice.

Part #19983504. August 2024. [MUT]

Colors shown in printed materials are simulations and may not precisely duplicate product or finish colors. Contact your local Marvin dealer to view actual product and finish color samples.

 ${\it Cover image: Elevate \, Casement \, Window, \, Elevate \, Awning \, Window, \, Ultimate \, Inswing \, French \, Door \, G2.}$