

WEST VINYL

NEW CONSTRUCTION/REPLACEMENT



A NEW POINT OF VIEW



WEST VINYL

NEW CONSTRUCTION/REPLACEMENT

TABLE OF CONTENTS

About Ply Gem Windows & Doors 3
Sliding Window 4
Single Hung 6
Casement and Awning 8
Specialty Windows
Picture Windows & Architectural Shapes 11
Sliding/French Sliding Patio Door 12
Color Options
Grille Options
Lock Options
Explanation of Glass Packages and Options 16
Glossary
Windows Options Chart 18
Patio Doors Options Chart



#1

WINDOW MANUFACTURER

IN NORTH AMERICA



Backed by industry-leading warranties, all products are designed and tested for strength, durability, energy efficiency and overall performance



A wide selection of window and door styles and configurations for any home and budget




Interior and exterior options to complement interior design trends and any architectural style



Innovative energy-efficient glass package options for the energy performance, comfort and weather resistance needs and requirements of the western United States



Vertically integrated operations and supply chain ensure quality and efficiency. We manufacture our own vinyl profiles to control the quality and supply of our vinyl materials










Sliding Window


For an unobstructed view of the world, look no farther than our eye-catching, energy-efficient, maintenance-free and secure sliding windows. These solidly built and dependable windows slide open like a dream yet seal tightly to keep out the cold and heat.

FEATURES

- Standard heavy-duty adjustable acetal rollers for smooth operation while adding strength for triple pane windows
- Secondary sash stop allows window to open partially for secure ventilation
- Standard baffled weep hole covers resist weather and bugs
- Anti-lift blocks mechanically fastened to prevent unwanted sash removal
- Reinforced meeting rail for added strength and security

Choose from a 2-lite slider, or a 3-lite slider window that features a large picture window with operable end vents.












Single Hung

Bring your rooms to life with our attractive single hung windows, which blend the charm of yesterday with the high-tech innovation performance of today. They will brighten your spaces with timeless beauty and deliver the durability and the latest in energy-efficient features you'll appreciate every day.

FEATURES

- Block and tackle sash balances for easy and smooth operation
- Lock options meet or exceed strict forced entry code requirements
- Low point high-pressure baffled weep system for efficient water drainage
- Corrosion resistant fasteners and hardware for lifelong durability

Available in twin, triple and quad window combinations.







Casement & Awning

Bring fresh air to out-of-the-way spaces with our casement and awning windows. Sash opens fully for maximum fresh air through an interior screen. Customize your window configuration with picture windows to create a unique look.

FEATURES

- Folding nested handle hardware for sleek appearance and minimizing interference with window treatments
- Stainless steel hardware and fasteners standard for added strength and longevity
- Double-row bulb compression weatherstripping for tight seal and increased efficiency
- Integral structural mulls provide durability and reinforcement to casement and awning combination units





Color-matched hardware coordinates with and complements interior home décor.



Sleek fold-down and nesting hardware




Multi-point sash lock






Bay & Bow Windows

Bay windows feature a picture window center flanked by two single hung windows or casement windows. Bow windows combine 3, 4 or 5 window configurations at 10° or 15° angles for a more rounded look. Select single hung, casement, picture windows or combine styles to create your bow window. Optional head and seatboard in birch can be stained or painted to match your interior décor.








Casement Bay

Casement Bow

Garden Windows

You don't need the greenest thumb in the family to watch nature blossom in your garden window. The bountiful sunlight they provide will keep your plants thriving year-round.







EXTERNAL KNEE BRACES


- Provides exterior support for bay, bow and garden windows*
- Available in white, sand and clay
- Knee braces are pre-finished to be maintenance free
- *Additional knee braces and cable system are required for bay, bow and garden window installation when head and seatboard with extension jamb options is selected. Failure to properly support a bay, bow or garden window will void the warranty.





Picture Windows & Architectural **Shapes**

Architectural windows (also known as geometric windows) come in a variety of arched, radius and linear shapes that add visual character to any home's architecture. Ideal for small areas or combine with other windows for a large configuration, geometric windows increase illumination and curb appeal. Select shape windows are also available in operable styles.



Picture Window



Picture Window



Full Round



Quarter Round



Extended Quarter Round



Eyebrow



Extended Half Round



Extended Eyebrow



Quarter Eyebrow



Extended Quarter Eyebrow



Half Round



Gothic Eyebrow



Extended Gothic



Octagon



Extended Octagon



Ellipse





Pentagon Equilateral



Hexagon



Extended Hexagon



Full Oval




Trapezoid Left or Right



Clipped Trapezoid




Isosceles Triangle



Right Angle Triangle





Sliding/French **Sliding Patio Door**

Our reliable, sliding patio door opens up a home to outdoor living and more daylight. Available in multiple styles including French and Bi-Parting, these maintenance free and weather resistant doors are as attractive as they are efficient.

FEATURES

- Laminated black and bronze exterior options available on 960 Series
- Multi-point lock for security
- Optional deadbolt and head bolt for additional security
- Stainless-steel rollers available for long lasting durability and smooth operation
- Aluminum threshold cover on 960 Series for strength and durability for years to come



Standard color-coordinated exterior handle



Standard color-coordinated interior handle

HARDWARE FINISHES

Standard color-coordinated interior/exterior hardware perfectly complement Sliding and French Sliding Patio Doors. Optional interior hardware in stylish metal finishes adds a unique touch to your décor.



SAND



SATIN NICKEL



RUBBED BRONZE



Exterior/Interior Color Options

VINYL COLOR OPTIONS







PAINTED & LAMINATED EXTERIOR COLOR OPTIONS









All painted exterior colors available with a white, sand or clay interior color

CO-EXTRUDED EXTERIOR COLOR OPTIONS

AVAILABLE FOR WINDOWS ONLY







 $^*\mbox{Laminated black}$ interior with co-extruded black exterior on 200 and 700 series windows.

Geographically limited availability. Consult with your Ply Gem Windows & Doors representative.

Colors are reproduced as accurately as printer technology allows. Consult with your Ply Gem representative for actual samples.

CO-EXTRUSION TECHNOLOGY

Co-extruded dark exterior colors for our vinyl windows have been formulated to meet the design and performance needs of the western United States. The co-extrusion process molds the vinyl dark color and white color material together as the profile is created. This means the color is integral to the window and not an applied coating on the exterior surface. This durable, high performance color option is backed by a 10-year warranty.



^{*}Laminated black and bronze exterior available on 960 Series sliding patio door only.

**Laminated black exterior and interior available on 960 Series sliding patio door only.

Grille Options

GRILLE PROFILES

GBG = Grilles-between-the-glass SDL = Simulated-divided-lites



* SDL not available for garden windows











5/8" Flat GBG

5/8" Sculptured GBG

1" Sculptured GBG

11/4" SDL*


SELECTION OF POPULAR GRILLE PATTERNS








Plaza



Three over One



Perimeter Prairie

ADDITIONAL GRILLE PATTERNS AVAILABLE

Consult with your Ply Gem Windows & Doors sales representative or visit plygem.com/window-doors for more details.

Window Lock Options

Color-matched single hung and sliding window hardware will coordinate with and complement your home décor. Cam action sash lock is standard or upgrade to AUTOLOCK which locks automatically when sash is closed.

CAM ACTION SASH LOCK











Black

Standard dual cam-action sash lock provides security

AUTOLOCK SASH LOCK












Optional AUTOLOCK locks automatically when unit is closed

Custom Sizing

Ply Gem windows and patio doors can be ordered in 1/8 inch increments for any application providing a perfect fit every time. Custom sizing minimizes installation time and special trimming requirements.

Glass Options

- Low-E
- Clear
- Low-Esc
- Tinted¹
- Low-E2
- Obscure
- Low-E2MAX*
- Tempered²
- Low-E3MAX*
- Laminated (security)
- HP
- HPsc
- Sound Package (off-set glass)
- HP2+
- HP2MAX*
- HP3MAX*
- * Low-E2MAX, Low-E3MAX, HP2MAX and HP3MAX are not available on all products. Consult with your Ply Gem Windows & Doors representative for a full list of glass thickness options and ratings.
- Consult with your Ply Gem Windows & Doors representative for a complete list of tinted glass types.
- 2. Tempered glass standard on patio doors.



The lower the U-Factor, the greater the insulation value. R-Value is the inverse (R=1/U) of the U-Factor. Total Unit Factors determined per NFRC-100 (National Fenestration Rating Council). Chart shows relationship between performance and Ply Gem Windows & Doors glass package options, not including energy package upgrade.

*Ply Gem Windows & Doors HP3_{MAX} glass products meet or exceed a U-Factor of 0.20 on fixed units & 0.22 on operating units.

Glass Packages

LOW-E GLASS PACKAGES

Our Low-E glass packages combine Low-E and Warm Edge spacer options, providing insulating glass options to meet your specific needs. Our Low-E glass packages provide better performance in regions with hot summers and cold winters. Our Low-E^{SC} (solar cooling) glass package is optimized for regions with significant indoor cooling and glare reduction requirements. Our Low-E glass packages can be combined with capillary tubes to address performance needs in high elevation applications.

Low-E = One lite of Low-E.

Low-Esc = One lite of solar cooling Low-E.

Low-E2+[†] = One lite of Low-E and one lite of Interior Surface Low-E.

Low-E2MAX^t = Triple-pane with two lites of Low-E with an interior glass substrate

Low-E3MAX[†] = Triple-pane with two lites of Low-E and one lite of Interior Surface Low-E

HP GLASS PACKAGES

Our HP glass packages combine Low-E with argon gas fill and Warm Edge spacer options, providing high-performance insulating glass options to meet your specific needs. Argon is a safe, odorless, colorless gas, which is heavier or denser than air. When used in conjunction with Low-E glass, argon provides better insulation. That's because heat and cold do not pass through argon gas as easily as through air. Argon is nontoxic and presents no human health or environmental concerns. HP glass package is also available in solar cooling (SC) glass packages for regions with significant indoor cooling and glare reduction requirements.

HP = One lite of Low-E and argon gas fill.

HPsc = One lite of solar cooling optimized Low-E and argon gas fill.

HP2+ = One lite of Low-E and one lite of Interior Surface Low-E with argon gas fill.

HPMAX GLASS PACKAGES (triple-pane)

Our HP_{MAX} glass packages are triple-pane units that combine Low-E with two chambers of argon gas fill and Warm Edge spacer options, providing enhanced high-performance insulating glass options to meet your specific needs.

HP2_{MAX} = Triple-pane with two lites of Low-E with an interior glass substrate and two chambers of argon gas fill.

HP3_{MAX} = Triple-pane with two lites of Low-E and one lite of Interior Surface Low-E and two chambers of argon gas fill.

TITLE 24

Most Ply Gem windows and doors in the west can be configured to meet or exceed the California Energy Commission's standards for Title 24 compliance. Consult with your Ply Gem Windows & Doors representative for more information.



^{*}These glass packages are combined with capillary tubes to address performance needs in high elevation applications.

Obscure Glass Pattern Options







Delta Frost



Flemish



Gluechip



Narrow Reed



Obscure



Rain



Satin Etched

Glossary

PERFORMANCE GRADE RATED

Ply Gem windows and patio doors are tested to meet the air, water and structure requirements of AAMA/WDMA 101/I.S.2. With advanced level engineering and top-notch innovation, you are assured of the most durable, high-performing windows and doors available nationwide.

WARM EDGE TECHNOLOGY

Standard Warm Edge glass spacer system within Ply Gem windows and patio doors reduces thermal transfer around the glass perimeter by utilizing a unique U-shaped channel to separate glass panes and interrupt the natural flow of heat to cold. Warm Edge is one continuous piece creating a stronger, more energy-efficient insulated glass unit. Plus it flexes with glass expansion and contraction to ensure a strong seal for the life of the product.

WARM EDGE+ TECHNOLOGY

Optional Warm Edge+ Spacer System has all of the features of the Warm Edge Spacer, but utilizes a new, less conductive material which provides a lower U-Factor.

LIMITED LIFETIME WARRANTY

We believe so strongly in the durability of our windows and sliding patio doors that we back each unit with our Limited Lifetime Warranty and a 15-year glass warranty. Lifetime means your windows and sliding patio doors are protected under the warranty for as long as you live in your home. Hinged patio doors have a Limited 10-Year Warranty.

ENERGY STAR®

Ply Gem West Vinyl windows and patio doors can be configured to meet a specific ENERGY STAR zone in all states. Your investment in ENERGY STAR products will pay for itself over time in reduced energy bills, not to mention increase the comfort level inside your home.




	SLII	DING	SINGLE	HUNG	CASEMENT	AWNING	SINGLE Hung bay	CASEMENT Bay	SINGLE HUNG BOW	CASEMENT BOW	GARDEN	SHAF
FRAME TYPE	200	400	200	400	700	700	200	700	200	700	400	SHAF
Frame Depth	3-7/16"	2-5/8"	3-7/16"	2-5/8"	3-7/16"	3-7/16"	3-7/16"	3-7/16"	3-7/16"	3-7/16"	2-5/8"	vari
1" Nailing Fin												
1" Nailing Fin with J-Channel												
1" Nailing Fin with Stucco Key												
1-3/8" Nailing Fin												
1-3/8" Nailing Fin with Stucco Key												
Single-wall Flush Flange												
Dual-wall Flush Flange		_										
Block Frame												
Flush Fin	_	_		_	_	_	_	_	_	_		"
FRAME DIMENSIONS	200	400	200	400	700	700	200	700	200	700	400	SHA
	96"					60"*	200					
Maximum Width		72"	48"	48"	36"		96"	120"	72"	84"	72"	var
Maximum Height	72"	60"	84"	72"	72"	36"	72"	72"	84"	84"	48"	var
COLOR EXTERIOR/INTERIOR	200	400	200	400	700	700	200	700	200	700	400	SHA
White/White		•	-		•	•			•	-		
Sand/Sand	•										•	
Clay/Clay			•		•						•	
Co-extruded Bronze/White					•	•						
Co-extruded Black/White			•									
Co-extruded Black/Laminated Black												
Painted Silver/White												
Painted Bronze/White												
Painted Black/White												
GLASS	200	400	200	400	700	700	200	700	200	700	400	SHA
Low-E												
Low-Esc												
Low-E ^{ps}												
Low-E2+PS												
	_	_		_	_			_		_	_	
Low-E High Altitude			_									
Low-Esc High Altitude		•		•	•				-	•	-	
HP	_									•		
HPsc		•					•		•			
HP ^{PS}												
HP2+										•		
HP2+PS												
HP2 _{Max}	•											
HP3 _{Max}												
Title 24 Compliance Option												
PATTERN GLASS	200	400	200	400	700	700	200	700	200	700	400	SHA
Clear Crossreed												
Delta Frost												
Flemish												
Gluechip	_	_			_		_	_		_	_	
Narrow Reed		•			•	•			•			
Obscure								_				
Obscure								_		•		
Rain		-			-							
	-		-						_			
Rain												
Rain Satin Etched	-	-	-		-	-	-			-	•	
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG)	-	-	-		-	-	-	700	200	-	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL)	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar	200	-	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar	200	-	200	400	700	700	200	700	200	700	•	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie Marginal Prairie	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie Marginal Prairie Perimeter Prairie	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie Marginal Prairie Perimeter Prairie Plaza	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie Marginal Prairie Perimeter Prairie Plaza Fractional	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie Marginal Prairie Perimeter Prairie Plaza Fractional HARDWARE	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie Double Prairie Marginal Prairie Perimeter Prairie Plaza Fractional HARDWARE Cam Action Sash Lock	200	400	200	400	700	700	200	700	200	700	400	SHA
Rain Satin Etched GRILLE TYPES Grilles Between Glass (GBG) 5/8" Flat GBG 5/8" Sculptured GBG 1" Sculptured GBG Simulated Divided Lite (SDL) 7/8" SDL with Shadow Bar 1-1/4" SDL with Shadow Bar 2" SDL with Shadow Bar 2" SDL with Shadow Bar 2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar GRILLE PATTERNS Colonial Prairie	200	400	200	400	700	700	200	700	200	700	400	SHA

			FRENCH SLIDING		
FRAME TYPES	460	960	970		
Frame Depth:	4-1/4"	4-3/8"	4-3/8"		
1-3/16" Nailing Fin	•		, .		
-					
1-3/16" Nailing Fin with J-Channel	•	_	_		
1-3/8" Nailing Fin		•			
1-3/8" Nailing Fin with J-Channel		•			
Dual-wall Flush Flange					
No Fin					
RAME DIMENSIONS	460	960	970		
1aximum Width	6' 0"	16' 0"	16' 0"		
1aximum Height	6' 10"	8' 0"	8' 0"		
ANELS	460	960	970		
-panel		•			
-panel					
i-panel					
-	100				
OLOR EXTERIOR/INTERIOR	460	960	970		
Vhite/White					
and/Sand					
Clay/Clay					
Painted Silver/White			_		
Painted Bronze/White	•	-	•		
ainted Black/White					
aminated Black/White or Bronze/White					
aminated Black/Black					
GLASS	460	960	970		
	460	960	970		
ow-E High Altitude					
ow-E ^{sc} High Altitude		•			
IP	•	•	•		
lpsc .					
IP2+					
IP2 _{Max}					
IP3 _{Max}		-			
Title 24 Compliance Option		•			
PATTERN GLASS	460	960	970		
Pelta Frost		•			
Flemish					
Gluechip	•	-	•		
larrow Reed		•			
Dbscure					
Rain					
	_				
atin Etched					
GRILLE TYPES	460	960	970		
Grilles Between Glass (GBG)					
5/8" Flat					
5/8" Sculptured					
1" Sculptured					
		-	_		
simulated Divided Lite (SDL)					
7/8" SDL with Shadow Bar					
1-1/4" SDL with Shadow Bar					
2" SDL with Shadow Bar					
2" Horizontal & 1-1/4" Vertical SDL w/ Shadow Bar					
	460	960	970		
GRILLE PATTERNS					
Colonial		-			
Prairie					
Pouble Prairie					
1arginal Prairie					
Plaza					
ractional	100		070		
IARDWARE	460	960	970		
stainless Steel Hardware	•	•	•		
landle Color Finishes					
Color Matched Exterior/Interior					
			- :		
Interior Metal Finishes Only		•			
ock Type					
2-Point Lock					
4-Point Lock					
			_		
Multi-point Lock		•			
Keyed Options					
Not Keyed					
Keyed Differently					
	-				
Keyed Alike	•	_			
Patio Door Rollers					
Cad/Zinc Rollers		_			
Cad/Zinc Rollers Stainless Steel Rollers					



WEST VINYL

NEW CONSTRUCTION/REPLACEMENT















Ply Gem, the Ply Gem logo, Ply Gem Windows and Doors, and the Ply Gem Windows & Doors logo are trademarks of Ply Gem Industries, Inc. ENERGY STAR' is a registered trademark of the U.S. Environmental Protection Agency.

© 2023 Ply Gem' Windows & Doors, part of Cornerstone Building Brands, Inc. ALL RIGHTS RESERVED.

3751107771146/RevL/MS/CS/0623

