

BUILD YOUR DECK in FIVE EASY STEPS





























BUILT FOR LIVING

Engineering what's next in outdoor living® isn't just a motto; it's our mission. More than 20 years ago, Trex revolutionized the industry by introducing a high-performance, eco-friendly alternative to wood decking. Today, we're proud to offer more ways than ever to live outdoors—whether you're building on a budget or seeing your biggest, boldest idea through. It's never been easier to make the Trex® decision that's right for you.





YOUR DECKING CHECKLIST

In just five steps, go from having a bad case of deck envy to being 100% deck ready.



CONSIDER THE SUBSTRUCTURE



CHOOSE YOUR DECKING

Explore a comprehensive range of easy, low-maintenance options.



CHOOSE YOUR RAILING

The signifier of great taste. Pick a pre-styled combo or mix and match railing components for a custom look.



ADD THE EXTRAS

Complete your outdoor area with furniture, lighting, kitchens and shade.

DETERMINE MATERIALS, SIZE & SHAPE

The what and the how of building the deck of your dreams. Plan accordingly.

Find out why our steel framing system results in long-lasting stability and support.

Materials, SIZE & shape

Once you know how you want to use your deck, you'll be able to determine the best materials, size and shape. Ask yourself these questions to see where you stand.





LOOK OF WOOD

WITHOUT ALL THE WORRY



Beautifully withstand years of sun, sleet & snow HIGH-PERFORMANCE TECHNOLOGY



Make good on its promises 25-YEAR LIMITED RESIDENTIAL AND FADE & STAIN WARRANTIES



Rot, warp or splinter UNLIKE WOOD



Need seasonal painting, sealing or staining UNLIKE WOOD

You could build your deck with any number of materials. But why would you, when Trex[®] decking and railing consistently outdeck wood and the wannabes?

- TREX WILL ------



Clean easily with soap & water LOW-MAINTENANCE **PROPRIETARY SHELL**

Let forestfuls of trees grow and grow MADE OF 95% **RECYCLED MATERIALS** IN THE USA

- TREX WON'T ------



Fade or stain UNLIKE WOOD



Become food for termites UNLIKE WOOD

Trex[®] Deck Designs

When planning your outdoor space, it's important to make sure your deck has exactly that—space. ••• Download our most popular layouts and materials lists at trex.com/plans





Rectangle Deck

- » Offers room for outdoor eating and grilling
- » Works well with smaller homes, rooftops or side yards
- » Standard shape in five sizes makes for
- a versatile, multi-use space



Overlook Deck

- » Provides distinct spaces so you can get the most from your deck
- » Works well with smaller to mid-sized homes with gardens or extended views
- » Multi-side add-on makes for a cozy sitting or dining area

Custom Deck

- Have a space that defies our deck plans? Contact a local **TrexPro**[®] for a custom approach. ...
- Find one at **trex.com/findapro**



Beveled-Edge Deck

- » Allows for large sitting area or several smaller spaces
- » Works well with smaller to mid-sized homes of contemporary design
- » Rounded corners open the view and decor possibilities



Find downloadable guides, how-to videos and more at trex.com/DIY

Consider the SUBSTRUCTURE

Trex Elevations[®] is our alternative to splitting, warping and shifting wood substructures. This system of beams, joists and tracks fortifies the structure down below, resulting in an even surface above.



STRONGER

Triple-coated steel offers consistency, durability and reliability that treated wood can't.

STRAIGHTER

Precision engineering ensures surfaces remain flat over time.

SAFER

Rot- and termite-proof steel is chemical-free and outlasts wood.

SMARTER

Contains a minimum of 25% recycled steel and is a 100% renewable resource.



The only deck frame that can stand up

TO THE ELEMENTS



Vibrant shades of possibility give you unmatched control over the design of your deck. Turn the page to find the Trex[®] decking color and collection that best suit your home—and your budget.



DISCOVER YOUR STYLE with a range of modest and luxurious options



CHOOSE YOUR HUE



PRICE IT OUT with our Cost Calculator tool at trex.com/costs

CHOOSE your DECKING

with our Color Selector tool at trex.com/colors



Trex Transcend®

TROPICALS

Elevated aesthetics paired with

the highest level of performance.

\$\$\$



TrexTranscend®

EARTH TONES

A classic look for

uncompromising homes.

(25)

\$\$\$















The perfect pairing of price and minimal maintenance. \$\$

Pebble Grey









Gravel Path pe Swing







Lava Rock

GREYS

BROWNS

Island Mist

Tiki Torch

Havana Gold

Spiced Rum





Trex Enhance[®] NATURALS

The beauty of wood with the ease of composite.



Priced to put the pressure on treated lumber.





Sample any and every color at trex.com/shop



railing: Signature Mesh in Bronze featuring: Hidden Fasteners and Outdoor Lighting





Like its tropical counterpart, Trex Transcend[®] Earth Tones give homeowners the freedom and confidence to design to every curve of the imagination. But these premium composite boards stand apart with a monochromatic color palette as timeless as its inspiration: nature itself.

A luxurious look that lasts

Trex[®] Cladding™ A new side to Trex Transcend

Learn about the architects' choice in elegant, worry-free residential armor at trex.com/cladding

AVAILABLE COLORS:



g: Hidden Fasteners, Pergo and Outdoor Lightin

TrexTranscend® EARTH TONES

A CLASSIC LOOK FOR

UNCOMPROMISING HOMES





decking: Select in Pebble Grey *railing:* Select in Classic White with round aluminum balusters in Charcoal Black *featuring:* Hidden Fasteners, Cocktail Rail and Outdoor Furniture





STEP 4

CHOOSE your RAILING

When people look at your deck, they'll see the railing before anything else.Which is why a picture-perfect deck means selecting railing that signifies your style—whether you're a modern minimalist or traditional to the core.





SHOW OFF YOUR SURROUNDINGS with sleek, sturdy rails that frame your deck and the view beyond it



Quick-and-easy customization.



ELIMINATE THE GUESSWORK with pre-designed railing kits—available in all our most popular combinations



INNOVATE WITHOUT WASTE OR WORRY with recycled materials backed by a 25-Year Limited Residential warranty



Effortless style, exceptional strength.







The simple choice for your backyard.

Trex Signature®

EFFORTLESS STYLE, EXCEPTIONAL STRENGTH

With the right railing, even the perfect view becomes elevated. Frame yours with Trex Signature, now available in four styles. decking: Transcend in Havana Gold railing: Signature Rod Rail in Charcoal Black featurina: Hidden Fasteners

Give it YOUR SIGNATURE

Incredibly sleek and remarkably strong, Trex Signature[®] celebrates the refined beauty of negative space. Choose from four infill options to complement powder-coated aluminum rails and posts.



TREX SIGNATURE® ALUMINUM RAILING

Traditional balusters pair stunning lines with guaranteed durability.

AVAILABLE COLORS:





TREX SIGNATURE® ROD RAIL

Horizontal infill rods deliver high-end design to any outdoor space.

AVAILABLE COLOR COMBINATIONS OF RAILS AND RODS:





TREX SIGNATURE® GLASS RAILING

The ultimate in clean and contemporary: tempered glass (and sweeping views).

AVAILABLE COLORS:



TREX SIGNATURE® MESH RAILING

Stainless-steel crosshatching lends a modern, industrial edge.

AVAILABLE COLORS:











When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend®. As strong and sturdy as its namesake decking, Transcend puts every color combination within reach. Style your own or eliminate the guesswork with pre-designed kits.

AVAILABLE COLORS:





Why overthink what works? Crisp, safe and effective, Trex Select® railing streamlines the design process by combining white composite rails and posts with black aluminum balusters. Perfect for every deck, every budget.

AVAILABLE COLOR COMBINATION:





A SHORTCUT TO STYLE Decking & Railing Duos

Choosing railing that complements your decking has never been easier. Every Trex[®] decking color comes with three pre-designed railings that go with it, along with a complete materials list and an alphanumeric code that makes ordering easy.

Take a look at the three options we curated for Spiced Rum decking.

••• To see our railing duos for every color, visit **trex.com/duos**





Classic White rails with Spiced Rum cocktail rail, Classic White posts and Classic White composite balusters



Vintage Lantern rails, Classic White posts and Charcoal Black round aluminum balusters



Charcoal Black aluminum rails, Vintage Lantern posts and Charcoal Black square aluminum balusters



The anatomy of RAILING



Bottom Rail







Rails

and safety.

Top and bottom rails designed to keep railing straight and beautiful.

Vertical columns that maintain space





.....





Cocktail Rail (Optional)

Deck board on a Transcend universal top rail or Signature rail to create a flat surface.



AVAILABLE IN ALL TREX TRANSCEND AND SELECT DECKING COLORS

TrexPro[®] contractors know custom railing. If you prefer a look that's truly unique, find a professional at **trex.com/findapro**

ADD the EXTRAS

Before you luxuriate on your new deck, you're going to need a few add-ons. Think seats, lighting and shade. The good news is that our extras are just as durable and design-minded as our decking and railing.





outdoor COOKING



energy-saving **LIGHTING**





FURNITURE for every style

Trex Outdoor Lighting

JUST IMAGINE WHAT PROPER LIGHTING COULD BRING TO THE PARTY

With the right light, an outdoor space goes from invisible to inviting. That's why Trex has expanded our soft white lighting to cover more ground—from post cap lights and recessed deck lights to stair risers and more.

DECK LIGHTING

Ours seamlessly integrates into rails, risers, treads and posts for easy, elegant wayfinding.

SHOP TREX.COM/LIGHTING

Order today or find a retailer near you on our website.





BEAUTY FROM EVERY ANGLE

With Trex[®] Fascia, your outdoor space stands out, side on. Engineered to retain its rich color just as long as your deck surface, our fascia adds wonderful depth and dimension to your design.

GIVE YOUR DECK AN EDGE

Try Universal White Fascia for a crisp, clean finish.

••• More edging ideas at trex.com/fascia

AVAILABLE IN ALL DECKING COLORS:



Universal White Fascia

Trex Pergola

ABOVE AND BEYOND

Trex[®] Pergola[™] keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that's virtually upkeep-free.

COOLER BY A MILE

Add a ShadeTree[®] Canopy System for a pop of color and smart sun protection. Retractable canopies available in AirFlow Mesh or Sunbrella® outdoor fabric at **trexpergola.com**







HIDE AND CHIC

Mix the comforts of your indoor space with the natural beauty of your outdoor space with Trex® Outdoor Kitchens[™]. Stainless steel cabinetry brings both style and utility to your yard.

STYLE MEETS DURABILITY

Protect your cabinetry from even the harshest elements with a powder-coated finish. Choose from a range of unique colors and designs at **trex-outdoorkitchens.com**

Trex® Outdoor Kitchens™ is manufactured and sold by CT Acquisitions LLC., under a Trademark Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer.



Trex Spiral Stairs

GO FROM SPACE-POOR

TO SPACE-PROUD

Trex[®] Spiral Stairs[™] offer all of the space-saving advantages of traditional spiral staircases but with Trex style, strength and simplicity.

STEP UP AND STAND OUT

Each step tread can be capped with Trex composite decking to match—or contrast—your deck color.

••• Settled on spiral? Download a blueprint at **trexspiralstairs.com**





••• Now available in brown and black. See all the options at trexrainescape.com



TREX[®] PROTECT[™] GOES THE EXTRA MILE

Shield the vulnerable components of your deck from moisture with Trex Protect, a non-skid, self-adhesive deck flashing tape.

Trez Outdoor Furniture

DEEP-SEATED BEAUTY

Each of our comfortable, durable and sustainable pieces feature an ergonomic design, superbly crafted with a splinter-free finish.

WELL ROOTED

Trex—in partnership with Trees for the Future plants a tree with each piece of furniture ordered.

••• Learn more at trexfurniture.com





INNOVATE YOUR SPACE

Welcome the beauty of the natural elements into your outdoor living space with fire and water features that push the limits of design and engineering.

AN ELEMENTAL OASIS

Turn up the heat when entertaining with fire pits, tables and pots. Or, give your yard a touch of luxury with elegant water features.

••• Learn more at trexoutdoorfireandwater.com

Trex® Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.

Trex[®] Outdoor Fire & Water™ products are manufactured and sold by Custom Molded Products, LLC., under a Trademark License Agreement with Trex Company, Inc. Warranty provided by the manufacturer.



PLAY FOR KEEPS

Regulation-sized and surfaced, our durable cornhole set comes with eight resin-filled bags that withstand the elements, too.

••• Learn more at trex.com/cornhole







ADDED COVERAGE

FOR CURB APPEAL

and dimension deckside.

Choose from a range of decorative and

durable patterns to add privacy, utility

••• Learn more at trex.com/lattice



Trex[®] Cornhole™ is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc. A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.

Trex Elevations®

FRAMING COMPONENTS

Track

Actual dimensions: 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)

Beam

Actual dimensions 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)

Joist

Actual dimensions: 1.625 in x 8 in x 12 ft / 16 ft / 20 ft (41 mm x 203 mm x 365 cm / 487 cm / 609 cm) Additional lengths are available by special order.

Beam End Cap Actual dimensions 2.125 in x 8.125 in (53 mm x 206 mm)

Adjustable Mid-Span Block Actual dimensions: 4 in x 9.875 in (101 mm x 250 mm)

Adjustable Beam Block 5 in x 9.875 in (127 mm x 250 mm)

Deck Support Post Actual dimensions 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)

Trex Elevations Universal Connector Clip (glass-filled nylon with stainless steel screw)

Trex Elevations Start Clip (stainless steel with stainless steel screw)

Trex Elevations-Approved

Spray Paint

Net weight 12 oz.



RAILING COMPONENTS (for use with Trex Elevations)

Joist Mount Post with Cap & Skirt Actual dimensions: 2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm)

Trex Elevations Rail Post Blocking



Trex Elevations Fascia Mount Kit (for use with Elevations steel framing)





DESCRIPTION

1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track

2.125 in x 8.25 in x 12 ft-Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft-Beam

1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft-Joist 1.625 in x 8 in x 20 ft—Joist

2.125 in x 8.125 in—Beam End Cap (40/box)

4 in x 9.875 in (10 sets)

5 in x 9.875 in (10 sets)

3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post

50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket

400 sq. ft (37.2 sq. m) bag

Available in Elevations grey only

2.5 in x 2.5 in x 63 in

10/box

For use with Joist Mount Trex Signature® Railing Post only.

CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60

CG020812EB20 CG020816EB20 CG020820EB20

CG020812EJ50 CG020816EJ50 CG020820EJ50

ELVENDCAP40

ELVMIDSPANBLOCK

ELVBEAMBLOCK

www.trexdeckpost.com

ELVUNIVCLIP ELVUNIVCLIPPAIL

ELVSTARTCLIP

1-800-966-7580

XXJMNTPOST63

ELVRAILPOSTBLOCK

XXFMNTELEV

Trex Decking & Fascia

PROFILE	DE	SCRIPTION	ITEM NUMBER	COLORS
1" Square-Edge Board Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612TS01 XX010616TS01 XX010620TS01 XX010612T2S01 XX010616T2S01 XX010620T2S01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics Enhance Basics Enhance Basics Enhance Naturals Enhance Naturals Enhance Naturals	XX010612E2S01 XX010616E2S01 XX010620E2S01 XX010612E2S01 XX010616E2S01 XX010620E2S01	CS, BD, SD FW, RH, TS, CB, SC
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, MB
1" Grooved-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, TH, VL, FP
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics Enhance Basics Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals Enhance Naturals Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB, SC
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
1" x 8" Fascia	1 x 8 x 12' 1 x 8 x 12'	Transcend Tropicals Transcend Earth Tones	XX010812TS01 XX010812T2S01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP
Actual dimensions: Transcend, Enhance, Select, Universal White:	1 x 8 x 12' 1 x 8 x 12'	Enhance Basics Enhance Naturals	XX010812E2S01 XX010812E2S01	CS, BD, SD FW, RH, TS, CB, SC
.56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12'	Select Universal White	XX010812SS01 WW010812ES01	PG, WG, SD, WB, MB WOOD GRAIN WHITE
1" x 12" Fascia	1 x 12 x 12' 1 x 12 x 12'	Transcend Tropicals Transcend Earth Tones	XX011212TS01 XX011212T2S01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP
Actual dimensions: Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' 1 x 12 x 12'	Enhance Basics Enhance Naturals	XX011212E2S01 XX011212E2S01	CS, BD, SD FW, RH, TS, CB, SC
	1 x 12 x 12' 1 x 12 x 12'	Select Universal White	XX011212SS01 WW011212ES01	PG, WG, SD, WB, MB WOOD GRAIN WHITE
2" Square-Edge Board	2 x 4 x 16' 2 x 6 x 12'	Transcend Tropicals Transcend Tropicals	XX020416TS01 XX020612TS01	IM, TT, HG, SR, LR
Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm)	2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals Transcend Tropicals	XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select Select Select	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB



Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.



VL Vintage Lantern SD Saddle FP Fire Pit WB Woodland Brov PG Pebble Grey MB Madeira WG Winchester Grey FW Foggy Wharf

RH Rocky Harbor TS Toasted Sand CB Coastal Bluff SC Sunset Cove

CS Clam Shell BD Beach Dune SD Saddle

RAILINGa lot easier than it looks

Selecting the right railing is pretty easy, but each Trex[®] railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the left depicts each railing system's components.

TREX POST COMPONENTS

TREX SIGNATURE[®] RAILING

TREX TRANSCEND[®] RAILING

TREX SELECT[®] RAILING

DESCRIPTION	ITEM NUMBER
4" x 4" x 39" Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions]	XX040439APS
4" x 4" x 108" Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]	XX0404108APS
6" x 6" x 39" Post Sleeve [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions]	WT060639APS
6" x 6" x 108" Post Sleeve [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	WT0606108APS
Flat 4" x 4" Post Sleeve Cap Pyramid 4" x 4" Post Sleeve Cap [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	PXXSQCAP4X4 PXXPYCAP4X4
Flat 6" x 6" Post Sleeve Cap Pyramid 6" x 6" Post Sleeve Cap [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PWTSQCAP6X6 PWTPYCAP6X6
4" x 4" Post Sleeve Skirt [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	PXXSKIRT4X4
6" x 6" Post Sleeve Skirt [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PWTSKIRT6X6
Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	ALPOSTMOUNT36
Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	ALPOSTMOUNT42
Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
Aluminum Joist Mount Post for use with all Trex railing heights (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	CPJMNTPOST63
Adjustable Foot Blocks	XXFTBLKPC

Trex Signature[®] Railing

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
1+2	Aluminum Posts (can only be used within the Trex Signature lin Trex Signature aluminum posts fulfill steps 1 & 2. If using composite pos		IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts	ALPOSTHWDECK
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal	XXAL252537RCAP XXAL252543RCAP	Concrete Post Mount Kit	ALPOSTHWCONC
	2.5" x 2.5" x 53" Aluminum Post—Stair Comes with cap and skirt.	XXAL252553RCAP	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt.	XXJMNTPOST63
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal <i>Comes with skirt.</i>	XXAL252536RCCP XXAL252542RCCP	Trex Signature Fascia Mount Kit - wood framing For use with Joist Mount Trex Signature Railing Post only.	XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets Comes with cap and skirt.	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	Dimensions above are nominals. See below for actuals and metrics. [$2.5 \text{ in } x 2.5 \text{ in } x 36 \text{ in } (63 \text{ mm } x 63 \text{ mm } x 914 \text{ mm}) \text{ actual dimensions}]$ [$2.5 \text{ in } x 2.5 \text{ in } x 37 \text{ in } (63 \text{ mm } x 63 \text{ mm } x 939 \text{ mm}) \text{ actual dimensions}]$ [$2.5 \text{ in } x 2.5 \text{ in } x 42 \text{ in } (63 \text{ mm } x 63 \text{ mm } x 106 \text{ cm}) \text{ actual dimensions}]$ [$2.5 \text{ in } x 2.5 \text{ in } x 43 \text{ in } (63 \text{ mm } x 63 \text{ mm } x 109 \text{ cm}) \text{ actual dimensions}]$ [$2.5 \text{ in } x 2.5 \text{ in } x 43 \text{ in } (63 \text{ mm } x 63 \text{ mm } x 104 \text{ cm}) \text{ actual dimensions}]$ [$2.5 \text{ in } x 2.5 \text{ in } x 43 \text{ in } (63 \text{ mm } x 63 \text{ mm } x 104 \text{ cm}) \text{ actual dimensions}]$	

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit (includes Top Rail, Bottom Rail, Balusters, N 6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair 6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	Aounting & Support Hardware) XXASO6365RK XXASO8365RK XXASO8365RK XXASO8365RK XXARO6365RK XXARO6365RK XXARO8365RK XXARO8365RK XXARO8365RK	6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair 6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Horizontal	XXASO642HRK XXASO642SRK XXASO842SRK XXASO842SRK XXARO642HRK XXARO642SRK XXARO642SRK XXARO842HRK XXARO842SRK
	4' x 36" Assembled Panel (Square)—Horizontal* 6' x 36" Assembled Panel (Square)—Horizontal* 8' x 36" Assembled Panel (Square)—Horizontal* 4' x 42" Assembled Panel (Square)—Horizontal* 6' x 42" Assembled Panel (Square)—Horizontal* 8' x 42" Assembled Panel (Square)—Horizontal* *Does not include hardware	BKAS0436HRPNL BKAS0636HRPNL BKAS0836HRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0842HRPNL	Dimensions above are nominals. See below for actuals and metrics. $[4^{1} \times 36^{11}: 48 \text{ in } \times 36 \text{ in } (122 \text{ cm } \times 914 \text{ mm}) \text{ actual dimensions}]$ $[6^{1} \times 36^{11}: 72 \text{ in } \times 36 \text{ in } (182 \text{ cm } \times 914 \text{ mm}) \text{ actual dimensions}]$ $[8^{1} \times 36^{11}: 96 \text{ in } \times 36 \text{ in } (243 \text{ cm } \times 914 \text{ mm}) \text{ actual dimensions}]$ $[4^{1} \times 42^{11}: 48 \text{ in } \times 42 \text{ in } (122 \text{ cm } \times 106 \text{ cm}) \text{ actual dimensions}]$ $[6^{1} \times 42^{11}: 72 \text{ in } \times 42 \text{ in } (182 \text{ cm } \times 106 \text{ cm}) \text{ actual dimensions}]$ $[8^{1} \times 42^{11}: 96 \text{ in } \times 42 \text{ in } (243 \text{ cm } \times 106 \text{ cm}) \text{ actual dimensions}]$	

Rail & Rod Kit (includes Top Rail, Bottom Rail, Rods, Mounting & Support Hardware)

	,
6' x 36" Black Frame & Platinum Rod Railing—Horizontal 6' x 36" Black Frame & Platinum Rod Railing—Stair 8' x 36" Black Frame & Platinum Rod Railing—Horizontal 8' x 36" Black Frame & Platinum Rod Railing—Stair	BKPLROD0636HRK BKPLROD0636SRK BKPLROD0836HRK BKPLROD0836SRK
6' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 36" Bronze Frame & Platinum Rod Railing—Stair 8' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 36" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0636HRK BZPLROD0636SRK BZPLROD0836HRK BZPLROD0836SRK
6' x 36" Black Frame & Black Rod Railing—Horizontal 6' x 36" Black Frame & Black Rod Railing—Stair 8' x 36" Black Frame & Black Rod Railing—Horizontal 8' x 36" Black Frame & Black Rod Railing—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK
6' x 42" Black Frame & Platinum Rod Railing—Horizontal 6' x 42" Black Frame & Platinum Rod Railing—Stair 8' x 42" Black Frame & Platinum Rod Railing—Horizontal 8' x 42" Black Frame & Platinum Rod Railing—Stair	BKPLROD0642HRK BKPLROD0642SRK BKPLROD0842HRK BKPLROD0842SRK
6' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 42" Bronze Frame & Platinum Rod Railing—Stair 8' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 42" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0642HRK BZPLROD0642SRK BZPLROD0842HRK BZPLROD0842SRK

D0636HRK	6' x 42" Black Frame & Black Rod Railing—Horizontal	BKBKROD0642HRK
D0636SRK	6' x 42" Black Frame & Black Rod Railing—Stair	BKBKROD0642SRK
D0836HRK	8' x 42" Black Frame & Black Rod Railing—Horizontal	BKBKROD0842HRK
D0836SRK	8' x 42" Black Frame & Black Rod Railing—Stair	BKBKROD0842SRK
00636HRK	36" Rod Rail Vertical Kit—Horizontal	XX36RODHVERTK
00636SRK	36" Rod Rail Vertical Kit—Stair	XX36RODSVERTK
00836HRK	42" Rod Rail Vertical Kit—Horizontal	XX42RODHVERTK
00836SRK	42" Rod Rail Vertical Kit—Stair	XX42RODSVERTK
D0636HRK D0636SRK D0836HRK D0836SRK D0642HRK D0642SRK D0642SRK D0842BRK	Dimensions above are nominals. See below for actuals and metrics. [5' x 36''. 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36''. 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42''. 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42''. 96 in x 42 in (243 cm x 106 cm) actual dimensions]	

Trex Signature[®] Railing

STEP	COMPONENT
3	Mesh Rail Kit (includes Top Rail, Bottom Rail, Footblock, Verticals, Anti-Rattle Gaskets, Hardware and Bracket Pack)
	Glass Rail Kit (includes Top Rail, Bottom Rail, Footblock, Verticals, Hardware and Bracket Pack)
4	Mesh Panel (includes Stainless Steel Mesh Panel) For use with Trex Signature Mesh Kit.

_		 	 	 	 	
	 		 	 	 	_
	 	 	 	 	 	-
	 -		 	 	 	-

STEP	DESCRIPTION	ITEM NUMBER
ACCESSORY	Trex Signature Accessories	
	Trex Signature Bracket Templates	
Percipiture Percipiture	Bracket Template—Horizontal (36" and 42") - Composite Sleeve	SIGTEMP4X4SLEEVE

Bracket Template —Horizontal

(36" and 42") - 2.5" Aluminum Post

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3) and infill panel (step 4) if needed.

DESCRIPTION				
	ECI	CDI	DTL	ON

- 6' x 36" Mesh Railing Kit—Horizontal 6' x 36" Mesh Railing Kit—Stair 8' x 36" Mesh Railing Kit—Horizontal 8' x 36" Mesh Railing Kit—Stair 6' x 42" Mesh Railing Kit—Horizontal
- 6' x 42" Mesh Railing Kit—Stair
- 8' x 42" Mesh Railing Kit—Horizontal
- 8' x 42" Mesh Railing Kit—Stair

Mesh infill sold separately. Available in BK and BZ only.

Dimensions above are nominals. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]

6' Glass Railing Kit—Horizontal

Available in BK and WT only. Glass infill not included. Utilizes readily available 1/4" tempered glass.

Glass can be sourced by contacting your local glazier or call 1-800 BUY-TREX for more information.

Dimension above is nominal. See below for actual and metric. [6': 72 in (182 cm) actual dimension]

6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal 316 Stainless Steel Mesh Panel—Stair

Dimensions above are nominals. See below for actuals and metrics.

[6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]

DESCRIPTION

Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Tabless Fixed Bracket—Horizontal (4/pack) Swivel Bracket—Horizontal (2/pack–1 top, 1 bottom) Swivel Bracket—Stair (2/pack-1 top, 1 bottom) 2.5" Crossover Bracket—Horizontal (1/pack) 2.5" Swivel Crossover Bracket-Stair (1/pack) Compound Swivel Bracket (2/pack-1 top, 1 bottom) Aluminum Foot Block Touch-up Pen

XXA0636PNLHRK XXA0636PNLSRK XXA0836PNLHRK XXA0836PNLSRK

XXA0642PNLHRK XXA0642PNLSRK XXA0842PNLHRK XXA0842PNLSRK

XXA06HGLRK

SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST

XXCTBKTAL10PK XXFHBKTAL XXFSBKTAL XXFHBKTALPNL XXSWHBKTAL XXSWSBKTAL XX25FHCBKTAL XX25RCSWSCBKTAL **XXCPDSWBKTAL** XXALFTBLK XXTOUCHUPPEN

SIGTEMPIRCPOST

Trex Transcend® Railing

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail & baluster kit (step 3). OR choose each component individually for a custom design (steps 4 & 5).

Trex Transcend[®] Railing

DESCRIPTION	ITEM NUMBER	STEP	COMPONENT	DESCRIPTION		
6' Crown Top Rail	XXCROWNTR06		Rail & Baluster Kit –	6' x 36" Rail & Baluster Kit—Horizontal	XX0636HRK	WT, BK, VL
8' Crown Top Rail	XXCROWNTR08	3	Composite	with square composite balusters 6' x 36" Rail & Baluster Kit—Stair	WT0636SRK	WT
6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06 XXUNIVTBR08		» Crown Top Rail » Universal Bottom Rail	with square composite balusters 8' x 36" Rail & Baluster Kit—Horizontal	XX0836HRK	WT, BK, VL
[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]			 » Universal Bottom Rail » Square Balusters » Baluster Spacers » Adjustable Foot Block 	with square composite balusters 8' x 36" Rail & Baluster Kit—Stair with square composite balusters	XX0836SRK	WT, BK, VL
			» Mounting Hardware	6' x 42" Rail & Baluster Kit—Horizontal	XX0642HRK	WT, BK, VL
			[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm);	with square composite balusters 8' x 42" Rail & Baluster Kit—Horizontal with square composite balusters	XX0842HRK	WT, BK, VL
Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	XX020230SBK		8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	with square composite balasters 8' x 42" Rail & Baluster Kit—Stair with square composite balusters	XX0842SRK	WT, BK, VL
Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	XX020236SBK					
Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA3ORBK		Rail & Baluster Kit-	6' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0636HRK	WT, BK, VL
[.75 in x 30.25 in (19 mm x 768 mm) actual dimensions] Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK		Aluminum	8' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0836HRK	WT, BK, VL
[.75 in x 36.25 in (19 mm x 920 mm) actual dimensions] Square Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30SBK		» Crown Top Rail » Universal Bottom Rail	8' x 36" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0836SRK	WT, BK, VL
[.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]			» Round Aluminum Balusters » Baluster Spacers	6' x 42" Rail & Baluster Kit—Horizontal	XXRD0642HRK	WT, BK, VL
Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36SBK		» Adjustable Foot Block » Mounting Hardware	with black round aluminum balusters 8' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters	XXRD0842HRK	WT, BK, VL
			[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	8' x 42" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0842SRK	WT, BK, VL
6' Accessory Infill Kit for Square Balusters—Horizontal 6' Accessory Infill Kit for Square Balusters—Stair 8' Accessory Infill Kit for Square Balusters—Horizontal 8' Accessory Infill Kit for Square Balusters—Stair	XXSQHIK06 XXSQSIK06 XXSQHIK08 XXSQSIK08					
6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIKO6 XXRDSIKO6 XXRDHIKO8 XXRDSIKO8	Trex S	elect® Railing	Trex Select is a 3-step and skirts (step	•	ex post sleeves, cap baluster kit (step 3
6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBHIK06 XXASBSIK06 XXASBHIK08 XXASBSIK08	STEP	COMPONENT	DESCRIPTION		ITEM NUMBER
6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not inclu	ided] XXGLIK06		Classic White Rail &	6' x 36" Rail & Aluminum Baluster Kit—Hor 6' x 36" Rail & Aluminum Baluster Kit—Stai		WTRD0636HSELK WTRD0636SSELK
		3	Aluminum Baluster Kit	8' x 36" Rail & Aluminum Baluster Kit—Hori:	zontal	WTRD0836HSELK
Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box) O Degree Rail Gasket Pack—Horizontal O Degree Rail Gasket Pack—Stair	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET XX00HGASK XX00SGASK		 » Bottom Rail » Round Aluminum Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White with Charcoal Black Aluminum Balusters only. 	8' x 36" Rail & Aluminum Baluster Kit—Stain 6' x 42" Rail & Aluminum Baluster Kit—Hori 8' x 42" Rail & Aluminum Baluster Kit—Hori 8' x 42" Rail & Aluminum Baluster Kit—Stain [Actual dimensions: 6' Rail: 675 in x 36 in / 42 in (171 cm 8' Rail: 91.5 in x 36 in / 42 in (232 cm x 914 mm / 106 cm	zontal zontal · x 914 mm / 106 cm);	WTRD0836SSELK WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
22.5 Degree Gasket Pack 45 Degree Birdsmouth Gasket Pack (for 4x4) 45 Degree Gasket Pack (for 6x6) Bracket Template—Horizontal	XX22HGASK XX45RSBADAPK WT45HGASK	ACCESSORY	Trex Select Accessories	Mounting Hardware for Cut Rails—Horizont Mounting Hardware for Cut Rails—Stair (10	· · ·	BKENHZBKT BKENSTBKT
(36" and 42") - Composite Sleeve	TSCTEMP4X4SLEEVE		Trex Select 8' Aluminum Rail Stiffener			SELALRAILSTIFFENER

3 a	Top & Bottc In this step, two rails			elected.	6' Crown Top Rail 8' Crown Top Rail
3b	Crown	Univ	versal		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail [6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]
4 BALUSTER TYPE	Balusters See chart below for r needed to complete				Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions] Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions] Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions] Round Aluminum Balusters for 42" Rail Height (20/pack)
	ication) ntal application)		18 15 20 16		[.75 in x 36.25 in (19 mm x 920 mm) actual dimensions] Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions] Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]
5	Accessory I				6' Accessory Infill Kit for Square Balusters—Horizontal 6' Accessory Infill Kit for Square Balusters—Stair

COMPONENT

» 2 Baluster Spacers » Adjustable Foot Block » Mounting Hardware

[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]

ACCESSORY Trex Transcend Accessories

All accessories include a quantity of 12 per box unless otherwise noted.

Trex Transcend Bracket Template

Or simply choose a rail & baluster kit (3-step).

Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE
Available in all aluminum colors	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE
(Charcoal Black, Bronze and Classic White). When ordering, refer to prefix codes at the bottom of this page.	42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX42RDADJGATE
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW
and the second second	Hardware for attachment to wood post with composite sleeve or aluminum posts	

Trex Aluminum ADA Compliant Handrail

COMPONENT	ITEM NUMBER
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8
Wall Return 90°	XXALADA90WR2G
Wall Mount	XXALADAWMNT2G
Corner Mount	XXALADAICORNER2G
Post Return ("Candy Cane")	XXALADA180CCANE
5° Elbow	XXALADA05ELB
31° Elbow	XXALADA31ELB
34° Elbow	XXALADA34ELB
36° Elbow	XXALADA36ELB
90° Inside/Outside Elbow	XXALADA90ELB2G
Straight 4 in (101 mm) Internal Connector	XXALINTCONN
Inline Rail Termination Adapter	XXALADAINLINE
Rail End Cap	XXALADACAP
Aluminum Collar	XXALADACLR

All Trex ADA handrail components are made of powder-coated aluminum.

For detailed installation instructions, visit trex.com

Decking Accessories

TREX HIDEAWAY® HIDDEN FASTENING SYSTEM	DESCRIPTION	ITEM NUMBER	
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002	
Universal Starter Clip	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP	
Router Bit	Router Bit	ROUTBIT	



Trex[®] OutdoorLighting™

LIGHTING & DESCRIPTION

Pyramid or Flat Post Cap Light

» 4" x 4" LED Post Cap Light

DECK LIGHTING

- [4.55 in x 4.55 in (115 mm x 115 mm)
- actual internal dimensions] Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub[®] Lead

Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dir Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

Deck Rail Light

- » LED Deck Rail Light
- [2.75 in (69 mm) OD] » 5.5 ft (1.67 m) Male LightHub Lead

- Wedge Deck Rail Light » LED Wedge Deck Rail Light
- [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

LED Riser Lights

- » 4 LED Riser Lights
- [1.25 in (31 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

Recessed Deck Lights

- » 4 LED Recessed Lights
- [1 in (25 mm) OD] » 5.5 ft (1.67 m) Male LightHub Lead

ACCESSORIES

Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer » 20 ft (6.09 m) LightHub Wire Extension Cable
- Multi-zone Transformer Adapter

Motion Controller and Dimmer

» 1 Remote

- »1 Motion Sensor » 2 AAA Batteries
- » 2 Screws
- » 5 ft. Male/Male Wire Extension Cable

Dimmer » Single Channel with Remote

1 in (25 mm) Forstner Bit—Pack of 6

LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter





PYRAMID CAPS

BKPYLEDCAP4X4C THPYLEDCAP4X4C VLPYLEDCAP4X4C GPPYLEDCAP4X4C RSPYLEDCAP4X4C

FLAT CAPS

BKSQLEDCAP4X4C WTPYLEDCAP4X4C WTSQLEDCAP4X4C FPPYLEDCAP4X4C FPSQLEDCAP4X4C THSQLEDCAP4X4C VLSOLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C TEXTURED CHARCOAL BLACK: BKALCAPLED25 TEXTURED BRONZE: BZALCAPLED25 TEXTURED WHITE: WTALCAPLED25



TEXTURED CHARCOAL BLACK: BKLAMPLEDC TEXTURED BRONZE: BZLAMPLEDC TEXTURED CLASSIC WHITE: WTLAMPLEDC

TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED TEXTURED BRONZE: BZALPOSTLAMPLED TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

TEXTURED CHARCOAL BLACK: BKRISERLED4PKC TEXTURED BRONZE: BZRISERLED4PKC TEXTURED CLASSIC WHITE: WTRISERLED4PKC





8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER

DL5TFSPLIT1PK

BKDLMOTION WTDLMOTION

DLDIMMER

DLBIT6PK



DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK



TREX[®] LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex[®] product (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex DeckLighting[™] shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex LandscapeLighting[™] shall be five (5) years, the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, and the term of the warranty for the motion controller for both shall be one (1) year, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings[®] gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, (d) the term of the warranty for Transcend Product used as outdoor cladding shall be twenty-five (25) years for both a residential application and a commercial application, and (e) this warranty shall not apply to Trex Elevations[®] steel deck framing, Trex Signature[®] aluminum railing and TrexTrim[™] (which each have separate warranties).

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE **RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH** RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE. AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH **RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED** THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2019 Trex Company, Inc.



conditions, as follows:

TREX TRANSCEND[®], TREX ENHANCE[®], TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia. Trex Select® decking or fascia or Trex Universal Fascia, as the case may be (the "Product") will perform, under normal use and service

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twentyfive (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product. Notwithstanding the foregoing, the term of this warranty for Transcend Product used as outdoor cladding shall be twenty-five (25) years for both a residential application and a commercial application.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided

> Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this

warranty will be voided.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder. Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation).

Railing: This warranty does not cover Trex Transcend® Trex Enhance® or Trex Select® railing components.

In order to make a claim under this warranty, Purchaser

Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards. otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS. INCLUDING BUT NOT LIMITED TO LABOR AND FRFIGHT

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT. IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2019 Trex Company, Inc.



TREX SIGNATURE®/REVEAL® RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Signature/Reveal® Railing (the "Product") shall, for a the Product beyond normal use and service conditions, or in an period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in or the supporting structure on which the Product is installed; (4) writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the weather processes, (5) improper handling, storage, abuse or neglect cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2018 Trex Company, Inc.



GET STARTED WITH OUR HELPFUL Online Tools

INSPIRATION & IDEAS

Enjoy photos, tips and testimonials at trex.com/ideas

COLOR SELECTOR

Find a hue that savs "vou" at trex.com/colors

COST CALCULATOR

Estimate the price of your deck at trex.com/costs





@TrexCompany

Share your build

Tag your snaps with #trexdecking to be featured in our feed.

BOARD SAMPLES

Compare and contrast footlong boards at **shop.trex.com**

DECKING & RAILING DUOS Select a pre-styled pairing at trex.com/duos

DECK STARTER

Design your deck in three clicks at trex.com/getstarted

TREX LOCATOR Find nearby retailers at trex.com/locations

TREXPRO[®]

Find a local, pre-approved contractor at **trex.com/findapro**



DECKING | RAILING | FRAMING | LIGHTING | FASCIA | KITCHENS | FURNITURE | PERGOLA | DRAINAGE



FIND US ON



Visit trex.com or call 1-800-BUY-TREX

© 2019 Trex Company, Inc. All rights reserved. Trex[®], the Trex logo, TrexPro[®], Trex Enhance[®], Trex Select[®], Trex Transcend[®], Trex[®] Cladding[™], Trex Signature[®], Trex Elevations[®], Trex[®] Outdoor Lighting[™], Trex[®] Fascia, Trex[®] Pergola[™], Trex[®] Outdoor Kitchens[™], Trex[®] Spiral Stairs[™], Trex[®] RainEscape[®], Trex[®] Protect[™], Trex[®] Outdoor Furniture[™], Trex[®] Cornhole[™], Trex[®] LatticeWorks[™], Trex Hideaway[®], Trex LightHub[®] and Trex Reveal[®] are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.