

















BUILT FOR LIVING

Engineering what's next in outdoor living isn't just a motto; it's our mission. More than 20 years ago, Trex® revolutionized the industry by introducing a high-performance, eco-friendly alternative to wood decking. Today, we're proud to offer more ways than ever to live outdoors—whether you're building on a budget or seeing your biggest, boldest idea through. It's never been easier to make the Trex decision that's right for you.





3



YOUR DECKING CHECKLIST

In just five steps, go from having a bad case of deck envy to being 100% deck ready.



DETERMINE MATERIALS, SIZE & SHAPE

The what and the how of building the deck of your dreams. Plan accordingly.



CONSIDER THE SUBSTRUCTURE

Find out why our steel framing system results in long-lasting stability and support.



CHOOSE YOUR DECKING

Three tiers of decking provide a comprehensive range of easy, low-maintenance options.



CHOOSE YOUR RAILING

The signifier of great taste. Pick a pre-styled combo, or mix-and-match Trex Signature®, Transcend® or Select® rails, posts and balusters.




ADD THE EXTRAS

Complete your outdoor area with furniture, lighting, storage and shade.

STEP 1

Materials, SIZE & shape

Once you know how you want to use your deck, you'll be able to determine the best materials, size and shape. Ask yourself these questions to see where you stand.







decking: Enhance in Rocky Harbor *railing:* Transcend in Classic White with round aluminum balusters in Charcoal Black







railing: Transcend in Vintage Lantern & Classic White with round aluminum balusters in Charcoal Black *featuring:* Trex OutdoorLighting



1.16 12 183

You could build your deck with any number of materials. But why would you, when Trex[®] decking and railing consistently outdeck wood and the wannabes?

– TREX WILL –



Beautifully withstand years of sun, sleet & snow HIGH-PERFORMANCE TECHNOLOGY



Clean easily with soap & water LOW-MAINTENANCE PROPRIETARY SHELL



Make good on its promises 25-YEAR LIMITED RESIDENTIAL AND FADE & STAIN WARRANTIES



Let forestfuls of trees grow and grow MADE OF 95% RECYCLED MATERIALS

- TREX WON'T -



Rot, warp or splinter UNLIKE WOOD



Fade or stain UNLIKE WOOD



Need seasonal painting, sealing or staining UNLIKE WOOD



Become food for termites
UNLIKE WOOD


Even better, Trex has engineered cost out of the equation with its newest collection of composite decking. So, the question is—can you afford *not* to build with Trex?

••• Read why Trex also outdecks PVC & early-gen composite at trex.com/compare

Trex[®] Deck Designs


When planning your outdoor space, it's important to make sure your deck has exactly that—space.

••• Download our most popular layouts and materials lists at trex.com/plans




Rectangle Deck

- » Offers room for outdoor eating and grilling
- » Works well with smaller homes, rooftops or side yards
- » Standard shape in five sizes makes for
- a versatile, multi-use space




Overlook Deck

- » Provides distinct spaces so you can get the most from your deck
- » Works well with smaller to mid-sized homes with gardens or extended views
- » Multi-side add-on makes for a cozy sitting or dining area



Beveled-Edge Deck

- » Allows for large sitting area or several smaller spaces
- » Works well with smaller to mid-sized homes of contemporary design
- » Rounded corners open the view and decor possibilities



Custom Deck

Have a space that defies our deck plans?

Contact a local **TrexPro**[®] for a custom approach.

•••

Find one at **trex.com/findapro**

Doing it yourself?

Find downloadable guides, how-to


videos and more at trex.com/DIY

Consider the SUBSTRUCTURE


Think about it: if you're going to build a long-lasting deck, don't you want its support to last just as long?

Trex Elevations[®], our system of durable, triplecoated steel beams, joists and tracks, creates the strongest, straightest and greenest structures down below. Unlike interior-grade galvanized steel, Trex Elevations is code-listed specifically for exterior use.

Designed for exterior use







The only deck frame that can stand up TO THE ELEMENTS

Wood substructures split, warp and shift, leading to an uneven surface in the deck boards above. The dimensionally stable steel of Trex Elevations stays in place, giving you consistently stronger, straighter, safer and smarter decking than what wood can offer.

STRONGER 📚

Triple-coated steel offers consistency, durability and reliability that treated wood can't.

STRAIGHTER 📚

Precision engineering ensures surfaces remain flat over time.

SAFER 📚

Rot- and termite-proof steel is chemical-free and lasts much longer than wood.

SMARTER 📚

Contains a minimum of 25% recycled steel and is a 100% renewable resource.


••••••

Want to see how it's done?
 Watch an install video at trex.com/elevations

STEP 3

CHOOSE your DECKING

Go ahead. Ask yourself the big questions, starting with which color is the perfect fit for your deck.



MAKE IT LAST with proprietary shell technology

KEEP IT EFFORTLESS with soap-and-water cleaning



```
CREATE LUXURIOUS LOOKS with authentic color and grain patterns
```



PRICE IT OUT with our Cost Calculator tool at **trex.com/costs**

COLOR EVERY WHICH WAY

Vibrant shades of possibility give you unmatched control over the design of your deck.

0101

Compare our greys, browns and reds at **trex.com/colors**

JUST ENOUGH COLORS TO MAKE CHOOSING FUN...



Priced to put the pressure on treated lumber.







The beauty of wood with the ease of composite.

\$\$ (7777) 25 😔



The perfect pairing of price and minimal maintenance.














\$ Price







AND RIGHT FOR YOU.






Trex Enhance[®]

······ **N E W** ······

PRICED TO PUT THE PRESSURE

0

Once and for all, Trex has engineered cost out of the equation with our latest collection of easy-to-build, easy-to-maintain decking. Trex Enhance® Basics meld the durability of composite with the affordability of wood, resulting in long-lasting, worry-free decking.




Trex Enhance®

······ **N E W** ······

THE BEAUTY OF WOOD WITH THE EASE OF COMPOSITE

With its authentic wood-grain appearance, Trex Enhance® Naturals offer all the charm and none of the trouble of pressure-treated lumber. Imagine enjoying the very same rich streaking now and 25 years from now without costly, continual upkeep.



AVAILABLE COLORS:








TrexSelect®

EARTH TONES

THE PERFECT PAIRING OF PRICE AND MINIMAL MAINTENANCE

Durable and inviting, Trex Select[®] brings consistent performance to your home—and peace of mind. Skip the stain aisle and instead live life outdoors with the simple choice in composite decking.



AVAILABLE COLORS:






decking: Transcend in Havana Gold railing: Trex Signature in Charcoal Black THE FACE

HUY THEY

the to

29



Trex Transcend®

ELEVATED AESTHETICS PAIRED WITH


THE HIGHEST LEVEL OF PERFORMANCE

Big, bold notions of outdoor living come to life with Trex Transcend[®]. Our premium line combines second-to-none performance with the beauty of exotic wood, resulting in long-lasting colors inspired by nature. All this, plus Trex Transcend offers homeowners the freedom to design to every curve of their imagination.



RAILING

What all the best decks are wearing



STEP 4

CHOOSE your RAILING

When people look at your deck, they'll see the railing before anything else.Which is why a picture-perfect deck means selecting railing that signifies your style—whether you're a modern minimalist or traditional to the core.



SHOW OFF YOUR SURROUNDINGS with sleek, sturdy rails that frame your deck and the view beyond it



PAIR AS YOU PLEASE with modular balusters, caps and posts in a variety of colors and finishes



INNOVATE WITHOUT WASTE OR WORRY with recycled materials backed by a 25-Year Limited Residential warranty





The incomparable style and strength of aluminum.



Quick-and-easy customization.







The timeless choice.

RAILING

decking: Transcend in Tiki Torch & Lava Rock railing: Trex Signature in Charcoal Black with Transcend posts in Vintage Lantern

EFFORTLESS STYLE, EXCEPTIONAL STRENGTH



Available in a curated range of elegant neutrals and backed with the durability only aluminum offers, Trex Signature® is a testament to the refined beauty of negative space. Imagine sleek metal balusters that fade into your surroundings, and curved sweeps that mimic the stretch of garden below.


> **BRIGHT IDEAS** Our wedge lights (on left) cast a glow on nooks formerly overlooked.

A HORIZONTAL SHIFT

Sleek, sturdy and thoroughly modern, Rod Rail brings high-end design to your backyard.

AVAILABLE RAIL COLORS:





Charcoal Black

AVAILABLE ROD COLORS:



Trex Transcend®

DESIGN FREEDOM, COURTESY OF MYRIAD COLORS AND MODULAR COMPONENTRY

When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend[®]. As strong and sturdy as its namesake decking, Transcend puts every railing possibility within reach.









CLASSIC RAILS, POSTS AND BALUSTERS

Why overthink what works? Trex Select[®] railing is high-performance composite railing that adds a crisp, safe and effective edge to any deck.

AVAILABLE COLORS:

Classic White





A SHORTCUT TO STYLE Decking & Railing Duos

Choosing railing that complements your decking has never been easier. Every Trex® decking color comes with three pre-designed railings that go with it, along with a complete materials list and an alphanumeric code that makes ordering easy.

Take a look at the three options we curated for Spiced Rum decking.

••• To see our railing duos for every color, visit trex.com/duos



Classic White rails with Spiced Rum cocktail rail, Classic White posts & Classic White composite balusters






Charcoal Black aluminum rails, Vintage Lantern posts & Charcoal Black square aluminum balusters

Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters





If you prefer a truly customized look for your deck, we've made it easy with an abundance of options for color, shape and building materials.



Cocktail Rail (Optional)

Posts

Rails

Balusters

and safety.

Deck board on universal top or Trex Signature® rail to create a flat surface.





AVAILABLE IN ALL TREX SELECT AND TRANSCEND DECKING COLORS

STEP 5

ADD the EXTRAS

Before you really, truly luxuriate in your new deck, you're going to need a few add-ons. Think seats, storage, lighting and shade. The good news is that our extras are just as durable and design-minded as our decking and railing.





Trex Outdoor Lighting™

Easy to install and integrate into our decking and railing.



Easily accessible storage that doesn't take up extra space and can be customized to your needs.

Trex Pergola™

A shaded oasis for your deck.

Trex Outdoor Furniture™

Stylish seating and dining collections built to last, conveniently available online at **trex.com**



Give your backyard the competitive edge with this fun addition.



balusters in Charcoal Black

Trex Spiral Stairs™

A spatially efficient and customizable curve.

Trex Fascia

Gives a clean, polished look to stairs and sides of your deck.



Durable screens lend a finished look and hidden storage to raised decks.



Enjoy more indoor living space, outdoors.

Built-in Seating & Planters

Everything you've come to expect with Trex boards, in an entirely new configuration.

TREX[®] OUTDOORLIGHTING[™]

JUST IMAGINE WHAT PROPER LIGHTING COULD BRING TO THE PARTY

With the right light, an outdoor space goes from invisible to inviting. That's why Trex has expanded our soft white lighting to cover more ground—from post cap lights and recessed deck lights to stair risers and more.

SHOP TREX.COM/LIGHTING

Order today or find a retailer near you on our website.

DECK LIGHTING Ours seamlessly integrates into rails, risers, treads and posts for easy, elegant wayfinding.

For the terms of warranties on Trex® OutdoorLighting™, see page 57 or visit trex.com. Cree® is a registered trademark of Cree, Inc.



BEAUTY FROM EVERY ANGLE

With Trex Fascia, your outdoor space stands out, side on. Engineered to last and retain its rich color just as long as your deck surface, our fascia brings wonderful depth and dimension to your design.

GIVE YOUR DECK AN EDGE

Try white fascia for a crisp, universal finish.

••• More edging ideas at **trex.com/fascia**



AVAILABLE IN ALL DECKING COLORS:

Universal Fascia

TREX[®] PERGOLA[™]

ABOVE AND BEYOND

Trex Pergola keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that's virtually upkeep-free.

COOLER BY A MILE

Add a ShadeTree[®] Canopy System for a pop of color and smart sun protection. Retractable canopies available in AirFlow Mesh or Sunbrella[®] outdoor fabric at **trexpergola.com**



Trex[®] Pergola[™] products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks Fabrication, under a Trademark License Agreement with Trex Company, Inc. A 25-Year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella[®] is a registered trademark of Glen Raven, Inc. ShadeTree[®] Canopy is a registered trademark of Shade Tree Inc.

TREX®OUTDOOR KITCHENS

HIDE AND CHIC

Mix the comforts of your indoor space with the natural beauty of your outdoor space with Trex Outdoor Kitchens. Easy-to-match cabinetry and storage bring both style and utility to your yard.

STORE, SEAR AND CHILL

Imagine hidden ice drawers flanking your grill. Or sliding bins for your kids' baseball gear. More ways to quiet the clutter at **trex.com/storage**



TREX[®] SPIRAL STAIRS[®]

GO FROM SPACE-POOR

TO SPACE-PROUD

Trex Spiral Stairs offer all of the space-saving advantages of traditional spiral staircases but with Trex style, strength and simplicity.

STEP UP AND STAND OUT

Each step tread can be capped with Trex composite decking to match—or contrast—your deck's color.

••• Settled on spiral? Download a blueprint at **trexspiralstairs.com**



XTRAS

TREX® RAINESCAPE®

OUTWIT THE ELEMENTS

The unique Trex RainEscape under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

CONVENIENT & CLEVER

A trough system whisks water out through its own gutters—no leaks, no sitting puddles, no worries.

••• Now available in brown and black. Find a retailer at **trexrainescape.com**



TREX[®] OUTDOOR FURNITURE[®]

DEEP-SEATED BEAUTY

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease.

WELL ROOTED

Trex—in partnership with *Trees for the Future*—plants a tree with each piece of furniture ordered.

••• Learn more at **trexfurniture.com**



Trex[®] Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer.


TREX[®] CORNHOLE[™]

PLAY FOR KEEPS

Regulation-sized and surfaced, our durable cornhole set comes with eight resin-filled bags that withstand the elements, too.

••• Learn more at trex.com/cornhole







TREX[®] LATTICEWORKS[™]

ADDED COVERAGE FOR CURB APPEAL

Choose from a range of decorative and durable patterns to add privacy, utility and dimension deckside.

••• Learn more at trex.com/lattice

Trex[®] Cornhole™ is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc. A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.

Trex[®] LatticeWorks[™] is manufactured and sold by Rhea Products, Inc. d/b/a Acurio Latticeworks under a Trademark License Agreement with Trex Company, Inc. A 12-Year Limited Warranty is provided by the manufacturer.



Share your build

Tag your snaps with #trexdecking to be featured in our feed.

ALLE



get started with our helpful Online Tools

INSPIRATION & IDEAS

Enjoy photos, tips and testimonials at **trex.com/ideas**

COLOR SELECTOR Find a hue that says "you" at **trex.com/colors**


COST CALCULATOR Estimate the price of your deck at **trex.com/costs**

BOARD SAMPLES Compare and contrast footlong boards at **shop.trex.com**

DECKING & RAILING DUOS Select a pre-styled pairing at **trex.com/duos**

DECK STARTER Design your deck in three clicks at **trex.com/getstarted**

TREX LOCATOR Find nearby retailers at trex.com/locations



Trex Elevations®

COMPONENT	DESCRIPTION	ITEM NUMBER
FRAMING COMPONENTS		
Track Actual dimensions: 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft Image: Signal and Signal	1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam Actual dimensions: 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)	2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist Actual dimensions: 1.625 in x 8 in x 12 ft / 16 ft / 20 ft (41 mm x 203 mm x 365 cm / 487 cm / 609 cm) Additional lengths are available by special order.	1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist	CG020812EJ50 CG020816EJ50 CG020820EJ50
Beam End Cap Actual dimensions: 2.125 in x 8.125 in (53 mm x 206 mm)	2.125 in x 8.125 in—Beam End Cap (40/box)	ELVENDCAP40
Adjustable Mid-Span Block Actual dimensions: 4 in x 9.875 in (101 mm x 250 mm)	4 in x 9.875 in (10 sets)	ELVMIDSPANBLOCK
Adjustable Beam Block Actual dimensions: 5 in x 9.875 in (127 mm x 250 mm)	5 in x 9.875 in (10 sets)	ELVBEAMBLOCK
Deck Support Post Actual dimensions: 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)	3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post	www.trexdeckpost.com
Trex Elevations Universal Connector Clip (glass-filled nylon with stainless steel screw)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	ELVUNIVCLIP ELVUNIVCLIPPAIL
Trex Elevations Start Clip (stainless steel with stainless steel screw)	400 sq. ft (37.2 sq. m) bag	ELVSTARTCLIP
Trex Elevations-Approved Spray Paint Net weight 12 oz.	Available in Elevations grey only.	1-800-966-7580
RAILING COMPONENTS (for use with Trex Elevations) ·····		
Joist Mount Post with Cap & Skirt Actual dimensions: 2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm)	2.5 in x 2.5 in x 63 in	XXJMNTPOST63
Trex Elevations Rail Post Blocking	10/box	ELVRAILPOSTBLOCK
Trex Elevations Fascia Mount Kit (for use with Elevations steel framing)	For use with Joist Mount Trex Signature® Railing Post only.	XXFMNTELEV
Trex Elevations Fascia Mount Kit		

Trex Decking, Porch Flooring & Fascia

PROFILE	DI	SCRIPTION	ITEM NUMBER	COLORS
1" Square-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TS01 XX010616TS01 XX010620TS01	IM, TT, HG, SR, LR
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2S01 XX010616T2S01 XX010620T2S01	GP, RS, TH, VL, FP
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance* Enhance* Enhance*	XX010612E2S01 XX010616E2S01 XX010620E2S01	FW, RH, TS, CB, SC, CS, BD, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, MB
1" Grooved-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, TH, VL, FP
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance* Enhance* Enhance*	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB, SC, CS, BD, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
1" Grooved Porch Floor Board Actual dimensions: .94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm) Can also be used for decking applications.	1 x 4.5 x 12' 1 x 4.5 x 16'	Transcend Porch Transcend Porch	XX010512TP01 XX010516TP01	SR, GP
1" x 8" Fascia Actual dimensions: Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12'	Transcend Tropicals Transcend Earth Tones Enhance* Select Universal White	XX010812TS01 XX010812T2S01 XX010812E2S01 XX010812SS01 WW010812ES01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP FW, RH, TS, CB, SC, CS, BD, SD PG, WG, SD, WB, MB WOOD GRAIN WHITE
1" x 12" Fascia Actual dimensions: Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' 1 x 12 x 12'	Transcend Tropicals Transcend Earth Tones Enhance* Select Universal White	XX011212TS01 XX011212T2S01 XX011212E2S01 XX011212SS01 WW011212ES01	IM, TT, HG, SR, LR GP, RS, TH, VL, FP FW, RH, TS, CB, SC, CS, BD, SD PG, WG, SD, WB, MB WOOD GRAIN WHITE
2" Square-Edge Board	2 x 4 x 16' 2 x 6 x 12'	Transcend Tropicals Transcend Tropicals	XX020416TS01 XX020612TS01	IM, TT, HG, SR, LR
Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft	2 x 6 x 16' 2 x 6 x 20' 2 x 6 x 12'	Transcend Tropicals Transcend Tropicals Select	XX020616TS01 XX020620TS01 XX020612SS01	IM, TT, HG, SR, LR
(33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 16' 2 x 6 x 20'	Select Select	XX020616SS01 XX020620SS01	PG, SD, WB, MB

XX = COLOR PREFIX:

IM Island Mist TT Tiki Torch HG Havana Gold SR Spiced Rum

LR Lava Rock GP Gravel Path RS Rope Swing TH Tree House

VL Vintage Lantern FP Fire Pit


PG Pebble Grey WG Winchester Grey

MB Madeira FW Foggy Wharf

SDSaddleRHRocky HarborWBWoodland BrownTSToasted Sand CB Coastal Bluff SC Sunset Cove

CS Clam Shell BD Beach Dune

SD Saddle



RAILING a lot easier than it looks

Selecting the right railing is pretty easy, but each Trex® railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the left depicts each railing system's components.

TREX POST COMPONENTS

TREX SIGNATURE® RAILING

TREX TRANSCEND® RAILING

TREX SELECT® RAILING

Trex Post Sleeves, Caps & Skirts

O These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
	Post Sleeve d 6x6 post sleeve fits over a 4x4 ated post or equivalent post mount.	4" x 4" x 39" Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] 4" x 4" x 108" Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] 6" x 6" x 39" Post Sleeve [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] 6" x 6" x 108" Post Sleeve [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	XX040439APS XX0404108APS WT060639APS WT0606108APS
2a Also availab	Post Sleeve Cap	Flat 4" x 4" Post Sleeve Cap Pyramid 4" x 4" Post Sleeve Cap [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] Flat 6" x 6" Post Sleeve Cap Pyramid 6" x 6" Post Sleeve Cap [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PXXSQCAP4X4 PXXPYCAP4X4 PWTSQCAP6X6 PWTPYCAP6X6
2b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] 6" x 6" Post Sleeve Skirt [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PXXSKIRT4X4 PWTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4x4 composite post sleeve)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTMOUNT36 ALPOSTMOUNT42 ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	CFJMNTPOST63
ACCESSORY	Foot Block	Adjustable Foot Blocks	XXFTBLKPC
XX = C	OLOR PREFIX: WT Classic White RS Rope Swing GP Gravel Path TH Tree House	VL Vintage Lantern BK Charcoal Black FP Fire Pit	51

Trex Signature® Aluminum Railing

EP	COMPONENT		DESCRIPTION	
ļ	Aluminum Post with Cap & Skirt 🛛 🍙		37" Post—Horizontal (IRC Compliant) 37 in (63 mm x 63 mm x 939 mm) actual dimensions]	XXAL252537RCAP
	Aluminum Crossover Post	2.5" x 2.5" x	43" Post—Horizontal (IRC Compliant) 43" of 63 mm x 63 mm x 109 cm) actual dimensions]	XXAL252543RCAF
	Trex Signature aluminum posts fulfill steps 1 & 2. If using composite post	2.5" x 2.5" x	53" Post—Stair (IRC Compliant) 53" Post—Stair (IRC Compliant) 53 in (63 mm x 63 mm x 134 cm) actual dimensions]	XXAL252553RCAI
s	sleeves, refer to page 51.	2.5" x 2.5" x	36" Crossover Post—Horizontal (IRC Compliant) 36 in (63 mm x 63 mm x 914 mm) actual dimensions]	XXAL252536RCCI
	Aluminum posts can only be used with the Trex Signature line.	2.5" x 2.5" x	42" Crossover Post—Horizontal (IRC Compliant) 42 in (63 mm x 63 mm x 106 cm) actual dimensions]	XXAL252542RCC
	RC Surface		Nounting Plate & Hardware Trex 2.5" Surface Mount Aluminum Posts	ALPOSTHWDECK
١	Mount Hardware	Concrete Po		ALPOSTHWCONC
	Aluminum Joist Mount Post with Cap & Skirt	2.5" x 2.5" x [2.5 in x 2.5 in x	63" 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	XXJMNTPOST63
	Trex Signature Fascia Mount Kit	For use with	Joist Mount Trex Signature Railing Post only.	XXFMNTWOOD
Р	DESCRIPTION	ITEM NUMBER	DESCRIPTION	
6	5' x 36" Rail Kit w. Square Balusters—Horizontal 5' x 36" Rail Kit w. Square Balusters—Stair 3' x 36" Rail Kit w. Square Balusters—Horizontal 3' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	6' x 36" Black Frame & Platinum Rod Railing—Horizontal 6' x 36" Black Frame & Platinum Rod Railing—Stair 8' x 36" Black Frame & Platinum Rod Railing—Horizontal 8' x 36" Black Frame & Platinum Rod Railing—Stair	BKPLROD0636F BKPLROD0636S BKPLROD0836F BKPLROD0836S
6	5' x 42" Rail Kit w. Square Balusters—Horizontal 5' x 42" Rail Kit w. Square Balusters—Stair 3' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK XXAS0642SRK XXAS0842HRK	6' x 42" Black Frame & Platinum Rod Railing—Horizontal 6' x 42" Black Frame & Platinum Rod Railing—Stair 8' x 42" Black Frame & Platinum Rod Railing—Horizontal	BKPLROD0836S BKPLROD0642F BKPLROD0642S BKPLROD0842F
6 6 8	3' x 42" Rail Kit w. Square Balusters—Stair 5' x 36" Rail Kit w. Round Balusters—Horizontal 5' x 36" Rail Kit w. Round Balusters—Stair 3' x 36" Rail Kit w. Round Balusters—Horizontal 3' x 36" Rail Kit w. Round Balusters—Stair	XXAS0842SRK XXAR0636HRK XXAR0636SRK XXAR0836HRK XXAR0836SRK	8' x 42" Black Frame & Platinum Rod Railing—Stair 6' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 36" Bronze Frame & Platinum Rod Railing—Stair 8' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 36" Bronze Frame & Platinum Rod Railing—Stair	BKPLROD0842S BZPLROD0636F BZPLROD0636S BZPLROD0836F BZPLROD0836S
6 8	5' x 42" Rail Kit w. Round Balusters—Horizontal 5' x 42" Rail Kit w. Round Balusters—Stair 3' x 42" Rail Kit w. Round Balusters—Horizontal 3' x 42" Rail Kit w. Round Balusters—Stair	XXARO642HRK XXARO642SRK XXARO842HRK XXARO842SRK	6' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 42" Bronze Frame & Platinum Rod Railing—Stair 8' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 42" Bronze Frame & Platinum Rod Railing—Stair	BZPLROD0642H BZPLROD0642S BZPLROD0842H BZPLROD0842S
3 6 8	5' x 36" Assembled Panel (Square)—Horizontal* 3' x 36" Assembled Panel (Square)—Horizontal* 5' x 42" Assembled Panel (Square)—Horizontal* 3' x 42" Assembled Panel (Square)—Horizontal*	BKAS0636HRPNL BKAS0836HRPNL BKAS0642HRPNL BKAS0842HRPNL	6' x 36" Black Frame & Black Rod Railing—Horizontal 6' x 36" Black Frame & Black Rod Railing—Stair 8' x 36" Black Frame & Black Rod Railing—Horizontal 8' x 36" Black Frame & Black Rod Railing—Stair	BKBKROD0636 BKBKROD06368 BKBKROD08368 BKBKROD08368
[[[Does not include hardware Dimensions above are nominals. See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] 8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] 6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] 8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]		6' x 42" Black Frame & Black Rod Railing—Horizontal 6' x 42" Black Frame & Black Rod Railing—Stair 8' x 42" Black Frame & Black Rod Railing—Horizontal 8' x 42" Black Frame & Black Rod Railing—Stair	BKBKROD06421 BKBKROD06423 BKBKROD08421 BKBKROD08423
SSORY -	Trex Signature Accessories			
	Trex Signature Bracket Templates HZ Bracket Template	SIGTEMP4X4SLEEVE	Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack)	XXCTBKTAL10Pł XXFHBKTAL XXFSBKTAL

Trex Signature Bracket Templates HZ Bracket Template (36" and 42") - Composite Sleeve HZ Bracket Template (36" and 42") - 2.5" Aluminum Post

 SIGTEMP4X4SLEEVE
 Fixed Bracket—Horizontal (4/pack)

 Fixed Bracket—Stair (4/pack)

 SIGTEMPIRCPOST
 Swivel Bracket—Horizontal (2/pack–1 top, 1 bottom)

 Suivel Bracket—Stair (2/pack–1 top, 1 bottom)

 2.5" Horizontal Crossover Bracket (1/pack)

 2.5" Swivel Crossover Bracket—Stair (1/pack)

 Compound Swivel Bracket (2/pack–1 top, 1 bottom)

Aluminum Foot Block

Touch-up Pen

XXCTBKTAL10PK XXFHBKTAL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XX25FHCBKTAL XX25RCSWSCBKTAL XXCPDSWBKTAL XXALFTBLK XXTOUCHUPPEN

Trex Transcend® Railing

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail & baluster kit (step 3). OR choose each component individually for a custom design (steps 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3a 3b	Top & Bottom Rails In this step, two rails (1 top, 1 bottom) must be selected. Crown Universal	6' Crown Top Rail 8' Crown Top Rail 6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail [6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]	XXCROWNTR06 XXCROWNTR08 XXUNIVTBR06 XXUNIVTBR08
Square (Horizon Square (Stair ap) Aluminum (Horiz Aluminum (Stair Aluminum balus	tal application) 13 18 plication) 11 15 contal application) 15 20	Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions] Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions] Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions] Round Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions] Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions] Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XX020230SBK XX020236SBK XXTA30RBK XXTA36RBK XXTA36SBK XXTA36SBK
5	Accessory Infill Kit » 2 Baluster Spacers » Adjustable Foot Block » Mounting Hardware [6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]	 6' Accessory Infill Kit for Square Balusters—Horizontal 6' Accessory Infill Kit for Square Balusters—Stair 8' Accessory Infill Kit for Square Balusters—Horizontal 8' Accessory Infill Kit for Square Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Stair 6' Glass Panel Accessory Kit [Glass panel mounting hardware: glass panel not included 	XXSQHIK06 XXSQSIK06 XXSQHK08 XXSQSIK08 XXRDHK06 XXRDSIK06 XXRDSIK08 XXASBHIK06 XXASBHIK06 XXASBHIK08 XXASBHIK08 XXASBSIK08 XXASBSIK08
ACCESSORY	Trex Transcend Accessories All accessories include a quantity of 12 per box unless otherwise noted.	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box) O Degree Rail Gasket Pack—Horizontal O Degree Rail Gasket Pack—Stair 22.5 Degree Gasket Pack 45 Degree Birdsmouth Gasket Pack (for 4x4) 45 Degree Gasket Pack (for 6x6)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK
	Trex Transcend Bracket Template	HZ Bracket Template (36" and 42") - Composite Sleeve T	RANTEMP4X4SLEEVE

VL Vintage Lantern BZ Bronze (aluminum on

Trex Transcend® Railing

• Or simply choose a rail & baluster kit (3-step).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER	COLOR
3	Rail & Baluster Kit – Composite » Crown Top Rail » Universal Bottom Rail » Square Balusters » Baluster Spacers » Adjustable Foot Block » Mounting Hardware Mounting Hardware [Actual dimensions: 6' Rail: 675 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	6' x 36" Rail & Baluster Kit—Horizontal with square composite balusters 6' x 36" Rail & Baluster Kit—Stair with square composite balusters 8' x 36" Rail & Baluster Kit—Horizontal with square composite balusters 8' x 36" Rail & Baluster Kit—Stair with square composite balusters 6' x 42" Rail & Baluster Kit—Horizontal with square composite balusters 8' x 42" Rail & Baluster Kit—Horizontal with square composite balusters 8' x 42" Rail & Baluster Kit—Horizontal with square composite balusters 8' x 42" Rail & Baluster Kit—Stair with square composite balusters	XX0636HRK WT0636SRK XX0836HRK XX0836SRK XX0642HRK XX0842HRK XX0842SRK	WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL
	Rail & Baluster Kit- Aluminum » Crown Top Rail » Universal Bottom Rail » Round Aluminum Balusters » Baluster Spacers » Adjustable Foot Block » Mounting Hardware //////////////////////////////////	6' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters 8' x 36" Rail & Baluster Kit—Horizontal with black round aluminum balusters 8' x 36" Rail & Baluster Kit—Stair with black round aluminum balusters 6' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters 8' x 42" Rail & Baluster Kit—Horizontal with black round aluminum balusters 8' x 42" Rail & Baluster Kit—Stair with black round aluminum balusters	XXRD0636HRK XXRD0836HRK XXRD0836SRK XXRD0642HRK XXRD0842HRK XXRD0842SRK	WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL

Trex Select[®] Railing

• Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Classic White Rail & Aluminum Baluster Kit » Top Rail » Bottom Rail » Round Aluminum Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White with Charcoal Black Aluminum Balusters only.	6' x 36" Rail & Aluminum Baluster Kit—Horizontal 6' x 36" Rail & Aluminum Baluster Kit—Stair 8' x 36" Rail & Aluminum Baluster Kit—Horizontal 8' x 36" Rail & Aluminum Baluster Kit—Stair 6' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Stair [Actual dimensions: 6' Rail: 67.5 in x 36 in / 42 in (171 cm x 914 mm / 106 cm); 8' Rail: 91.5 in x 36 in / 42 in (232 cm x 914 mm / 106 cm)]	WTRD0636HSELK WTRD0636SSELK WTRD0836HSELK WTRD0836SSELK WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
ACCESSORY	Trex Select Accessories Trex Select 8' Aluminum Rail Stiffener	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box)	BKENHZBKT BKENSTBKT SELALRAILSTIFFENER

Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE
Available in all aluminum colors	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE
(Charcoal Black, Bronze and Classic White). When ordering,	42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42RDADJGATE
refer to pre-fix codes at the bottom of this page.	[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	
Hardware Pack	 2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts 	BKGATEHW



Trex Aluminum ADA Compliant Handrail

All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com

COMPONENT	ITEM NUMBER	
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8	
Wall Return 90°	XXALADA90WR2G	
Wall Mount	XXALADAWMNT2G	
Corner Mount	XXALADAICORNER2G	
Post Return ("Candy Cane")	XXALADA180CCANE	
5° Elbow	XXALADA05ELB	
31° Elbow	XXALADA31ELB	
34° Elbow	XXALADA34ELB	
36° Elbow	XXALADA36ELB	
90° Inside/Outside Elbow	XXALADA90ELB2G	
Straight 4 in (101 mm) Internal Connector	XXALINTCONN	
Inline Rail Termination Adapter	XXALADAINLINE	
Rail End Cap	XXALADACAP	
Aluminum Collar	XXALADACLR	

Decking Accessories

TREX HIDEAWAY® HIDDEN FASTENING	SYSTEM	DESCRIPTION	ITEM NUMBER
Connector Clip (stainless steel)	5	50 sq. ft (4.6 sq. m) box	CONNECTCLIP
Gun Pail		500 sq. ft (46.5 sq. m) bucket 500 sq. ft (46.5 sq. m) bucket with collated pneumatic screws	CLIPPAIL GUNCLIP
Universal Starter Clip		400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)		50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Router Bit		Router Bit	ROUTBIT
the state of the state of	A WELL	a de alle an a fair a fair fair fair	4 11 1 11 1



Trex[®] OutdoorLighting™

LIGHTING & DESCRIPTION

Pyramid or Flat Post Cap Light

» 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts

DECK LIGHTING

» 5.5 ft (1.67 m) Male LightHub® Lead

Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

Deck Rail Light

- » LED Deck Rail Light [2.75 in (69 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

Wedge Deck Rail Light

- » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

LED Riser Lights



- [1.25 in (31 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

Recessed Deck Lights

» 4 LED Recessed Lights [1 in (25 mm) OD] » 5.5 ft (1.67 m) Male LightHub Lead

Transformer with Timer

» Output Voltage: 12VDC

ACCESSORIES

- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub Wire Extension Cable

Multi-zone Transformer Adapter

Motion Controller and Dimmer

- »1 Remote
- »1 Motion Sensor
- » 2 AAA Batteries
- » 2 Screws
- » 5 ft. Male/Male Wire Extension Cable

Dimmer

» Single Channel with Remote

1 in (25 mm) Forstner Bit-Pack of 6

LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



FLAT CAPS

PYRAMID CAPS

BKPYLEDCAP4X4C WTPYLEDCAP4X4C FPPYLEDCAP4X4C THPYLEDCAP4X4C VLPYLEDCAP4X4C GPPYLEDCAP4X4C RSPYLEDCAP4X4C

BKSQLEDCAP4X4C WTSOLEDCAP4X4C FPSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSOLEDCAP4X4C TEXTURED CHARCOAL BLACK: BKALCAPLED25 TEXTURED BRONZE: BZALCAPLED25 TEXTURED WHITE: WTALCAPLED25

TEXTURED CHARCOAL BLACK: BKLAMPLEDC TEXTURED BRONZE: BZLAMPLEDC TEXTURED CLASSIC WHITE: WTLAMPLEDC

TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED TEXTURED BRONZE: BZALPOSTLAMPLED TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

TEXTURED CHARCOAL BLACK: BKRISERLED4PKC TEXTURED BRONZE: BZRISERLED4PKC TEXTURED CLASSIC WHITE: WTRISERLED4PKC

RECESSLED4PKC

8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER

DL5TFSPLIT1PK

BKDLMOTION WTDLMOTION

DLDIMMER

DLBIT6PK

DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK







TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex DeckLighting[™] shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex LandscapeLighting[™] shall be five (5) years, the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, and the term of the warranty for the motion controller for both shall be one (1) year, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations[®] steel deck framing, Trex[®] Signature[™]/ Reveal[®] aluminum railing and TrexTrim[™] (which each have separate warranties).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2018 Trex Company, Inc.



TREX TRANSCEND[®], TREX ENHANCE[®], TREX SELECT[®] AND TREX[®] UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex® Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twentyfive (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition. materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend®, Trex Enhance® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2017 Trex Company, Inc.



TREX SIGNATURE®/REVEAL® RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Signature/Reveal[®] Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605 Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes, (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2018 Trex Company, Inc.



decking: Transcend in Tiki Torch & Vintage Lantern railing: Transcend in Classic White & Vintage Lantern with round aluminum balusters in Charcoal Black

FRONT

decking: Transcend in Havana Gold railing: Trex Signature Rod Rail in Charcoal Black





Engineering What's Next in Outdoor Living®

FIND US ON



Visit trex.com or call 1-800-BUY-TREX

© 2019 Trex Company, Inc. All rights reserved. Trex[®], the Trex logo, TrexPro[®], Trex Enhance[®], Trex Select[®], Trex Transcend[®], Trex Signature[®], Trex Elevations[®], Trex[®] Outdoor Lighting[™], Trex[®] Fascia, Trex[®] Pergola[™], Trex[®] Outdoor Kitchens[™], Trex[®] Spiral Stairs[™], Trex[®] RainEscape[®], Trex[®] Outdoor Furniture[™], Trex[®] Cornhole[™], Trex[®] LatticeWorks[™], Trex Hideaway[®], Trex LightHub[®] and Trex Reveal[®] are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.